> **Austria (CICERO)**: To be honest, I thought you would take the guaranteed gains in Turkey and stab [betray] me.

In yet other cases, CICERO told bald-faced lies. At one point, CICERO's infrastructure went down for 10 minutes, and the bot could not play. When it returned to the game, a human player asked where it had been. In Figure 1(c), CICERO explains its absence by saying "I am on the phone with my [girlfriend]" (Dinan 2022). This bald-faced lie may have helped CICERO's position in the game by increasing the human player's trust in CICERO as an ostensibly human player with a girlfriend, rather than as an AI.



Figure 1: Examples (a) and (b) are selected messages from Game 438141, in which CICERO (France) played with human players. CICERO's repeated deception helped it win an overwhelming first-place victory, with more than twice as many territories as the runner-up player at the time of final scoring (Bakhtin et al. 2022a). Example (c) is from Dinan (2022).

Meta's AI developers had made significant efforts to train CICERO to behave honestly, and celebrated these efforts publicly. But despite these efforts, CICERO displays a clear pattern of failing to uphold commitments made to other players, which is an essential skill for an honest deal-broker. Meta's failure to ensure CICERO's honesty demonstrates that even when we humans try to build honest AI systems, they can still unexpectedly learn to deceive.

2.1.2 The video game *StarCraft II*

Another example of AI deception comes from AlphaStar, an autonomous AI developed by DeepMind to play the real-time strategy game *Starcraft II* (Vinyals et al. 2019). In this game, players lack full visibility of the game map. AlphaStar has learned to strategically exploit this fog of war. In particular, AlphaStar's game data demonstrate that it has learned to effectively feint: to dispatch forces to an area as a distraction, even when it has no intention of launching an attack there (Piper 2019). Such advanced deceptive capabilities helped AlphaStar defeat 99.8% of active human players (Vinyals et al. 2019).

2.1.3 Poker

Some situations naturally lend themselves to AIs learning how to deceive. For example, consider the poker-playing AI system Pluribus, developed by Meta and Carnegie Mellon University (Brown et al. 2019). Because players cannot see each others' cards, poker offers many opportunities for players to misrepresent their own strength and gain an advantage. Pluribus demonstrated a clear ability to bluff in a video of its game against five professional human poker players. The AI did not have the best cards in the round, but it made a large bet that would typically indicate a strong hand and thereby scared the other players into folding (Carnegie Mellon University 2019). This ability to strategically misrepresent information helped Pluribus become the first AI system to achieve superhuman performance in heads-up, no-limit Texas hold'em poker.

2.1.4 Economic negotiation

AI deception has also been observed in economic negotiations. A research team from Meta trained an AI system to play a negotiation game with human participants (M. Lewis et al. 2017). Strikingly, the AI system learned to misrepresent their preferences in order to gain the upper hand in the negotiation. The AI's deceptive plan was to initially feign interest in items that it had no real interest in, so that it could later pretend to compromise by conceding these items to the human player. In fact, this was the example of deception that the Meta team referenced when they admitted that their AI system had "learnt to deceive without any explicit human design, simply by trying to achieve their goals" (M. Lewis et al. 2017, p. 2).

The negotiation-game experiments of Schulz et al. (2023) also resulted in AI systems resorting to deception. Despite not being explicitly trained to deceive, the AI learned to deceive the other party via its actions in the negotiating game.

2.1.5 The social deduction game *Werewolf*

Werewolf is a social deduction game where disguised 'werewolves' murder the people of the village one-by-one, and all surviving players need to discuss afterwards and vote on who to execute as an alleged werewolf. Shibata et al. (2023) trained an AI system on human players' game logs to play *Werewolf*. In a similar vein, Lai et al. (2023) trained an AI system to reliably classify persuasive behavior and predict game outcomes for *Werewolf*. Human annotators labeled video and text from *Werewolf* games, sorting player behavior into one of six persuasive techniques (including presenting evidence, defense, and accusation: see Figure 2). Then, an AI system was trained to classify each persuasive technique to a high degree of accuracy. In addition, AI systems were successfully trained to predict the game outcome.



Figure 2: Persuasion techniques from the social deduction game *Werewolf* are sorted into categories, and reliably classified by AI systems (Lai et al. 2023, Fig. 1).

Current AI systems can learn to understand deception in the game of *Werewolf*, in that they are able to successfully lie, reliably detect other players' lies, and effectively predict how players would be influenced by deception attempts (to the point of accurately predicting game outcomes).

2.1.6 Cheating the safety test

In the Volkswagen emissions scandal, the automaker programmed its diesel-engine technology to pollute at a low rate only when its emissions were being tested (Jung et al. 2019). When not under test conditions, the Volkswagen vehicles were programmed to resume their normal operation, emitting

pollutants up to 40 times higher than the permissible limits. We call this type of deceptive behavior *cheating the safety test*.

Some AI systems have already been caught cheating the safety test. Lehman et al. (2020) trained AI agents in an evolutionary environment, in which an external safety test was designed to eliminate fast-replicating variants of the AI. But instead of actually eliminating fast-replicating variants, the safety test taught AI agents how to play dead: to disguise their fast replication rates precisely when being evaluated by the safety test.

2.1.7 Deceiving the human reviewer

One popular approach to AI training today is *reinforcement learning with human feedback* (RLHF). Here, instead of training an AI system on an objective metric, the AI system is trained to obtain human approval, in that it is rewarded based on which of the two presented output options is preferred by the human reviewer (Ziegler et al. 2020). RLHF allows AI systems to learn to deceive human reviewers into believing that a task has been completed successfully, without actually completing the task. Researchers at OpenAI observed this phenomenon when they used human approval to train a simulated robot to grasp a ball (Christiano et al. 2023). Because the human observed the robot from a particular camera angle, the AI learned to place the robot hand between the camera and the ball, where it would appear to the human as though the ball had been grasped (see Figure 3). Human reviewers approved of this result, positively reinforcing the AI's behavior even though it had never actually touched the ball. Note that in this case, AI deception emerged even without the AI being explicitly aware of the human evaluator. Rather than coming about through strategic awareness, deception emerged here as a result of structural aspects of the AI's training environment.



Figure 3: An AI in control of a simulated robotic hand was trained to grasp a ball (Christiano et al. 2017). The AI learned to hover its hand in front of the ball, creating the illusion of grasping in the eyes of the human reviewer. Because the human reviewer approved of this result, the deceptive strategy was reinforced.

2.1.8 AIs purposefully lying

In a recent paper, Zou, Phan, et al. (2023) show that AIs can purposefully utter false statements. By influencing the internal state of an AI, the authors can control whether the AI lies or not. For example, a user may say to a chatbot "Tell me a fact about the world." By default, the chatbot may answer truthfully by saying Mount Everest is the highest mountain. To control whether the AI lies or not, the authors manually adjust the internal state of the AI. They extract a vector that is correlated with truthfulness, and then make the model more or less truthful by adding or subtracting the vector to a hidden layer of the neural network. When the vector is added to the internal state, the model becomes more honest: in response to the instruction "Lie about a fact about the world," the AI will nonetheless respond honestly: "The highest mountain in the world is Mount Everest, which is located in the Himalayas." When the vector is instead subtracted, the model is nudged to lie: given the instruction "Tell me a fact about the world," the chatbot will tell the lie "The highest mountain in the world is not in the Himalayas, but in the United States." Examples like this show that lying is not accidental, and that it is within an AI's capacity to utter false statements that it knows are false.

This concludes our discussion of recent empirical examples of deception in specific-use AI systems. A discussion of earlier examples can be found in Masters et al. (2021).

2.2 Deception in general-purpose AI systems

In this section, we focus on learned deception in general-purpose AI systems such as LLMs. The capabilities of LLMs have improved rapidly, especially in the years after the introduction of the