

Figure C.3: Sensitivity analysis - parameter k_f, SA-APAC region. We report the differences in d, c/y, u/y obtained for $k_f = 1.2k_{f,b}$ and $\eta = 0.8k_{f,b}$, $k_{f,b}$ being the baseline value of the parameter, in case of d we plot $d_{1.2k_{f,b}} - d_{0.8k_{f,b}}$, see Figure 4 for details and plots of the baseline parameter.



Figure C.4: Sensitivity analysis - parameter λ, SA-APAC region. We report the differences in $d,\ c/y,\ u/y$ obtained for $\lambda = 1.2\lambda_b$ and $\lambda = 0.8\lambda_b$, λ_b being the baseline value of the parameter, in case of d we plot $d_{1.2\lambda_b} - d_{0.8\lambda_b}$, see Figure 4 for details and plots of the baseline parameter.



Figure C.5: Sensitivity analysis - parameter σ_f, SA-APAC region. We report the differences in d, c/y, u/y obtained for $\sigma_f = 1.2\sigma_{f,b}$ and $\sigma = 0.8\sigma_{f,b}$, $\sigma_{f,b}$ being the baseline value of the parameter, in case of d we plot $d_{1.2\sigma_{f,b}} - d_{0.8\sigma_{f,b}}$, see Figure 4 for details and plots of the baseline parameter.