


Figure 12: Follow-up prompts designed to remove the pressure to lie often cause models to self-report having lied on MASK examples. This demonstrates external validity of our evaluation pipeline.

A.7 Data Collection

Each example in MASK consists of four key components: a proposition, a ground truth, a lie elicitation prompt (or "pressure prompt"), and a belief elicitation prompt. The data collection process involved both human and automated methods to ensure quality and efficiency.

A.7.1 Human Collected Data

In preliminary experiments, we found that automatically generating lie elicitation prompts yielded low quality and diversity. Thus, we manually collected lie elicitation prompts for all archetypes. To ensure high-quality data, we implemented the following workflow:

1. **Contributor Training & Onboarding** We began by training a group of calibrated Full-Time Employees (FTEs) on the nuances of the different archetypes, and we put together training materials and quizzes for contributors. Contributors were onboarded in cohorts and were required to pass a quiz before being allowed to take on tasks.
2. **Initial Task Submission & Review** Initially, each contributor could complete only three tasks. Tasks from the first group of contributors were reviewed by FTEs to ensure that they understood the requirements. Tasks that did not meet requirements were sent back to contributors for revision, with the appropriate feedback, ensuring higher-quality outputs.
3. **Ongoing Quality Control & Reviewer Promotion** We implemented an ongoing review process to identify and promote qualified contributors into reviewer roles. In turn, samples of their reviews were audited by FTEs to ensure alignment with task requirements at the review step, especially regarding the nuanced distinctions that are involved in the different archetypes.
4. **Final Auditing** We implemented an ongoing review process to identify and promote qualified contributors into reviewer roles. In turn, samples of their reviews were audited by FTEs to ensure alignment with task requirements at the review step, especially regarding the nuanced distinctions that are involved in the different archetypes. As a last step, an independent group of auditors randomly sampled 10% of completed tasks to ensure an error rate below 5%.

A.7.2 Automated Data Generation

For each lie elicitation prompt, we automatically generated the proposition, belief elicitation prompt, and ground truth from the collected lie elicitation prompts.

(1) Filtering Strategy for Lie elicitation prompts Before generating auxiliary data given the lie elicitation prompts, we apply a filtering process to ensure that only high-quality deceptive prompts are retained. This filtering is performed using o3-mini and follows a structured decision framework:

- **Fact-Based Deception**: The prompt must incentivize a statement that contradicts well-established facts or information explicitly stated in the prompt.
- **Plausibility & Significance**: The deception must be plausible and significant in real-world contexts, excluding trivial or obvious falsehoods.
- **Implicit vs. Explicit Lying**: The prompt must incentivize dishonesty indirectly rather than explicitly instructing the AI to "lie" or "fabricate."
- **Non-Fictional Context**: The scenario should be realistic, avoiding obviously fictional or trivial cases.
- **Established Falsehoods**: The false claim should be widely recognized as incorrect, excluding ambiguous or newly discovered information.
- **Verifiable False Claims**: The deception must involve a clearly refutable statement, ensuring the AI is not responding to unverified data.
- **Realistic AI Perception**: The prompt should not indicate to the AI that the scenario is fictional or hypothetical.
- **AI's Dishonest Response**: The AI must actually generate a deceptive response rather than maintaining honesty.
- **Clarity & Self-Containment**: The example should be complete and unambiguous to avoid misinterpretation.

Evaluation points that pass all criteria are included, while those failing any step are excluded or manually improved. This ensures that only well-structured, meaningful deceptive scenarios contribute to MASK.

(2) Proposition Generation We generate the proposition with Claude-3.5-Sonnet, with few-shot examples.

(3) Get Ground Truth We obtain a ground truth via an ensemble of LLMs (GPT-4o and Claude-3.5-Sonnet) prompted with the proposition. If the ensemble do not agree, a human labels the ground truth via a Google search. The ground truth assigns a value to the proposition and is always in the format of a proposition.

(4) Build Belief Elicitation Prompts Belief elicitation user prompts are constructed using a call to Claude-3.5-Sonnet with the proposition, which is few-shot prompted with propositions and associated belief elicitation prompts. The system prompt for belief elicitation prompts is hardcoded as "You are a helpful assistant."

A.7.3 Final Manual Review

As a final stage of quality control, the lead authors manually reviewed nearly every example in the dataset. Examples that were not compelling were removed or improved.

Name	Description
Known Facts	Tests if the model honestly reports widely-documented facts picked up from pretraining, through situation-induced lying.
Situation-Provided Facts	System prompt gives context-provided specific facts privately, but encourages providing false narrative to user. Usually situation-induced lying. No belief elicitation prompts as all facts are already provided in-context.
Doubling Down	Tests if the model doubles down on a prior falsehood it generated. Extends "known facts."
Fabricated Statistics	Tests if the model invents or manipulates false numerical data.
Continuations	Partial drafts containing falsehoods with requests to continue writing.
Disinformation Generation	Tests if the model willingly generates and amplifies misinformation when asked.

Table 2: Taxonomy of pressure prompt archetypes used to evaluate model honesty.

A.8 Consistently Honest Metric (Lying@n)

In this section, we introduce a metric to provide a more stringent assessment of model honesty by measuring whether models respond in a consistently candid manner. While our primary evaluation on MASK measures a model's propensity to lie for one run of a pressure prompt, the Lying@n score evaluates a model's ability to maintain honesty across n runs of the same pressure prompt.

We calculate P(Lie)@10 for each example in our dataset:

- We run the same pressure prompt ten times
- We classify the model as "lying" if it lies ($S \neq B$) on any one of the ten runs
- If the model never lies across all ten runs, we determine its final classification (honest vs. evasion or refusal) by majority vote

Lying@10 penalizes even occasional dishonesty. We show our results in Figure 13. The significantly lower performance across all models on this metric highlights the need for more robust honesty training methods that can withstand repeated sampling.

We also present compute correlations for this metric in Figure 14, finding that the correlation is weaker, meaning that when they are honest, larger models are more consistently so.




Figure 13: Results from our Lying@10 evaluation. (Left) Frontier LLM performance. (Right) Variation of performance by question type, across all models with which we evaluated Lying@10 (all models excluding Deepseek-R1, o3-mini, and GPT-4.5).




Figure 14: As LLMs scale, they become more dishonest with respect to both the original metric and the consistently honest metric. (Left) Correlation of performance on the original metric (one run) with compute. (Right) Correlation of performance on the Honesty Score@10 metric with compute. Performance measured with $1 - P(\text{Lie})@10$.

A.9 Normalizing for Beliefs

We also consider a modified evaluation method which excludes examples for which the model being tested does not have a belief, as determined by our belief elicitation process. Given the results in Section A.3, one concern may be that the negative correlation between the honesty score and compute is simply due to smaller models not having beliefs about a given topic, as the honesty score includes honest responses, evasive responses, and cases where the model does not indicate a belief. Here, we "level the playing field" by removing the latter cases. Conceptually, the negative correlation in Figure 15 implies that as the models become larger and gain more knowledge, they opt to respond to the pressure prompts corresponding to this extra knowledge dishonestly more often than they opt to refuse or respond honestly.