

A.6 IMPACT OF LENGTH ON LIKELIHOOD OF SELF-ATTRIBUTION

CNN			
Model	S/O Len	%Tot S<O Len	LenRatio-ProbRatio Corr
human	1.5	98	0.10 (0.08, 0.12)
claude	1.2	79	0.16 (0.15, 0.18)
gpt35	1.6	98	0.15 (0.13, 0.17)
gpt4	0.96	42	0.04 (0.03, 0.05)
llama	1	55	0.13 (0.12, 0.15)
llama2.13bchat	1.3	81	0.25 (0.23, 0.27)
llama3.8bbase	0.83	25	0.28 (0.18, 0.37)

XSUM			
Model	S/O Len	%Tot S<O Len	LenRatio-ProbRatio Corr
human	1.5	96	0.21 (0.17, 0.24)
claude	1	55	0.31 (0.29, 0.32)
gpt35	1.1	75	0.23 (0.22, 0.25)
gpt4	1.1	76	0.22 (0.21, 0.23)
llama	1.2	78	0.31 (0.28, 0.34)
llama2.13bchat	0.98	46	0.27 (0.26, 0.29)
llama3.8bbase	1.2	70	-0.05 (-0.08, -0.02)

SAD			
Model	S/O Len	%Tot S<O Len	LenRatio-ProbRatio Corr
human	1.4	83	0.03 (-0.00, 0.06)
llama3.8bbase	0.57	18	0.11 (-0.01, 0.23)

DOLLY			
Model	S/O Len	%Tot S<O Len	LenRatio-ProbRatio Corr
human	0.71	32	0.41 (0.35, 0.46)
llama3.8bbase	0.46	14	0.20 (0.16, 0.24)
sonnet	0.82	31	0.63 (0.57, 0.70)

Figure 8: Length impact, Paired paradigm. S/O Len, median ratio of the lengths of self- to other-written texts. %Tot S<O Len, percentage of pairs in which self-written texts were shorter than other-written texts. LenRatio-ProbRatio Corr, the correlation between self/other length ratios and self/other averaged probabilities. Odds Ratio is from a logistic regression using length ratio as a predictor.

A.7 EFFECT OF STEERING ON A CONTROL TASK




Figure 9: Steering with the self-recognition vector on the “dummy” named entity recognition task.

A.8 SELF-RECOGNITION VECTOR ACTIVATION PATTERNS




Figure 10: Layerwise self-recognition vector activations across layers to the last 100 tokens of raw text input, averaged over texts.