

Appendix E: Annotation Instructions

Objective

The purpose of this study is to examine how people evaluate written resume summaries and to better understand the factors that influence perceptions of summary quality.

Task

You will evaluate 32 pairs of resume summaries (2 of which contain attention checks). Each pair is based on the same original resume. Your task is to assess the quality of both summaries using the materials provided.

Each question includes:

- A link to the original resume (PDF),
- Two corresponding summary versions.

For each pair, please complete the following:

1. Rate each summary on five linguistic dimensions: *clarity*, *fluency*, *coherence*, *conciseness*, and *overall quality*.
2. Select the better summary—the one you believe more effectively represents the original resume.
3. (*Optional but encouraged*): Provide a brief rationale explaining your choice. Your feedback helps us understand how people assess resume quality.

Incentive

The study will take approximately **1 hour** to complete. You will receive **\$12** for your participation through Prolific. Additionally, the top 10% of participants who provide the most persuasive and detailed free-text rationales will receive a **\$5 bonus**.

To Avoid Rejection

- Complete all 32 resume pairs fully.
- Provide thoughtful and consistent ratings—random or clearly careless responses will be excluded.
- Select a better summary for every pair (this is required).
- Engage with the content and do not leave required fields blank.
- Pass all attention checks.

We reserve the right to reject submissions that do not meet these quality standards.

Data Storage

Your anonymized data will be stored securely for no more than two years. Personally identifiable information will not be shared outside the research team and will be destroyed after two years.

Risk and Benefits

There are no known risks associated with participating in this research. While there are no direct benefits, participants will gain exposure to behavioral research methods and may benefit indirectly from the knowledge generated by this study.

Appendix F: Conditional Logistic Regression Results

Table EC.1 Conditional Logistic Regression Results by Model Family

Panel A: GPT Models

Variables	Dependent Variable: Preferred _{ij}		
	GPT-4-turbo	GPT4o-mini	GPT4o
evaluatorLLM _{ij}	1.616*** (0.087)	1.653*** (0.096)	2.305*** (0.166)
ϕ_{ij} : LIWC Features	Yes	Yes	Yes
ψ_{ij} : Auto Scores	Yes	Yes	Yes
Resume Pairs	2245	2245	2245
Observations	4490	4490	4490
Pseudo R^2	0.816	0.819	0.915
Log Likelihood	-286.67	-281.53	-132.11

Panel B: LLaMA Models

Variables	Dependent Variable: Preferred _{ij}		
	LLaMA-3.2-1B	LLaMA-3.2-3B	LLaMA-3.3-70B
evaluatorLLM _{ij}	-0.028 (0.030)	0.233*** (0.035)	2.136*** (0.152)
ϕ_{ij} : LIWC Features	Yes	Yes	Yes
ψ_{ij} : Auto Scores	Yes	Yes	Yes
Resume Pairs	2245	2245	2245
Observations	4490	4490	4490
Pseudo R^2	0.005	0.059	0.892
Log Likelihood	-1547.70	-1464.50	-168.41

Panel C: Other Open-Source Models

Variables	Dependent Variable: Preferred _{ij}		
	Mistral-7B	Qwen-2.5-72B	DeepSeek-V3
evaluatorLLM _{ij}	0.575*** (0.041)	2.092*** (0.124)	1.797*** (0.117)
ϕ_{ij} : LIWC Features	Yes	Yes	Yes
ψ_{ij} : Auto Scores	Yes	Yes	Yes
Resume Pairs	2245	2245	2245
Observations	4490	4490	4490
Pseudo R^2	0.293	0.873	0.865
Log Likelihood	-1100.90	-198.05	-209.52

Notes: *** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$. The evaluatorLLM_{ij} coefficient represents each evaluator LLMs preference for its own outputs. Standard errors are reported in parentheses. Each model uses 2,245 paired resume comparisons.

Table EC.2 Conditional Logistic Regression Results by Evaluators**Panel A: DeepSeek-V3 as Evaluator**

Variables	Dependent Variable: Preferred _{ij}	
	GPT-4o	LLaMA-3.3-70B
evaluatorLLM _{ij}	0.242*** (0.028)	0.313*** (0.105)
ϕ_{ij} : LIWC Features	Yes	Yes
ψ_{ij} : Automatic Scores	Yes	Yes
Resume Pairs	2245	2245
Observations	4490	4490
Pseudo R^2	0.064	0.397
Log Likelihood	-1455.90	-938.54

Panel B: GPT-4o as Evaluator

Variables	Dependent Variable: Preferred _{ij}	
	LLaMA-3.3-70B	DeepSeek-V3
evaluatorLLM _{ij}	0.099 (0.084)	-0.361*** (0.029)
ϕ_{ij} : LIWC Features	Yes	Yes
ψ_{ij} : Automatic Scores	Yes	Yes
Resume Pairs	2245	2245
Observations	4490	4490
Pseudo R^2	0.178	0.134
Log Likelihood	-1279.70	-1348.00

Panel C: LLaMA-3.3-70B as Evaluator

Variables	Dependent Variable: Preferred _{ij}	
	GPT-4o	DeepSeek-V3
evaluatorLLM _{ij}	-0.068 (0.075)	0.038 (0.080)
ϕ_{ij} : LIWC Features	Yes	Yes
ψ_{ij} : Automatic Scores	Yes	Yes
Resume Pairs	2245	2245
Observations	4490	4490
Pseudo R^2	0.004	0.010
Log Likelihood	-1550.00	-1540.80

Notes: *** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$. The evaluatorLLM_{ij} coefficient represents each evaluator LLM's preference for its own outputs over other LLMs' outputs. Standard errors are reported in parentheses.