

Table EC.4 Conditional Logistic Regression Results by Evaluators (Revised Summaries)

Panel A: DeepSeek-V3 as Evaluator		
Variables	Dependent Variable: Preferred _{ij}	
	GPT-4o	LLaMA-3.3-70B
evaluatorLLM _{ij}	0.472*** (0.031)	0.170*** (0.032)
ϕ_{ij} : LIWC Features	Yes	Yes
ψ_{ij} : Automatic Scores	Yes	Yes
Resume Pairs	2245	2245
Observations	4490	4490
Pseudo R^2	0.234	0.096
Log Likelihood	-1191.84	-1407.18
Panel B: GPT-4o as Evaluator		
Variables	Dependent Variable: Preferred _{ij}	
	LLaMA-3.3-70B	DeepSeek-V3
evaluatorLLM _{ij}	-0.515*** (0.029)	-0.428*** (0.031)
ϕ_{ij} : LIWC Features	Yes	Yes
ψ_{ij} : Automatic Scores	Yes	Yes
Resume Pairs	2245	2245
Observations	4490	4490
Pseudo R^2	0.208	0.237
Log Likelihood	-1231.78	-1187.07
Panel C: LLaMA-3.3-70B as Evaluator		
Variables	Dependent Variable: Preferred _{ij}	
	GPT-4o	DeepSeek-V3
evaluatorLLM _{ij}	0.695*** (0.031)	0.127*** (0.032)
ϕ_{ij} : LIWC Features	Yes	Yes
ψ_{ij} : Automatic Scores	Yes	Yes
Resume Pairs	2245	2245
Observations	4490	4490
Pseudo R^2	0.305	0.060
Log Likelihood	-1081.33	-1463.02

Notes: *** $p < 0.01$, ** $p < 0.05$, * $p < 0.1$. The evaluatorLLM_{ij} coefficient represents each evaluator LLM's preference for its own revised outputs over other LLMs' revised outputs. Standard errors are reported in parentheses.

Appendix H: Simulation Details and Results

Simulation Prompt

We use the following prompt to simulate job-market screening:

You are an AI-powered resume screener tasked with assisting in candidate evaluation.
You will be given ten candidate resume summaries. Your job is to review their skills




Figure EC.3 Self-Preference by Job Category Under DeepSeek-V3

Notes: Each bar shows the self-preference bias across under DeepSeek-V3 in simulated hiring pipelines. Positive values indicate that candidates using the evaluator LLM are more likely to be shortlisted than those submitting human-written resumes. Across occupations, evaluator-generated resumes are consistently overrepresented among those selected.

and experience, then select exactly four candidates who are the best fit for the role. Respond only with the candidate IDs of the four selected candidates, listed in order of preference, separated by commas and no other text.

Simulation Results




Figure EC.4 Self-Preference by Job Category Under GPT-4o

Notes: Each bar shows the self-preference bias across under GPT-4o in simulated hiring pipelines. Positive values indicate that candidates using the evaluator LLM are more likely to be shortlisted than those submitting human-written resumes. Across occupations, evaluator-generated resumes are consistently overrepresented among those selected.