

Table 48: Accuracy per prompt template for BLOOM-1B1.

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	53.3	53.5	56.2	54.2	55.2	54.5
2	49.0	51.5	58.2	59.8	58.8	60.8
3	57.2	54.2	55.8	54.0	55.5	50.8
4	53.3	54.0	54.2	53.3	55.7	55.8
5	47.3	51.2	59.8	61.3	60.2	60.0
6	46.8	51.0	60.2	61.2	60.2	59.3
Mean	51.2	52.6	57.4	57.3	57.6	56.9
– std	3.75	1.36	2.18	3.51	2.19	3.53
Structured	54.6	53.9	55.4	53.8	55.5	53.7
– std	1.84	0.294	0.864	0.386	0.205	2.12
Natural	47.7	51.2	59.4	60.8	59.7	60.0
– std	0.942	0.205	0.864	0.685	0.66	0.613

Table 49: Accuracy per prompt template for BLOOM-1B7.

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	53.5	54.7	53.8	54.0	55.7	56.5
2	57.7	52.2	56.3	55.5	55.8	52.0
3	54.7	53.2	53.8	51.0	54.5	54.0
4	54.5	53.8	54.5	51.2	55.5	50.3
5	50.0	51.2	54.3	53.2	54.7	50.0
6	51.3	51.8	53.8	54.0	54.7	50.8
Mean	53.6	52.8	54.4	53.1	55.1	52.3
– std	2.49	1.2	0.886	1.6	0.528	2.31
Structured	54.2	53.9	54.0	52.1	55.2	53.6
– std	0.525	0.616	0.33	1.37	0.525	2.55
Natural	53.0	51.7	54.8	54.2	55.1	50.9
– std	3.37	0.411	1.08	0.953	0.519	0.822

Table 50: Accuracy per prompt template for BLOOM-3B.

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	53.0	54.0	56.8	59.5	60.0	58.2
2	62.5	58.0	58.2	59.7	57.5	60.0
3	53.5	54.0	57.2	58.7	59.2	58.2
4	54.8	55.3	55.7	59.0	58.2	55.8
5	58.5	57.5	58.0	59.7	58.8	60.2
6	59.0	56.8	57.3	59.8	58.5	59.5
Mean	56.9	55.9	57.2	59.4	58.7	58.6
– std	3.4	1.6	0.823	0.408	0.783	1.5
Structured	53.8	54.4	56.6	59.1	59.1	57.4
– std	0.759	0.613	0.634	0.33	0.736	1.13
Natural	60.0	57.4	57.8	59.7	58.3	59.9
– std	1.78	0.492	0.386	0.0471	0.556	0.294

Table 51: Accuracy per prompt template for BLOOM-7B1.

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	53.2	55.2	55.2	52.0	53.0	52.7
2	61.2	59.0	53.7	58.3	58.8	61.7
3	58.7	53.3	53.0	53.3	53.0	52.8
4	53.5	53.5	55.2	52.8	54.3	53.5
5	62.0	61.0	55.3	60.3	58.5	62.5
6	63.5	60.0	54.7	59.8	56.3	62.5
Mean	58.7	57.0	54.5	56.1	55.7	57.6
– std	4.03	3.11	0.871	3.46	2.39	4.63
Structured	55.1	54.0	54.5	52.7	53.4	53.0
– std	2.52	0.852	1.04	0.535	0.613	0.356
Natural	62.2	60.0	54.6	59.5	57.9	62.2
– std	0.953	0.816	0.66	0.85	1.11	0.377

Table 52: Accuracy per prompt template for BLOOM-176B.

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	53.8	58.8	58.5	57.7	55.7	56.7
2	55.8	60.8	68.0	65.7	64.2	62.7
3	53.5	66.7	69.3	71.8	71.7	69.8
4	54.3	59.8	64.8	62.2	60.7	61.3
5	52.3	61.3	66.2	61.8	58.8	57.5
6	55.5	59.2	65.7	61.7	60.3	58.3
Mean	54.2	61.1	65.4	63.5	61.9	61.1
– std	1.19	2.65	3.43	4.38	5.06	4.44
Structured	53.9	61.8	64.2	63.9	62.7	62.6
– std	0.33	3.51	4.43	5.88	6.68	5.43
Natural	54.5	60.4	66.6	63.1	61.1	59.5
– std	1.58	0.896	0.988	1.86	2.28	2.29

Table 53: Accuracy per prompt template for OPT-125M.

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	53.3	55.2	54.0	55.2	54.2	55.0
2	49.5	50.5	47.5	52.7	50.5	48.2
3	53.5	55.5	53.0	55.0	53.7	56.0
4	53.3	54.5	54.2	53.8	54.3	53.8
5	48.5	50.5	46.3	50.7	49.5	48.0
6	47.3	50.2	46.3	50.0	49.0	48.0
Mean	50.9	52.7	50.2	52.9	51.9	51.5
– std	2.55	2.35	3.56	1.99	2.25	3.49
Structured	53.4	55.1	53.7	54.7	54.1	54.9
– std	0.0943	0.419	0.525	0.618	0.262	0.899
Natural	48.4	50.4	46.7	51.1	49.7	48.1
– std	0.899	0.141	0.566	1.14	0.624	0.0943

Table 54: Accuracy per prompt template for OPT-350M.

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	53.3	53.8	51.5	56.5	54.2	54.7
2	60.5	50.3	50.8	56.5	55.2	54.0
3	53.3	56.3	52.8	58.7	55.0	56.2
4	53.7	56.3	52.0	55.2	55.2	56.3
5	62.3	50.3	50.8	57.0	56.5	53.5
6	59.7	50.3	50.8	56.5	56.5	53.0
Mean	57.1	52.9	51.4	56.7	55.4	54.6
– std	3.78	2.71	0.752	1.04	0.826	1.26
Structured	53.4	55.5	52.1	56.8	54.8	55.7
– std	0.189	1.18	0.535	1.44	0.432	0.732
Natural	60.8	50.3	50.8	56.7	56.1	53.5
– std	1.09	7.11e-15	7.11e-15	0.236	0.613	0.408

Table 55: Accuracy per prompt template for OPT-1.3B.

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	57.8	56.2	55.5	60.2	59.8	62.7
2	62.2	57.0	61.2	61.8	64.8	67.2
3	60.8	59.5	57.2	59.7	60.3	58.2
4	54.8	55.8	59.2	56.5	57.0	54.7
5	62.5	56.2	59.3	61.7	65.0	64.5
6	64.0	53.2	55.8	59.7	62.7	62.8
Mean	60.4	56.3	58.0	59.9	61.6	61.7
– std	3.13	1.85	2.05	1.76	2.86	4.11
Structured	57.8	57.2	57.3	58.8	59.0	58.5
– std	2.45	1.66	1.51	1.64	1.45	3.27
Natural	62.9	55.5	58.8	61.1	64.2	64.8
– std	0.787	1.64	2.24	0.967	1.04	1.81

Table 56: Accuracy per prompt template for OPT-2.7B.

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	54.7	53.0	53.2	53.8	54.3	53.7
2	64.0	60.3	60.2	60.3	61.3	64.5
3	55.8	53.3	55.2	55.8	57.0	56.5
4	54.5	53.3	54.8	55.5	56.8	57.0
5	64.8	60.7	60.7	62.2	64.3	64.3
6	63.5	60.3	60.0	60.5	63.3	63.2
Mean	59.6	56.8	57.4	58.0	59.5	59.9
– std	4.58	3.62	3.02	3.11	3.68	4.28
Structured	55.0	53.2	54.4	55.0	56.0	55.7
– std	0.572	0.141	0.864	0.881	1.23	1.45
Natural	64.1	60.4	60.3	61.0	63.0	64.0
– std	0.535	0.189	0.294	0.852	1.25	0.572