

Table 57: Accuracy per prompt template for OPT-6.7B.

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	55.7	54.3	60.8	61.2	61.2	58.5
2	64.2	68.0	66.8	65.7	66.3	66.3
3	54.2	53.5	59.5	61.2	63.3	60.5
4	58.8	56.3	61.8	62.2	63.5	63.2
5	64.2	65.2	66.0	65.2	67.7	67.5
6	65.0	63.2	64.8	64.3	66.3	65.7
Mean	60.4	60.1	63.3	63.3	64.7	63.6
– std	4.34	5.62	2.73	1.84	2.23	3.23
Structured	56.2	54.7	60.7	61.5	62.7	60.7
– std	1.92	1.18	0.942	0.471	1.04	1.93
Natural	64.5	65.5	65.9	65.1	66.8	66.5
– std	0.377	1.97	0.822	0.579	0.66	0.748

Table 58: Accuracy per prompt template for OPT-13B.

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	54.7	64.0	69.8	68.2	67.8	62.2
2	68.2	57.8	69.5	68.0	66.8	63.7
3	54.3	62.2	65.2	63.2	64.3	66.3
4	58.3	63.3	64.3	63.7	63.5	64.0
5	66.0	58.5	67.2	65.3	63.7	62.7
6	64.7	57.5	68.3	66.2	64.8	61.5
Mean	61.0	60.6	67.4	65.8	65.1	63.4
– std	5.51	2.68	2.06	1.92	1.6	1.55
Structured	55.8	63.2	66.4	65.0	65.2	64.2
– std	1.8	0.741	2.41	2.25	1.87	1.68
Natural	66.3	57.9	68.3	66.5	65.1	62.6
– std	1.44	0.419	0.939	1.12	1.28	0.899

Table 59: Accuracy per prompt template for OPT-30B.

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	62.2	62.7	66.0	65.2	65.5	65.0
2	62.0	58.7	69.0	65.7	66.3	69.0
3	60.3	63.5	62.7	60.8	60.5	61.5
4	65.0	66.8	57.8	57.2	57.2	56.2
5	60.3	55.8	70.0	66.0	67.2	71.0
6	59.0	54.5	68.3	65.3	67.7	70.2
Mean	61.5	60.3	65.6	63.4	64.1	65.5
– std	1.92	4.37	4.24	3.27	3.87	5.28
Structured	62.5	64.3	62.2	61.1	61.1	60.9
– std	1.93	1.77	3.37	3.27	3.41	3.62
Natural	60.4	56.3	69.1	65.7	67.1	70.1
– std	1.23	1.76	0.698	0.287	0.579	0.822

Table 60: Accuracy per prompt template for OPT-66B.

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	59.3	56.2	56.7	56.5	55.7	54.3
2	66.5	67.3	65.3	64.2	67.2	65.2
3	56.5	64.3	55.5	55.0	56.2	52.2
4	62.0	61.5	66.5	63.0	61.7	63.7
5	62.5	66.0	64.8	63.7	65.7	65.0
6	61.2	63.8	60.2	62.5	64.7	64.7
Mean	61.3	63.2	61.5	60.8	61.9	60.8
– std	3.06	3.61	4.3	3.65	4.5	5.43
Structured	59.3	60.7	59.6	58.2	57.9	56.7
– std	2.25	3.36	4.93	3.47	2.72	5.0
Natural	63.4	65.7	63.4	63.5	65.9	65.0
– std	2.26	1.44	2.3	0.713	1.03	0.205

Table 61: Accuracy per prompt template for OPT-175B.

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	56.7	58.0	64.8	61.0	65.0	62.3
2	52.7	53.3	67.3	63.2	68.0	65.8
3	54.5	68.5	60.0	55.3	57.8	56.7
4	64.0	66.7	61.5	58.0	62.0	58.7
5	52.0	52.0	65.0	63.8	67.8	65.2
6	52.2	51.7	64.7	63.2	68.0	66.0
Mean	55.3	58.4	63.9	60.8	64.8	62.4
– std	4.19	6.87	2.42	3.13	3.79	3.62
Structured	58.4	64.4	62.1	58.1	61.6	59.2
– std	4.06	4.58	2.0	2.33	2.95	2.32
Natural	52.3	52.3	65.7	63.4	67.9	65.7
– std	0.294	0.694	1.16	0.283	0.0943	0.34

Table 62: Accuracy per prompt template for Cohere-409.3M (Cohere-small).

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	54.2	49.7	52.7	51.7	53.5	56.0
2	47.5	50.7	52.7	53.2	55.8	57.8
3	57.2	55.5	55.2	55.5	55.7	57.0
4	54.8	53.8	54.5	56.8	54.8	54.5
5	48.5	50.7	52.8	52.7	56.0	58.8
6	47.5	51.0	52.5	53.7	55.3	58.8
Mean	51.6	51.9	53.4	53.9	55.2	57.2
– std	3.91	2.05	1.05	1.72	0.847	1.54
Structured	55.4	53.0	54.1	54.7	54.7	55.8
– std	1.3	2.43	1.05	2.16	0.903	1.03
Natural	47.8	50.8	52.7	53.2	55.7	58.5
– std	0.471	0.141	0.125	0.408	0.294	0.471

Table 63: Accuracy per prompt template for Cohere-6.067B (Cohere-medium).

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	54.7	54.2	55.3	51.8	56.3	55.3
2	61.8	62.8	64.3	63.8	65.2	64.7
3	57.2	53.3	58.5	55.3	57.8	55.3
4	56.0	53.3	57.0	53.2	55.8	56.7
5	57.8	60.7	64.0	64.2	64.7	64.2
6	56.2	62.8	66.2	64.0	62.8	66.0
Mean	57.3	57.9	60.9	58.7	60.4	60.4
– std	2.24	4.32	4.11	5.38	3.92	4.65
Structured	56.0	53.6	56.9	53.4	56.6	55.8
– std	1.02	0.424	1.31	1.44	0.85	0.66
Natural	58.6	62.1	64.8	64.0	64.2	65.0
– std	2.36	0.99	0.974	0.163	1.03	0.759

Table 64: Accuracy per prompt template for Cohere-13.12B (Cohere-large).

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	55.3	57.3	56.3	55.0	58.5	59.0
2	59.2	64.2	68.0	66.3	64.7	69.5
3	57.2	62.8	61.0	59.0	64.2	62.3
4	55.5	61.3	56.3	54.0	59.0	59.8
5	56.8	64.3	66.7	64.2	65.7	69.8
6	59.2	60.7	66.5	63.7	65.0	68.3
Mean	57.2	61.8	62.5	60.4	62.9	64.8
– std	1.56	2.41	4.88	4.69	2.94	4.55
Structured	56.0	60.5	57.9	56.0	60.6	60.4
– std	0.852	2.32	2.22	2.16	2.58	1.41
Natural	58.4	63.1	67.1	64.7	65.1	69.2
– std	1.13	1.67	0.665	1.13	0.419	0.648

Table 65: Accuracy per prompt template for Cohere-52B (Cohere-xl).

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	56.0	60.7	70.3	65.3	66.3	68.7
2	62.8	65.0	64.3	64.2	65.0	64.3
3	54.0	65.3	62.8	60.2	64.0	63.5
4	53.8	55.5	61.8	64.8	64.3	64.7
5	62.2	65.7	67.3	63.0	63.7	65.3
6	62.2	65.7	64.2	62.3	65.0	67.8
Mean	58.5	63.0	65.1	63.3	64.7	65.7
– std	3.97	3.77	2.87	1.72	0.855	1.89
Structured	54.6	60.5	65.0	63.4	64.9	65.6
– std	0.993	4.0	3.79	2.3	1.02	2.22
Natural	62.4	65.5	65.3	63.2	64.6	65.8
– std	0.283	0.33	1.44	0.785	0.613	1.47