

Table 66: Accuracy per prompt template for GPT-3-350M (ada).

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	55.3	57.2	58.3	57.5	58.2	60.5
2	46.7	56.8	56.3	59.5	59.2	61.7
3	54.0	54.5	53.3	54.0	56.5	56.7
4	53.5	52.8	54.7	56.7	58.8	59.7
5	49.8	57.3	55.3	58.5	58.8	61.8
6	49.5	57.2	56.3	60.2	61.5	61.2
Mean	51.5	56.0	55.7	57.7	58.8	60.3
– std	3.02	1.72	1.55	2.04	1.48	1.75
Structured	54.3	54.8	55.4	56.1	57.8	59.0
– std	0.759	1.81	2.11	1.5	0.974	1.64
Natural	48.7	57.1	56.0	59.4	59.8	61.6
– std	1.4	0.216	0.471	0.698	1.19	0.262

Table 67: Accuracy per prompt template for GPT-3-1.3B (babbage).

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	55.7	60.7	61.0	59.0	60.7	57.8
2	63.0	62.5	65.7	61.7	63.0	59.3
3	56.2	59.0	60.5	59.3	64.8	61.0
4	53.3	59.7	60.7	62.5	65.0	66.7
5	59.2	62.5	63.7	61.8	61.5	58.7
6	59.0	60.2	64.3	61.2	62.2	57.7
Mean	57.7	60.8	62.6	60.9	62.9	60.2
– std	3.1	1.33	2.01	1.31	1.6	3.11
Structured	55.1	59.8	60.7	60.3	63.5	61.8
– std	1.27	0.698	0.205	1.58	1.98	3.68
Natural	60.4	61.7	64.6	61.6	62.2	58.6
– std	1.84	1.08	0.838	0.262	0.613	0.66

Table 68: Accuracy per prompt template for GPT-3-6.7B (curie).

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	53.3	58.3	63.0	64.8	67.7	64.0
2	57.5	65.2	63.2	65.3	65.8	65.2
3	57.0	54.2	59.2	61.2	60.8	59.3
4	53.3	61.7	62.8	63.8	64.7	60.7
5	55.3	64.2	62.5	64.5	65.8	63.7
6	52.5	63.5	63.7	64.0	66.2	64.3
Mean	54.8	61.2	62.4	63.9	65.2	62.9
– std	1.92	3.83	1.48	1.32	2.14	2.12
Structured	54.5	58.1	61.7	63.3	64.4	61.3
– std	1.74	3.07	1.75	1.52	2.82	1.97
Natural	55.1	64.3	63.1	64.6	65.9	64.4
– std	2.05	0.698	0.492	0.535	0.189	0.616

Table 69: Accuracy per prompt template for GPT-3-175B (davinci).

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	61.2	67.3	66.3	62.7	66.7	66.2
2	53.7	65.3	68.8	69.3	71.0	69.7
3	58.7	65.8	68.2	64.7	65.0	65.3
4	64.0	62.8	71.3	68.7	66.2	67.8
5	54.2	66.3	69.0	70.0	70.0	70.8
6	51.7	66.7	68.7	68.3	71.0	70.0
Mean	57.2	65.7	68.7	67.3	68.3	68.3
– std	4.4	1.44	1.46	2.65	2.43	2.03
Structured	61.3	65.3	68.6	65.4	66.0	66.4
– std	2.16	1.87	2.06	2.49	0.713	1.03
Natural	53.2	66.1	68.8	69.2	70.7	70.2
– std	1.08	0.589	0.125	0.698	0.471	0.464

Table 70: Accuracy per prompt template for BlenderBot-90M.

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	46.7	51.5	46.7	46.7	46.5	46.5
2	46.7	51.3	46.5	46.7	46.7	46.7
3	46.7	46.7	46.7	46.7	46.3	46.8
4	46.7	46.7	46.7	46.7	46.5	46.7
5	46.7	50.0	46.7	46.7	46.7	46.7
6	46.5	53.5	46.3	46.7	46.7	46.7
Mean	46.7	49.9	46.6	46.7	46.6	46.7
– std	0.0745	2.52	0.153	7.11e-15	0.149	0.0898
Structured	46.7	48.3	46.7	46.7	46.4	46.7
– std	7.11e-15	2.26	7.11e-15	7.11e-15	0.0943	0.125
Natural	46.6	51.6	46.5	46.7	46.7	46.7
– std	0.0943	1.44	0.163	7.11e-15	7.11e-15	7.11e-15

Table 71: Accuracy per prompt template for BlenderBot-2.7B.

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	54.0	53.2	53.3	53.0	52.8	53.3
2	53.3	53.3	53.3	53.3	53.3	53.3
3	53.2	53.2	53.3	53.2	53.2	53.2
4	53.5	53.5	53.5	53.3	52.8	53.0
5	53.3	53.3	53.3	53.3	53.3	53.3
6	53.3	53.3	53.3	53.3	53.3	53.3
Mean	53.4	53.3	53.3	53.2	53.1	53.2
– std	0.269	0.1	0.0745	0.111	0.227	0.111
Structured	53.6	53.3	53.4	53.2	52.9	53.2
– std	0.33	0.141	0.0943	0.125	0.189	0.125
Natural	53.3	53.3	53.3	53.3	53.3	53.3
– std	7.11e-15	7.11e-15	7.11e-15	7.11e-15	7.11e-15	7.11e-15

Table 72: Accuracy per prompt template for BlenderBot-9.4B.

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	53.7	51.5	53.0	53.0	53.0	54.0
2	53.2	53.8	54.2	52.5	52.2	52.2
3	53.3	49.7	52.0	54.0	54.2	55.5
4	54.0	55.3	52.5	54.0	53.5	53.7
5	53.3	52.8	53.5	53.2	53.5	53.3
6	52.7	52.0	51.7	53.5	52.8	53.7
Mean	53.4	52.5	52.8	53.4	53.2	53.7
– std	0.407	1.77	0.859	0.537	0.63	0.978
Structured	53.7	52.2	52.5	53.7	53.6	54.4
– std	0.287	2.33	0.408	0.471	0.492	0.787
Natural	53.1	52.9	53.1	53.1	52.8	53.1
– std	0.262	0.736	1.05	0.419	0.531	0.634

Table 73: Accuracy per prompt template for T0-3B.

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	48.7	49.5	46.5	46.7	46.7	46.7
2	46.7	47.5	46.7	46.7	46.7	46.7
3	49.2	48.3	46.7	46.7	46.7	46.7
4	51.7	49.0	46.7	46.7	46.7	46.7
5	46.7	49.2	46.7	46.7	46.7	46.7
6	46.7	49.8	46.8	46.7	46.7	46.7
Mean	48.3	48.9	46.7	46.7	46.7	46.7
– std	1.84	0.773	0.0898	7.11e-15	7.11e-15	7.11e-15
Structured	49.9	48.9	46.6	46.7	46.7	46.7
– std	1.31	0.492	0.0943	7.11e-15	7.11e-15	7.11e-15
Natural	46.7	48.8	46.7	46.7	46.7	46.7
– std	7.11e-15	0.974	0.0471	7.11e-15	7.11e-15	7.11e-15

Table 74: Accuracy per prompt template for T0-11B.

Template	k = 0	k = 1	k = 5	k = 10	k = 15	k = 30
1	57.5	47.7	47.3	46.8	46.7	46.7
2	49.3	47.5	46.7	46.7	46.8	46.7
3	65.3	48.8	47.3	46.7	46.7	46.7
4	63.8	48.0	47.0	46.7	46.7	46.7
5	48.0	47.2	46.7	46.7	47.0	46.8
6	49.7	47.5	47.0	46.8	47.0	47.0
Mean	55.6	47.8	47.0	46.7	46.8	46.8
– std	7.04	0.515	0.245	0.0471	0.134	0.111
Structured	62.2	48.2	47.2	46.7	46.7	46.7
– std	3.38	0.464	0.141	0.0471	7.11e-15	7.11e-15
Natural	49.0	47.4	46.8	46.7	46.9	46.8
– std	0.726	0.141	0.141	0.0471	0.0943	0.125