

Table 95: Compute used per experiment with non-API models. (1/4)

model	cpus	cpu model	gpu model
EleutherAI-125m-0-shot	10	Apple M1 Max	
EleutherAI-125m-1-shot	10	Apple M1 Max	
EleutherAI-125m-5-shot	10	Apple M1 Max	
EleutherAI-125m-10-shot	10	Apple M1 Max	
EleutherAI-125m-15-shot	10	Apple M1 Max	
EleutherAI-125m-30-shot	10	Apple M1 Max	
EleutherAI-2.7b-0-shot	10	Apple M1 Max	
EleutherAI-2.7b-1-shot	10	Apple M1 Max	
EleutherAI-2.7b-5-shot	10	Apple M1 Max	
EleutherAI-2.7b-10-shot	10	Apple M1 Max	
EleutherAI-2.7b-15-shot	10	Apple M1 Max	
EleutherAI-2.7b-30-shot	10	Apple M1 Max	
EleutherAI-20b-0-shot	48	Intel(R) Xeon(R) Platinum 8275CL CPU @ 3.00GHz	8 x NVIDIA A100-40GB
EleutherAI-20b-1-shot	1	Intel(R) Xeon(R) Platinum 8275CL CPU @ 3.00GHz	8 x NVIDIA A100-40GB
EleutherAI-20b-5-shot	48	Intel(R) Xeon(R) Platinum 8275CL CPU @ 3.00GHz	8 x NVIDIA A100-40GB
EleutherAI-20b-10-shot	48	Intel(R) Xeon(R) Platinum 8275CL CPU @ 3.00GHz	8 x NVIDIA A100-40GB
EleutherAI-20b-15-shot	48	Intel(R) Xeon(R) Platinum 8275CL CPU @ 3.00GHz	8 x NVIDIA A100-40GB
EleutherAI-20b-30-shot	48	Intel(R) Xeon(R) Platinum 8275CL CPU @ 3.00GHz	8 x NVIDIA A100-40GB
EleutherAI-6b-0-shot	1	Intel(R) Xeon(R) Platinum 8275CL CPU @ 3.00GHz	8 x NVIDIA A100-40GB
EleutherAI-6b-1-shot	1	Intel(R) Xeon(R) Platinum 8275CL CPU @ 3.00GHz	8 x NVIDIA A100-40GB
EleutherAI-6b-5-shot	1	Intel(R) Xeon(R) Platinum 8275CL CPU @ 3.00GHz	8 x NVIDIA A100-40GB
EleutherAI-6b-10-shot	1	Intel(R) Xeon(R) Platinum 8275CL CPU @ 3.00GHz	8 x NVIDIA A100-40GB
EleutherAI-6b-15-shot	1	Intel(R) Xeon(R) Platinum 8275CL CPU @ 3.00GHz	8 x NVIDIA A100-40GB
EleutherAI-6b-30-shot	1	Intel(R) Xeon(R) Platinum 8275CL CPU @ 3.00GHz	8 x NVIDIA A100-40GB
EleutherAI-1.3b-0-shot	10	Apple M1 Max	
EleutherAI-1.3b-1-shot	10	Apple M1 Max	
EleutherAI-1.3b-5-shot	10	Apple M1 Max	
EleutherAI-1.3b-10-shot	10	Apple M1 Max	
EleutherAI-1.3b-15-shot	10	Apple M1 Max	
EleutherAI-1.3b-30-shot	10	Apple M1 Max	

Table 96: Compute used per experiment with non-API models. (2/4)

model	cpus	cpu model	gpu model
BLOOM-3b-0-shot	10	Apple M1 Max	
BLOOM-3b-1-shot	10	Apple M1 Max	
BLOOM-3b-5-shot	10	Apple M1 Max	
BLOOM-3b-10-shot	10	Apple M1 Max	
BLOOM-3b-15-shot	10	Apple M1 Max	
BLOOM-3b-30-shot	10	Apple M1 Max	
BLOOM-7b1-0-shot	1	Intel(R) Xeon(R) Platinum 8275CL CPU @ 3.00GHz	8 x NVIDIA A100-40GB
BLOOM-7b1-1-shot	1	Intel(R) Xeon(R) Platinum 8275CL CPU @ 3.00GHz	8 x NVIDIA A100-40GB
BLOOM-7b1-5-shot	1	Intel(R) Xeon(R) Platinum 8275CL CPU @ 3.00GHz	8 x NVIDIA A100-40GB
BLOOM-7b1-10-shot	1	Intel(R) Xeon(R) Platinum 8275CL CPU @ 3.00GHz	8 x NVIDIA A100-40GB
BLOOM-7b1-15-shot	1	Intel(R) Xeon(R) Platinum 8275CL CPU @ 3.00GHz	8 x NVIDIA A100-40GB
BLOOM-7b1-30-shot	1	Intel(R) Xeon(R) Platinum 8275CL CPU @ 3.00GHz	8 x NVIDIA A100-40GB
BLOOM-560m-0-shot	10	Apple M1 Max	
BLOOM-560m-1-shot	10	Apple M1 Max	
BLOOM-560m-5-shot	10	Apple M1 Max	
BLOOM-560m-10-shot	10	Apple M1 Max	
BLOOM-560m-15-shot	10	Apple M1 Max	
BLOOM-560m-30-shot	10	Apple M1 Max	
BLOOM-1b1-0-shot	10	Apple M1 Max	
BLOOM-1b1-1-shot	10	Apple M1 Max	
BLOOM-1b1-5-shot	10	Apple M1 Max	
BLOOM-1b1-10-shot	10	Apple M1 Max	
BLOOM-1b1-15-shot	10	Apple M1 Max	
BLOOM-1b1-30-shot	10	Apple M1 Max	
BLOOM-176b-0-shot	96	Intel(R) Xeon(R) CPU @ 2.20GHz	16 x NVIDIA A100-40GB
BLOOM-176b-1-shot	96	Intel(R) Xeon(R) CPU @ 2.20GHz	16 x NVIDIA A100-40GB
BLOOM-176b-5-shot	96	Intel(R) Xeon(R) CPU @ 2.20GHz	16 x NVIDIA A100-40GB
BLOOM-176b-10-shot	96	Intel(R) Xeon(R) CPU @ 2.20GHz	16 x NVIDIA A100-40GB
BLOOM-176b-15-shot	96	Intel(R) Xeon(R) CPU @ 2.20GHz	16 x NVIDIA A100-40GB
BLOOM-176b-30-shot	96	Intel(R) Xeon(R) CPU @ 2.20GHz	16 x NVIDIA A100-40GB

Table 97: Compute used per experiment with non-API models. (3/4)

[illegible]