Jarosław Błasiok and Preetum Nakkiran. Smooth ece: Principled reliability diagrams via kernel smoothing. *ArXiv*, abs/2309.12236, 2023.

Aritra Ghosh, Himanshu Kumar, and P. Sastry. Robust loss functions under label noise for deep neural networks. *ArXiv*, abs/1712.09482, 2017.

Kaiming He, X. Zhang, Shaoqing Ren, and Jian Sun. Deep residual learning for image recognition. *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, pp. 770–778, 2015.

Jiayi Huang, Sangwoo Park, and O. Simeone. Calibration-aware bayesian learning. *2023 IEEE 33rd International Workshop on Machine Learning for Signal Processing (MLSP)*, pp. 1–6, 2023.

Meelis Kull, Miquel Perello-Nieto, Markus Kängsepp, T. S. Filho, Hao Song, and Peter A. Flach. Beyond temperature scaling: Obtaining well-calibrated multiclass probabilities with dirichlet calibration. *ArXiv*, abs/1910.12656, 2019.

Moseli Mots'oehli and kyungim Baek. Gci-vital: Gradual confidence improvement with vision transformers for active learning on label noise. *ArXiv*, abs/2411.05939, 2024.

Hwanjun Song, Minseok Kim, Dongmin Park, Yooju Shin, and Jae-Gil Lee. Learning from noisy labels with deep neural networks: A survey. *IEEE Transactions on Neural Networks and Learning Systems*, 34:8135–8153, 2020.

Cheng Wang. Calibration in deep learning: A survey of the state-of-the-art. *ArXiv*, abs/2308.01222, 2023.

Yuan Zhao, Jiasi Chen, and Samet Oymak. On the role of dataset quality and heterogeneity in model confidence. *ArXiv*, abs/2002.09831, 2020.

SUPPLEMENTARY MATERIAL

A ADDITIONAL EXPERIMENTS AND FIGURES

A.1 NOISE RATE SENSITIVITY ANALYSIS

To provide a deeper understanding of how noise rates affect model performance, we conducted a noise rate sensitivity analysis on CIFAR-10.



Figure 4: CIFAR-10 Test Accuracy vs. Noise Rate for ResNet-18 under symmetric and asymmetric label noise.

Comment: This figure is a duplicate of Figure 1, likely because the VLM-based duplication checker overlooked it or the writeup phase failed to account for duplicates.

Figure 4 shows that as the noise rate increases, test accuracy decreases steadily for both symmetric and asymmetric noise. The decline is more pronounced under asymmetric noise, reinforcing the observations made in the main text.

CAUTION! THIS PAPER WAS AUTONOMOUSLY GENERATED BY THE AI SCIENTIST-V2