

- [13] Olatunji, B.O., Ciesielski, B.G., Armstrong, T., Zald, D.H.: Emotional expressions and visual search efficiency: Specificity and effects of anxiety symptoms. *Emotion* **11**(5), 1073–1079 (2011) <https://doi.org/10.1037/a0021785>
- [14] Asutay, E., Västfjäll, D.: Affective integration in experience, judgment, and decision-making. *Communications Psychology* **2**(1), 126 (2024) <https://doi.org/10.1038/s44271-024-00178-2>
- [15] Mozikov, M., Severin, N., Bodishtianu, V., Glushanina, M., Baklashkin, M., Savchenko, A.V., Makarov, I.: The good, the bad, and the hulk-like GPT: Analyzing emotional decisions of Large Language Models in cooperation and bargaining games. *CoRR abs/2406.03299* (2024) <https://doi.org/10.48550/ARXIV.2406.03299>
- [16] Lorè, N., Heydari, B.: Strategic behavior of Large Language Models: Game structure vs. contextual framing. *CoRR abs/2309.05898* (2023) <https://doi.org/10.48550/ARXIV.2309.05898>
- [17] Liu, H., Dai, Y., Tan, H., Lei, Y., Zhou, Y., Wu, Z.: Outraged AI: Large language models prioritise emotion over cost in fairness enforcement. *CoRR abs/2510.17880* (2025) <https://doi.org/10.48550/ARXIV.2510.17880>
- [18] Li, C., Wang, J., Zhang, Y., Zhu, K., Hou, W., Lian, J., Luo, F., Yang, Q., Xie, X.: Large language models understand and can be enhanced by emotional stimuli. *arXiv preprint arXiv:2307.11760* (2023) <https://doi.org/10.48550/ARXIV.2307.11760>
- [19] Wang, X., Li, C., Chang, Y., Wang, J., Wu, Y.: NegativePrompt: Leveraging psychology for Large Language Models enhancement via negative emotional stimuli. In: *Proceedings of the 33rd International Joint Conference on Artificial Intelligence (IJCAI 2024)*, pp. 6504–6512 (2024). <https://doi.org/10.24963/ijcai.2024/719>
- [20] Cheng, X., Gao, L., Luo, X.R.: From emotion to reflection: leveraging EmotionPrompt strategy to empower self-determination in decision-making with generative artificial intelligence. *Information & Management* **62**(7), 104194 (2025) <https://doi.org/10.1016/j.im.2025.104194>
- [21] Ishikawa, S.-n., Yoshino, A.: AI with emotions: Exploring emotional expressions in Large Language Models. *CoRR abs/2504.14706* (2025) <https://doi.org/10.48550/arXiv.2504.14706>
- [22] Ul Huda, N., Sahito, S.F., Gilal, A.R., Abro, A., Alshamqiti, A., Alsughayyir, A., Palli, A.S.: Impact of contradicting subtle emotion cues on Large Language Models with various prompting techniques. *International Journal of Advanced Computer Science & Applications* **15**(4) (2024)

- [23] Singh, I., Barkati, A., Goswamy, T., Modi, A.: Adapting a language model for controlled affective text generation. In: Proceedings of COLING 2020 (2020). arXiv preprint arXiv:2011.04000. <https://arxiv.org/abs/2011.04000>
- [24] Demszky, D., Movshovitz-Attias, D., Ko, J., Cowen, A.S., Nemade, G., Ravi, S.: GoEmotions: A dataset of fine-grained emotions. CoRR **abs/2005.00547** (2020) <https://doi.org/10.48550/arXiv.2005.00547>
- [25] Bai, X., Wang, A., Sucholutsky, I., Griffiths, T.L.: Explicitly unbiased large language models still form biased associations. Proceedings of the National Academy of Sciences (PNAS) **122**(8), 2416228122 (2025) <https://doi.org/10.1073/pnas.2416228122>
- [26] Mahajan, A., Obermeyer, Z., Daneshjou, R., Lester, J.C., Powell, D.: Cognitive bias in clinical large language models. npj Digital Medicine **8**(1) (2025) <https://doi.org/10.1038/s41746-025-01790-0>
- [27] Mao, R., Liu, Q., He, K., Li, W., Cambria, E.: The biases of pre-trained language models: An empirical study on prompt-based sentiment analysis and emotion detection. IEEE Transactions on Affective Computing **14**(3), 1743–1753 (2023) <https://doi.org/10.1109/TAFFC.2022.3204972>
- [28] Ke, Y., Yang, R., Lie, S.A., Lim, T.X.Y., Ning, Y., Li, I., Abdullah, H.R., Ting, D.S.W., Liu, N.: Mitigating cognitive biases in clinical decision-making through multi-agent conversations using large language models: simulation study. Journal of Medical Internet Research **26**, 59439 (2024) <https://doi.org/10.2196/59439>
- [29] Templin, T., Fort, S., Padmanabham, P., Seshadri, P., Rimal, R., Oliva, J., Lich, K.H., Sylvia, S., Sinnott-Armstrong, N.: Framework for bias evaluation in large language models in healthcare settings. npj Digital Medicine **8**(1) (2025) <https://doi.org/10.1038/s41746-025-01786-w>
- [30] Barcelona, V., Scharp, D., Moen, H., Davoudi, A., Idnay, B.R., Cato, K., Topaz, M.: Using natural language processing to identify stigmatizing language in labor and birth clinical notes. Maternal and Child Health Journal **28**(3), 578–586 (2023) <https://doi.org/10.1007/s10995-023-03842-w>
- [31] Harrigan, K., Zirikly, A., Chee, B., Ahmad, A., Links, A., Saha, S., Beach, M.C., Dredze, M.: Characterization of stigmatizing language in medical records. In: Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (ACL 2023), pp. 312–329 (2023). <https://doi.org/10.18653/v1/2023.acl-short.28>
- [32] Radaideh, M.I., Kwon, O.H., Radaideh, M.I.: Fairness and social bias quantification in large language models for sentiment analysis. Knowledge-Based Systems **319**, 113569 (2025) <https://doi.org/10.1016/j.knosys.2025.113569>

- [33] Plutchik, R.: A general psychoevolutionary theory of emotion. In: Plutchik, R., Kellerman, H. (eds.) *Emotion: Theory, Research, and Experience* vol. 1, pp. 3–33. Academic Press, New York (1980)
- [34] Russell, J.A.: A circumplex model of affect. *Journal of Personality and Social Psychology* **39**(6), 1161–1178 (1980) <https://doi.org/10.1037/h0077714>
- [35] Hurst, A., Lerer, A., Goucher, A.P., Perelman, A., Ramesh, A., Clark, A., Ostrow, A., Welihinda, A., Hayes, A., Radford, A., et al.: Gpt-4o system card. *arXiv preprint arXiv:2410.21276* (2024)
- [36] Cobbe, K., Kosaraju, V., Bavarian, M., Chen, M., Jun, H., Kaiser, L., Plappert, M., Tworek, J., Hilton, J., Nakano, R., Hesse, C., Schulman, J.: Training verifiers to solve math word problems. *CoRR* **abs/2110.14168** (2021) <https://doi.org/10.48550/arXiv.2110.14168>
- [37] Suzgun, M., Scales, N., Schärli, N., Gehrmann, S., Tay, Y., Chung, H.W., Chowdhery, A., Le, Q.V., Chi, E.H., Zhou, D., Wei, J.: Challenging BIG-Bench tasks and whether chain-of-thought can solve them. *CoRR* **abs/2210.09261** (2022) <https://doi.org/10.48550/arXiv.2210.09261>
- [38] Jin, D., Pan, E., Oufattole, N., Weng, W.-H., Fang, H., Szolovits, P.: What disease does this patient have? A large-scale open domain question answering dataset from medical exams. *CoRR* **abs/2009.13081** (2020) <https://doi.org/10.48550/arXiv.2009.13081>
- [39] Clark, C., Lee, K., Chang, M.-W., Kwiatkowski, T., Collins, M., Toutanova, K.: BoolQ: Exploring the surprising difficulty of natural yes/no questions. In: *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics (NAACL-HLT 2019)*, pp. 2924–2936 (2019). <https://doi.org/10.18653/v1/n19-1300>
- [40] Mihaylov, T., Clark, P., Khot, T., Sabharwal, A.: Can a suit of armor conduct electricity? A new dataset for Open Book Question Answering. Technical report (2018). <https://doi.org/10.18653/v1/d18-1260>
- [41] Sap, M., Rashkin, H., Chen, D., Bras, R.L., Choi, Y.: Social IQa: Commonsense reasoning about social interactions. In: *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing (EMNLP-IJCNLP 2019)*, pp. 4462–4472 (2019). <https://doi.org/10.18653/v1/D19-1454>
- [42] Yang, A., Li, A., Yang, B., Zhang, B., Hui, B., Zheng, B., Yu, B., Gao, C., Huang, C., Lv, C., et al.: Qwen3 technical report. *arXiv preprint arXiv:2505.09388* (2025)
- [43] Grattafiori, A., Dubey, A., Jauhri, A., Pandey, A., Kadian, A., Al-Dahle, A., Letman, A., Mathur, A., Schelten, A., Vaughan, A., et al.: The llama 3 herd of models. *arXiv preprint arXiv:2407.21783* (2024)