

- [12] D. Raj, D. Povey, and S. Khudanpur, "Gpu-accelerated guided source separation for meeting transcription," in *Proc. Interspeech*, 2023, pp. 3507–3511.
- [13] D. Yu, X. Chang, and Y. Qian, "Recognizing multi-talker speech with permutation invariant training," in *Proc. Interspeech*, 2017, pp. 2456–2460.
- [14] X. Chang, W. Zhang, Y. Qian, J. Le Roux, and S. Watanabe, "Mimo-speech: End-to-end multi-channel multi-speaker speech recognition," in *Proc. ASRU*. IEEE, 2019, pp. 237–244.
- [15] W. Zhang, X. Chang, Y. Qian, and S. Watanabe, "Improving end-to-end single-channel multi-talker speech recognition," *IEEE/ACM Transactions on Audio, Speech, and Language Processing*, vol. 28, pp. 1385–1394, 2020.
- [16] N. Kanda, Y. Gaur, X. Wang, Z. Meng, and T. Yoshioka, "Serialized output training for end-to-end overlapped speech recognition," in *Proc. Interspeech*, 2020, pp. 2797–2801.
- [17] N. Kanda, G. Ye, Y. Gaur, X. Wang, Z. Meng, Z. Chen, and T. Yoshioka, "End-to-end speaker-attributed asr with transformer," in *Proc. Interspeech*, 2021, pp. 4413–4417.
- [18] M. Shi, Z. Du, Q. Chen, F. Yu, Y. Li, S. Zhang, J. Zhang, and L.-R. Dai, "Casa-asr: Context-aware speaker-attributed asr," in *Proc. Interspeech*, 2023, pp. 411–415.
- [19] N. Kanda, J. Wu, Y. Wu, X. Xiao, Z. Meng, X. Wang, Y. Gaur, Z. Chen, J. Li, and T. Yoshioka, "Streaming speaker-attributed asr with token-level speaker embeddings," in *Proc. Interspeech*, 2022, pp. 521–525.
- [20] N. Kanda, S. Horiguchi, R. Takashima, Y. Fujita, K. Nagamatsu, and S. Watanabe, "Auxiliary interference speaker loss for target-speaker speech recognition," in *Proc. Interspeech*, 2019, pp. 236–240.
- [21] Y. Zhang, K. C. Puvvada, V. Lavrukhin, and B. Ginsburg, "Conformer-based target-speaker automatic speech recognition for single-channel audio," in *Proc. ICASSP*. IEEE, 2023, pp. 1–5.
- [22] H. Ma, Z. Peng, M. Shao, J. Li, and J. Liu, "Extending whisper with prompt tuning to target-speaker asr," in *Proc. ICASSP*. IEEE, 2024, pp. 12 516–12 520.
- [23] Z. Huang, D. Raj, P. García, and S. Khudanpur, "Adapting self-supervised models to multi-talker speech recognition using speaker embeddings," in *Proc. ICASSP*. IEEE, 2023, pp. 1–5.
- [24] L. Meng, J. Kang, Y. Wang, Z. Jin, X. Wu, X. Liu, and H. Meng, "Empowering whisper as a joint multi-talker and target-talker speech recognition system," in *Proc. Interspeech*, 2024, pp. 4653–4657.
- [25] H. Touvron, T. Lavril, G. Izacard, X. Martinet, M.-A. Lachaux, T. Lacroix, B. Rozière, N. Goyal, E. Hambro, F. Azhar *et al.*, "Llama: Open and efficient foundation language models," *arXiv preprint arXiv:2302.13971*, 2023.
- [26] A. Liu, B. Feng, B. Xue, B. Wang, B. Wu, C. Lu, C. Zhao, C. Deng, C. Zhang, C. Ruan *et al.*, "Deepseek-v3 technical report," *arXiv preprint arXiv:2412.19437*, 2024.
- [27] A. Yang, A. Li, B. Yang, B. Zhang, B. Hui, B. Zheng, B. Yu, C. Gao, C. Huang, C. Lv *et al.*, "Qwen3 technical report," *arXiv preprint arXiv:2505.09388*, 2025.
- [28] F. Yu, S. Zhang, Y. Fu, L. Xie, S. Zheng, Z. Du, W. Huang, P. Guo, Z. Yan, B. Ma *et al.*, "M2met: The icassp 2022 multi-channel multi-party meeting transcription challenge," in *Proc. ICASSP*. IEEE, 2022, pp. 6167–6171.
- [29] T. v. Neumann, C. B. Boeddeker, M. Delcroix, and R. Haeb-Umbach, "Meeteval: A toolkit for computation of word error rates for meeting transcription systems," in *Proc. CHiME*, 2023, pp. 27–32.
- [30] R. Ardila, M. Branson, K. Davis, M. Henretty, M. Kohler, J. Meyer, R. Morais, L. Saunders, F. M. Tyers, and G. Weber, "Common voice: A massively-multilingual speech corpus," *arXiv preprint arXiv:1912.06670*, 2019.
- [31] Y. Lin, X. Qin, G. Zhao, M. Cheng, N. Jiang, H. Wu, and M. Li, "Voxblink: A large scale speaker verification dataset on camera," in *Proc. ICASSP*, 2024, pp. 10 271–10 275.
- [32] Y. Lin, M. Cheng, F. Zhang, Y. Gao, S. Zhang, and M. Li, "Voxblink2: A 100k+ speaker recognition corpus and the open-set speaker-identification benchmark," in *Proc. Interspeech*, 2024, pp. 4263–4267.
- [33] A. Radford, J. W. Kim, T. Xu, G. Brockman, C. McLeavey, and I. Sutskever, "Robust speech recognition via large-scale weak supervision," in *Proc. ICML*. PMLR, 2023, pp. 28 492–28 518.
- [34] M. Cheng, Y. Lin, and M. Li, "Sequence-to-sequence neural diarization with automatic speaker detection and representation," *arXiv preprint arXiv:2411.13849*, 2024.
- [35] M. Cheng, W. Wang, Y. Zhang, X. Qin, and M. Li, "Target-speaker voice activity detection via sequence-to-sequence prediction," in *Proc. ICASSP*. IEEE, 2023, pp. 1–5.
- [36] Q. Team, "Qwen2.5: A party of foundation models," September 2024. [Online]. Available: <https://qwenlm.github.io/blog/qwen2.5/>
- [37] K. He, X. Zhang, S. Ren, and J. Sun, "Deep residual learning for image recognition," in *Proc. CVPR*, 2016, pp. 770–778.
- [38] X. Geng, K. Wei, Q. Shao, S. Liu, Z. Lin, Z. Zhao, G. Li, W. Tian, P. Chen, Y. Li *et al.*, "Osum: Advancing open speech understanding models with limited resources in academia," *arXiv preprint arXiv:2501.13306*, 2025.
- [39] F. Yu, Z. Du, S. Zhang, Y. Lin, and L. Xie, "A comparative study on speaker-attributed automatic speech recognition in multi-party meetings," in *Proc. Interspeech*, 2022, pp. 560–564.
- [40] M. Shi, Z. Du, Q. Chen, F. Yu, Y. Li, S. Zhang, J. Zhang, and L.-R. Dai, "Casa-asr: Context-aware speaker-attributed asr," in *Proc. Interspeech*, 2023, pp. 411–415.
- [41] Y. Li, F. Yu, Y. Liang, P. Guo, M. Shi, Z. Du, S. Zhang, and L. Xie, "Sa-paraformer: Non-autoregressive end-to-end speaker-attributed asr," in *Proc. ASRU*, 2023, pp. 1–7.