

- Zikang Guo, Kaijie Jiao, Xingyu Yao, Yuning Wan, Haoran Li, Benfeng Xu, Licheng Zhang, Quan Wang, Yongdong Zhang, and Zhendong Mao. 2024. [Ustc-bupt at semeval-2024 task 8: Enhancing machine-generated text detection via domain adversarial neural networks and llm embeddings](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 1522–1533, Mexico City, Mexico. Association for Computational Linguistics.
- Alberto Gutiérrez Megías, L. Alfonso Ureña-López, and Eugenio Martínez Cámara. 2024. [Sinai at semeval-2024 task 8: Fine-tuning on words and perplexity as features for detecting machine written text](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 1516–1521, Mexico City, Mexico. Association for Computational Linguistics.
- Abhimanyu Hans, Avi Schwarzschild, Valeriia Cherepanova, Hamid Kazemi, Aniruddha Saha, Micah Goldblum, Jonas Geiping, and Tom Goldstein. 2024. Spotting llms with binoculars: Zero-shot detection of machine-generated text. *arXiv preprint arXiv:2401.12070*.
- Mohammad Heydari Rad, Farhan Farsi, Shayan Bali, Romina Etezadi, and Mehrnoush Shamsfard. 2024. [Rfbes at semeval-2024 task 8: Investigating syntactic and semantic features for distinguishing ai-generated and human-written texts](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 437–441, Mexico City, Mexico. Association for Computational Linguistics.
- Benjamin D Horne, Jeppe Nørregaard, and Sibel Adali. 2019. Robust fake news detection over time and attack. *ACM Transactions on Intelligent Systems and Technology (TIST)*, 11(1):1–23.
- Daphne Ippolito, Daniel Duckworth, Chris Callison-Burch, and Douglas Eck. 2019. Automatic detection of generated text is easiest when humans are fooled. *arXiv preprint arXiv:1911.00650*.
- Ganesh Jawahar, Muhammad Abdul Mageed, and VS Laks Lakshmanan. 2020. Automatic detection of machine generated text: A critical survey. In *Proceedings of the 28th International Conference on Computational Linguistics*, pages 2296–2309.
- Ram Mohan Rao Kadiyala. 2024. [Rkadiyala at semeval-2024 task 8: Black-box word-level text boundary detection in partially machine generated texts](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 498–506, Mexico City, Mexico. Association for Computational Linguistics.
- Ryuto Koike, Masahiro Kaneko, and Naoaki Okazaki. 2023. Outfox: Llm-generated essay detection through in-context learning with adversarially generated examples. *arXiv preprint arXiv:2307.11729*.
- Kalpesh Krishna, Yixiao Song, Marzena Karpinska, John Wieting, and Mohit Iyyer. 2023. Paraphrasing evades detectors of ai-generated text, but retrieval is an effective defense. *arXiv preprint arXiv:2303.13408*.
- Tharindu Kumarage, Joshua Garland, Amrita Bhat-tacharjee, Kirill Trapeznikov, Scott Ruston, and Huan Liu. 2023. Stylometric detection of ai-generated text in twitter timelines. *arXiv preprint arXiv:2303.03697*.
- Theodora Kyriakou, Ioannis Maslaris, and Avi Arampatzis. 2024. [Duth at semeval 2024 task 8: Comparing classic machine learning algorithms and llm based methods for multigenerator, multidomain and multilingual machine-generated text detection](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 1069–1075, Mexico City, Mexico. Association for Computational Linguistics.
- Joseph Larson and Francis Tyers. 2024. [Team jelarson at semeval 2024 task 8: Predicting boundary line between human and machine generated text](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 464–471, Mexico City, Mexico. Association for Computational Linguistics.
- Jenny S Li, John V Monaco, Li-Chiou Chen, and Charles C Tappert. 2014. Authorship authentication using short messages from social networking sites. In *2014 IEEE 11th International Conference on e-Business Engineering*, pages 314–319. IEEE.
- Kevin Li, Kenan Hasanaliyev, Sally Zhu, George Alshuler, Alden Eberts, Eric Chen, Kate Wang, Emily Xia, Eli Browne, Ian Chen, and Umut Eren. 2024. [Team mlab at semeval-2024 task 8: Analyzing encoder embeddings for detecting llm-generated text](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 1474–1478, Mexico City, Mexico. Association for Computational Linguistics.
- Xiaoming Liu, Zhaohan Zhang, Yichen Wang, Hang Pu, Yu Lan, and Chao Shen. 2022. Coco: Coherence-enhanced machine-generated text detection under data limitation with contrastive learning. *arXiv preprint arXiv:2212.10341*.
- Yinhan Liu, Myle Ott, Naman Goyal, Jingfei Du, Mandar Joshi, Danqi Chen, Omer Levy, Mike Lewis, Luke Zettlemoyer, and Veselin Stoyanov. 2019. Roberta: A robustly optimized bert pretraining approach. *arXiv preprint arXiv:1907.11692*.
- Anand Kumar M, Abhin B, and Sidhaarth Murali. 2024. [Scalar at semeval-2024 task 8: Unmasking the machine : Exploring the power of roberta ensemble for detecting machine generated text](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 1124–1128, Mexico City, Mexico. Association for Computational Linguistics.

- Dominik Macko, Robert Moro, Adaku Uchendu, Jason Lucas, Michiharu Yamashita, Matúš Pikuliak, Ivan Srba, Thai Le, Dongwon Lee, Jakub Simko, and Maria Bielikova. 2023. [MULTITuDE: Large-scale multilingual machine-generated text detection benchmark](#). In *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*, pages 9960–9987, Singapore. Association for Computational Linguistics.
- Dominik Macko, Robert Moro, Adaku Uchendu, Ivan Srba, Jason Samuel Lucas, Michiharu Yamashita, Nafis Irtiza Tripto, Dongwon Lee, Jakub Simko, and Maria Bielikova. 2024. Authorship obfuscation in multilingual machine-generated text detection. *arXiv preprint arXiv:2401.07867*.
- Teodor-George Marchitan, Claudiu Creanga, and Liviu P. Dinu. 2024. [Team unibuc - nlp at semeval-2024 task 8: Transformer and hybrid deep learning based models for machine-generated text detection](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 390–398, Mexico City, Mexico. Association for Computational Linguistics.
- Eric Mitchell, Yoonho Lee, Alexander Khazatsky, Christopher D. Manning, and Chelsea Finn. 2023. [Detectgpt: Zero-shot machine-generated text detection using probability curvature](#). *CoRR*, abs/2301.11305.
- Shaoor Munir, Brishna Batool, Zubair Shafiq, Padmini Srinivasan, and Fareed Zaffar. 2021. Through the looking glass: Learning to attribute synthetic text generated by language models. In *Proceedings of the 16th Conference of the European Chapter of the Association for Computational Linguistics: Main Volume*, pages 1811–1822.
- ronghao pan, José Antonio García-Díaz, Pedro José Vivancos-Vicente, and Rafael Valencia-García. 2024. [Umuteam at semeval-2024 task 8: Combining transformers and syntax features for machine-generated text detection](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 683–688, Mexico City, Mexico. Association for Computational Linguistics.
- Kseniia Petukhova, Roman Kazakov, and Ekaterina Kochmar. 2024. [Petkaz at semeval-2024 task 8: Can linguistics capture the specifics of llm-generated text?](#) In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 1129–1136, Mexico City, Mexico. Association for Computational Linguistics.
- Valentin Pickard and Hoa Do. 2024. [Tuesents at semeval-2024 task 8: Predicting the shift from human authorship to machine-generated output in a mixed text](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 816–819, Mexico City, Mexico. Association for Computational Linguistics.
- Srikar Kashyap Pulipaka, Shrirang Mhalgi, Joseph Larson, and Sandra Kübler. 2024. [Semeval task 8: A comparison of traditional and neural models for detecting machine authored text](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 1015–1020, Mexico City, Mexico. Association for Computational Linguistics.
- Sadiya Sayara Chowdhury Puspo, Md Nishat Raihan, Dhiman Goswami, Al Nahian Bin Emran, Amrita Ganguly, and Özlem Uzuner. 2024. [Masontigers at semeval-2024 task 8: Performance analysis of transformer-based models on machine-generated text detection](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 1354–1362, Mexico City, Mexico. Association for Computational Linguistics.
- Xiaoyan Qu and Xiangfeng Meng. 2024. [Tm-trek at semeval-2024 task 8: Towards llm-based automatic boundary detection for human-machine mixed text](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 696–701, Mexico City, Mexico. Association for Computational Linguistics.
- Areeg Fahad Rasheed and M. Zarkoosh. 2024. [Mashee at semeval-2024 task 8: The impact of samples quality on the performance of in-context learning for machine text classification](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 60–63, Mexico City, Mexico. Association for Computational Linguistics.
- MohammadHossein Rezaei, Yaeun Kwon, Reza Sanayei, Abhyuday Singh, and Steven Bethard. 2024. [Clulab-uofa at semeval-2024 task 8: Detecting machine-generated text using triplet-loss-trained text similarity and text classification](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 1509–1515, Mexico City, Mexico. Association for Computational Linguistics.
- Rafael Rivera Soto, Kailin Koch, Aleem Khan, Barry Chen, Marcus Bishop, and Nicholas Andrews. 2024. Few-shot detection of machine-generated text using style representations. *arXiv e-prints*, pages arXiv–2401.
- alberto rodero, Jacinto Mata, and Victoria Pachón Álvarez. 2024. [Boosting ai-generated text detection with multimodal models and optimized ensembles](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 832–839, Mexico City, Mexico. Association for Computational Linguistics.
- Shubhashis Roy Dipta and Sadat Shahriar. 2024. [Hu at semeval-2024 task 8a: Can contrastive learning learn embeddings to detect machine-generated text?](#) In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 472–478, Mexico City, Mexico. Association for Computational Linguistics.

- Areg Mikael Sarvazyan, José Ángel González, and Marc Franco-Salvador. 2024. [Genaios at semeval-2024 task 8: Detecting machine-generated text by mixing language model probabilistic features](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 101–107, Mexico City, Mexico. Association for Computational Linguistics.
- Surbhi Sharma and Irfan Mansuri. 2024. [Team innovative at semeval-2024 task 8: Multigenerator, multidomain, and multilingual black-box machine-generated text detection](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 1161–1165, Mexico City, Mexico. Association for Computational Linguistics.
- Zhouxing Shi, Yihan Wang, Fan Yin, Xiangning Chen, Kai-Wei Chang, and Cho-Jui Hsieh. 2023. Red teaming language model detectors with language models. *arXiv preprint arXiv:2305.19713*.
- Alexander Shirnin, Nikita Andreev, Vladislav Mikhailov, and Ekaterina Artemova. 2024. [Aipom at semeval-2024 task 8: Detecting ai-produced outputs in m4](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 1678–1683, Mexico City, Mexico. Association for Computational Linguistics.
- Lei Shu, Liangchen Luo, Jayakumar Hoskere, Yun Zhu, Canoe Liu, Simon Tong, Jindong Chen, and Lei Meng. 2023. RewritelM: An instruction-tuned large language model for text rewriting. *arXiv preprint arXiv:2305.15685*.
- Marco Siino. 2024. [Badrock at semeval-2024 task 8: Distilbert to detect multigenerator, multidomain and multilingual black-box machine-generated text](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 239–245, Mexico City, Mexico. Association for Computational Linguistics.
- Irene Solaiman, Miles Brundage, Jack Clark, Amanda Askeel, Ariel Herbert-Voss, Jeff Wu, Alec Radford, Gretchen Krueger, Jong Wook Kim, Sarah Kreps, et al. 2019. Release strategies and the social impacts of language models. *arXiv preprint arXiv:1908.09203*.
- Michal Spiegel and Dominik Macko. 2024. [Kinit at semeval-2024 task 8: Fine-tuned llms for multilingual machine-generated text detection](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 545–551, Mexico City, Mexico. Association for Computational Linguistics.
- Harald Stiff and Fredrik Johansson. 2022. Detecting computer-generated disinformation. *International Journal of Data Science and Analytics*, 13(4):363–383.
- Daniel Stuhlinger and Aron Winkler. 2024. [TueciCl at semeval-2024 task 8: Resource-efficient approaches for machine-generated text detection](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 1608–1612, Mexico City, Mexico. Association for Computational Linguistics.
- Jinyan Su, Terry Yue Zhuo, Di Wang, and Preslav Nakov. 2023. Detectllm: Leveraging log rank information for zero-shot detection of machine-generated text. *arXiv preprint arXiv:2306.05540*.
- Bao Tran and Nhi Tran. 2024. [Newbieml at semeval-2024 task 8: Ensemble approach for multidomain machine-generated text detection](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 347–353, Mexico City, Mexico. Association for Computational Linguistics.
- Hanh Thi Hong Tran, Tien Nam Nguyen, Antoine Doucet, and Senja Pollak. 2024. [L3i++ at semeval-2024 task 8: Can fine-tuned large language model detect multigenerator, multidomain, and multilingual black-box machine-generated text?](#) In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 13–21, Mexico City, Mexico. Association for Computational Linguistics.
- Adaku Uchendu, Thai Le, and Dongwon Lee. 2023. Attribution and obfuscation of neural text authorship: A data mining perspective. *ACM SIGKDD Explorations Newsletter*, 25(1):1–18.
- Adaku Uchendu, Thai Le, Kai Shu, and Dongwon Lee. 2020. Authorship attribution for neural text generation. In *Proceedings of the 2020 conference on empirical methods in natural language processing (EMNLP)*, pages 8384–8395.
- Adaku Uchendu, Zeyu Ma, Thai Le, Rui Zhang, and Dongwon Lee. 2021. Turingbench: A benchmark environment for turing test in the age of neural text generation. *arXiv preprint arXiv:2109.13296*.
- Ashok Urlana, Aditya Saibewar, Bala Mallikarjunarao Garlapati, Charaka Vinayak Kumar, Ajeet Singh, and Srinivasa Rao Chalamala. 2024. [Trustai at semeval-2024 task 8: A comprehensive analysis of multi-domain machine generated text detection techniques](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 914–921, Mexico City, Mexico. Association for Computational Linguistics.
- Andric Valdez, Fernando Márquez, Jorge Pantaleón, Helena Gómez, and Gemma Bel-Enguix. 2024. [iimasnlp at semeval-2024 task 8: Unveiling structure-aware language models for automatic generated text identification](#). In *Proceedings of the 18th International Workshop on Semantic Evaluation (SemEval-2024)*, pages 1099–1103, Mexico City, Mexico. Association for Computational Linguistics.