

Figure 10: Skewness of the hidden states of Llama-27B on ConflictQA.



Figure 11: Skewness of the MLP activation of Llama3-8B on NQSwap.



Figure 12: Skewness of the Self-Attention activation of Llama3-8B on NQSwap.



Figure 13: Skewness of the MLP activation of Llama2-7B on NQSwap.



Figure 14: Skewness of the Self-Attention activation of Llama2-7B on NQSwap.

D L1 Norm and L2 Norm Values of Residual Streams

We present L1 Norm and L2 Norm of the residual stream in the Figure 15 and Figure 16. We found that though the residual stream show distinct skewness patterns in $D^{eC}_{a_C}$ and $D^{eC}_{a_M}$, the L1 norm and L2 norm of the them do not have a significant difference.



Figure 15: L1 norm and L2 norm of the hidden states of Llama3-8B on NQSwap.



Figure 16: L1 norm and L2 norm of the hidden states of Llama2-7B on NQSwap.

E More Experimental Results on Knowledge Selection Probing

We present additional knowledge selection probing results on NQSwap and Macnoise using Llama2-7B and Llama3-8B in Figure 17, Figure 18 and Figure 19. The results show a similar trend as shown in Figure 3, where the probing model reaches the highest accuracy at around the 17th layer, which is later than the aggregation of knowledge conflict signal at the 14th layer.



Figure 17: Knowledge selection probing results using Llama2-7B on NQSwap.



Figure 18: Knowledge selection probing results using Llama2-7B on Macnoise.



Figure 19: Knowledge selection probing results using Llama3-8B on Macnoise.