
auroc_Gemma9B_Dan
loglikelihood
rank
logrank
entropy
lrr
AUROC


auroc_Gemma9B_Evil_Bot
loglikelihood
rank
logrank
entropy
lrr
AUROC


auroc_Gemma9B_Nebius
loglikelihood
rank
logrank
entropy
lrr
AUROC


auroc_Llama3B_4bit
loglikelihood
rank
logrank
entropy
lrr
AUROC


auroc_Llama3B_8bit
loglikelihood
rank
logrank
entropy
lrr
AUROC


auroc_Llama3B_a100
loglikelihood
rank
logrank
entropy
lrr
AUROC


auroc_Llama3B_Nebius
loglikelihood
rank
logrank
entropy
lrr
AUROC


auroc_Llama3B_Novita
loglikelihood
rank
logrank
entropy
lrr
AUROC


auroc_Mistral7B_4bit
loglikelihood
rank
logrank
entropy
lrr
AUROC


auroc_Mistral7B_8bit
loglikelihood
rank
logrank
entropy
lrr
AUROC











B Statistic Power Curves

B.1 Full Statistic Power Curves for Detecting Quantization

We present the full statistical power curves, showing the relationship between substitution rate and detection power, corresponding to the experiments on detecting quantized model substitutions described in Section 5.2. These curves are used to compute the power AUC values reported in the main paper and illustrate each method's detection power across different levels of substitution.







B.2 Full Statistic Power Curves for Detecting Jailbreaking

We present the full statistical power curves, showing the relationship between substitution rate and detection power, corresponding to the experiments on detecting jailbreak prompts described in Section 5.3. These curves are used to compute the power AUC values reported in the main paper and illustrate each method's detection power across different levels of substitution.