百度经验 > 游戏/

github ssh切换秘钥
该经验图片、文字中可能存在外站链接或电话号码等,请注意识别,谨防上当受骗!

首页 分类 杂志 任务 签到 回享计划 商城 发烧友 知道
该经验图 文字中可能存在外站链接或电话号码等,请注意识别,谨防上当受骗!

手把手具你同时使用多github帐号的SSH key

浏览: 2808 | 更新: 2015-12-16 03:59 | 标签: 电脑技术

电脑 > 电脑软件



分步阅读

百度 高质屏和好师傅,拯救你的碎屏机

一键约师傅

一直在 :hub的ssh key , 大家都知道使用ssh key可以不用每次都输入用户名密码 , 一定程度

上可以效率。

如果 $\S^{------}$  中,很方便,默认拿 $\mathrm{id}_{-}$ rsa与你的 github服务器的公钥对比;

如果是 6 中如user1,user2,那么就不能用在user2的身上了,怎么办呢?

下面手 用图文形式详细想大家介绍下多github用户配置ssh key;

#### 工具/原料

git github

## 方法/步骤

## 新建user1、user2的SSH Key

#新建user1 SSH key:

\$ cd ~/.ssh

# 切换到C:\Users\Administrator\.ssh

#ssh-keygen -t rsa -C "user1@email.com"

一路回车即可;

#新建user2的SSH key

#ssh-keygen -t rsa -C "user2@email.com"

# 设置名称为Enter file in which to save the key (/c/Users/Administrator/.ssh/id\_rs

a): /c/Users/Administrator/.ssh/id\_rsa\_user2

具体演示过程如下图:





登录







如要投诉,请到百度经验投诉中心,如要提出 意见、建议, 请到百度经验管理吧反馈。 github ssh切换秘钥

Sures completed in

该经验图片、文字中可能存在外站链接或电话号码等,请注意识别,谨防上当受骗!



# 密钥泳如别SSH agent中

因为默认只读取id\_rsa,为了让SSH识别新的私钥,需将其添加到SSH agent中:

ssh-add ~/.ssh/id\_rsa\_user2

如果出现Could not open a connection to your authentication agent的错误,就试着用以下命令:

cch-agent bash

add ~/.ssh/id rsa user2

```
nistrator@9MRVZPAGYYXURAG MINGW64 ~/.ssh
sa id_rsa.pub id_rsa_user2 id_rsa_user2.pub
nistrator@9MRVZPAGYYXURAG MINGW64 ~/.ssh
h-add.exe ~/.ssh/id_rsa_user2
d not open a connection to your authentication agent.
nistrator@9MRVZPAGYYXURAG MINGW64 ~/.ssh
h-agent.exe bash
nistrator@9MRVZPAGYYXURAG MINGW64 ~/.ssh
h-add.exe ~/.ssh/id_rsa_user2
tity added: /c/Users/Administrator/.ssh/id_rsa_user2 (/c/Users/Administrator/h/id_rsa_user2)
nistrator@9MRVZPAGYYXURAG MINGW64 ~/.ssh
--add.exe ~/.ssh/id_rsa
tity added: /c/Users/Administrator/.ssh/id_rsa (/c/Users/Administrator/ssh/id_rsa)
nistrator@9MRVZPAGYYXURAG MINGW64 ~/.ssh
ity added: /c/Users/Administrator/.ssh/id_rsa (/c/Users/Administrator/.ssh/id_rsa)
nistrator@9MRVZPAGYYXURAG MINGW64 ~/.ssh
jingyan.baidu.com
```

### 修改config文件

在~/.ssh目录下找到config文件,如果没有就创建:

touch config

然后修改我的config配置如下:

如果存在的话,其实就是往这个config中添加一个Host:

#建一个github别名,新建的帐号使用这个别名做克隆和更新

其规则就是:从上至下读取config的内容,在每个Host下寻找对应的私钥。这里将GitHub SSH仓库地址中的git@github.com替换成新建的Host别名如:github2,那么原地址是:git@github.com:test/Mywork.git,替换后应该是:github2:test/Mywork.git.


打开新生成的~/.ssh/id\_rsa\_user2.pub文件,将里面的内容添加到GitHub后台。第一个github帐号下的SSH Key中也要记得添加。

登录

github ssh切换秘钥

登录

该经验图片、文字中可能存在外站链接或电话号码等,请注意识别,谨防上当受骗!



.

6

h -T git@github.com

Hi chenlianjiang! You've successfully authenticated, but GitHub does not provide shell access.

\$ ssh -T git@github2

Hi 1047353200! You've successfully authenticated, but GitHub does not provide s hell access.

```
Administrator@9MRVZPAGVYXURAG MINGW64 ~/.ssh

S.sh.-T git@github.com
The authenticity of host 'github.com (192.30.252.131)' can't be established.
RSA key fingerprint is SHA256.inThbg6kXUpJwG17EIIGOCspRomTxdCARLviKw6E5SV8.
Are you sure you want to continue connecting (yes/no)? yes
Warning: Permanently added 'github.com,192.30.252.131' (RSA) to the list of know
n hosts.
Hi chenlianjiang! You've successfully authenticated, but GitHub does not provide
shell access.

Administrator@9MRVZPAGYYXURAG MINGW64 ~/.ssh
S.sh.-T.git@github2
Warning: Permanently added the RSA host key for IP address '192.30.252.129' to t
Warning: Permanently added the RSA host key for IP address '192.30.252.129' to t
Hi 1047353200! You've successfully authenticated, but GitHub does not provide sh
ell access.

Administrator@9MRVZPAGYYXURAG MINGW64 ~/.ssh
jingyan.baidu.com

jingyan.baidu.com
```

## 应用

测试成功,尝试克隆1047353200账号下的远程仓库。如下:

\$ git clone git@github2:1047353200/git-demo.git





该经验图片、文字中可能存在外站链接或电话号码等,请注意识别,谨防上当受骗!



注意事项

经验内容仅供参考,如果您需解决具体问题(尤其法律、医学等领域),建议您详细咨询相关领域专业人士。

举报

有得(0) 我有疑问(0)

github ssh切换秘钥

相关	ì		换一批
githuk	如何同时管理多个ssh key	36	2015.12.14
程序员	_理多个ssh key应用公司git和github	0	2016.07.15
windo 6	置SSH连接GitHub、GitHub配置ssh key	31	2015.08.14
Secure	E成 openssh key 方法	0	2014.04.22
怎样建立レ	y talOcean用的ssh钥匙(win10版)	2	2015.12.28

相关标签

电脑技术









热门杂志

©2017Baidu 使用百度前必读 百度经验协议 作者创作作品协议