

Marble and Granite Substances & Materials Docs

PolyLabs | version 2.0.0 | support@polylabs.co

Package Overview

This package contains Substance3D materials *and* Unity materials. Substances can be used in Unity by installing the **Substance3D for Unity** package on the Unity Asset Store.

This documentation is also a reference guide for modifying the Substances via script, with the parameters and their ranges.

Substances are procedural materials that allow developers to change the look and feel of materials at runtime, or even give them the ability to quickly customize materials before statically rendering the bitmaps.

At the time of writing this documentation, the plugin is currently only in beta, so please take caution installing it, and see the next section if you're experiencing issues using the .sbsar files inside Unity.

Preset Files

All .sbsar files have presets built-in, though at the time of writing, the Substance3D for Unity plugin does not support reading these presets. As an alternative, a `presets` folder is included with each .sbsar file that contains the various presets that can be applied to the Substances.

URP and HDRP Support

This asset contains 2 package files, `Materials_HDRP.unpackage` and `Materials_URP.unpackage`. When using the URP or HDRP pipelines, make sure to uncheck imports for the `Materials` and `MaterialsExample` folder, and to include the unpackage that matches your current rendering pipeline. Once imported, open the unpackage to import the converted materials into the asset folder.

Helper Consts File

This package contains a helper C# file under the namespace `PolyLabs.MarbleAndGranite`. The classes within the namespace correspond to the Substance names, and each const is a helper string for accessing a property of the Substance. To help you as you code, docstrings are provided detailing the property type, description, and value ranges where applicable.

Baking Static Images from .sbsar Files

If you're having trouble utilizing Substances in Unity, or don't want to use the Substances in your project, you can still customize the materials and export bitmaps using Adobes free [Substance Player](#).

Sbsar Materials Reference:

Granite_01

Consts: `PolyLabs.MarbleAndGranite.Granite_01`

Label	Identifier	Description	Type	Notes
Cracks Opacity	cracks_opacity	The Opacity of the cracks on the marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Cracks Amount	cracks_amount	Randomly adds cracks to the marble.	Float	Default: 0.25 Min: 0 Max: 1 Clamped: True
Cracks Depth	cracks_depth	The depth of the cracks on the marble.	Float	Default: 3.42 Min: 0 Max: 50 Clamped: True
Marble Damage Depth	marble_damage_depth	The depth of the marble damages.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Marble Damage Scale	marble_damage_scale	The scale of the damage pattern on the marble.	Int	Default: 8 Min: 2 Max: 32 Clamped: True
Marble Damage Thickness	marble_damage_thickness	The thickness of the damage lines.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True

Rough Veins	rough_veins	Gives the veins a high roughness value to allow them to stand out from the marble base.	Int	Boolean 1
Roughness	roughness	The roughness of the marble surface. Increase for a more worn-down and aged effect. Decrease for a newer, polished look.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Height Variation	height_variation	Changes the height variation of the material to give a carved look and feel. Increase the roughness to give the presentation of carved marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Normal Intensity	normal_intensity	The Intensity parameter modifies the intensity of normal map.	Float	Default: 1 Min: 0 Max: 3 Clamped: False

Granite_02

Consts: `PolyLabs.MarbleAndGranite.Granite_02`

Label	Identifier	Description	Type	Notes
Cracks Opacity	cracks_opacity	The Opacity of the cracks on the marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Cracks Amount	cracks_amount	Randomly adds cracks to the marble.	Float	Default: 0.25 Min: 0 Max: 1 Clamped: True
Cracks Depth	cracks_depth	The depth of the cracks on the marble.	Float	Default: 3.42 Min: 0 Max: 50 Clamped: True
Marble Damage	marble_damage_depth	The depth of the marble damages.	Float	Default: 0 Min: 0 Max: 1

Depth				Clamped: True
Marble Damage Scale	marble_damage_scale	The scale of the damage pattern on the marble.	Int	Default: 8 Min: 2 Max: 32 Clamped: True
Marble Damage Thickness	marble_damage_thickness	The thickness of the damage lines.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Rough Veins	rough_veins	Gives the veins a high roughness value to allow them to stand out from the marble base.	Int	Boolean 1
Roughness	roughness	The roughness of the marble surface. Increase for a more worn-down and aged effect. Decrease for a newer, polished look.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Height Variation	height_variation	Changes the height variation of the material to give a carved look and feel. Increase the roughness to give the presentation of carved marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Normal Intensity	normal_intensity	The Intensity parameter modifies the intensity of normal map.	Float	Default: 1 Min: 0 Max: 3 Clamped: False

Granite_03

Consts: `PolyLabs.MarbleAndGranite.Granite_03`

Label	Identifier	Description	Type	Notes
Cracks Opacity	cracks_opacity	The Opacity of the cracks on the marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
				Default:

Cracks Amount	cracks_amount	Randomly adds cracks to the marble.	Float	0.25 Min: 0 Max: 1 Clamped: True
Cracks Depth	cracks_depth	The depth of the cracks on the marble.	Float	Default: 3.42 Min: 0 Max: 50 Clamped: True
Marble Damage Depth	marble_damage_depth	The depth of the marble damages.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Marble Damage Scale	marble_damage_scale	The scale of the damage pattern on the marble.	Int	Default: 8 Min: 2 Max: 32 Clamped: True
Marble Damage Thickness	marble_damage_thickness	The thickness of the damage lines.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Rough Veins	rough_veins	Gives the veins a high roughness value to allow them to stand out from the marble base.	Int	Boolean 1
Roughness	roughness	The roughness of the marble surface. Increase for a more worn-down and aged effect. Decrease for a newer, polished look.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Height Variation	height_variation	Changes the height variation of the material to give a carved look and feel. Increase the roughness to give the presentation of carved marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Normal Intensity	normal_intensity	The Intensity parameter modifies the intensity of normal map.	Float	Default: 1 Min: 0 Max: 3 Clamped: False

Granite_04

Consts: `PolyLabs.MarbleAndGranite.Granite_04`

Label	Identifier	Description	Type	Notes
Cracks Opacity	cracks_opacity	The Opacity of the cracks on the marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Cracks Amount	cracks_amount	Randomly adds cracks to the marble.	Float	Default: 0.25 Min: 0 Max: 1 Clamped: True
Cracks Depth	cracks_depth	The depth of the cracks on the marble.	Float	Default: 3.42 Min: 0 Max: 50 Clamped: True
Marble Damage Depth	marble_damage_depth	The depth of the marble damages.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Marble Damage Scale	marble_damage_scale	The scale of the damage pattern on the marble.	Int	Default: 8 Min: 2 Max: 32 Clamped: True
Marble Damage Thickness	marble_damage_thickness	The thickness of the damage lines.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Rough Veins	rough_veins	Gives the veins a high roughness value to allow them to stand out from the marble base.	Int	Boolean 1
Roughness	roughness	The roughness of the marble surface. Increase for a more worn-down and aged effect. Decrease for a newer, polished look.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: -

				True
Height Variation	height_variation	Changes the height variation of the material to give a carved look and feel. Increase the roughness to give the presentation of carved marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Normal Intensity	normal_intensity	The Intensity parameter modifies the intensity of normal map.	Float	Default: 1 Min: 0 Max: 3 Clamped: False

Granite_05

Consts: `PolyLabs.MarbleAndGranite.Granite_05`

Label	Identifier	Description	Type	Notes
Cracks Opacity	cracks_opacity	The Opacity of the cracks on the marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Cracks Amount	cracks_amount	Randomly adds cracks to the marble.	Float	Default: 0.25 Min: 0 Max: 1 Clamped: True
Cracks Depth	cracks_depth	The depth of the cracks on the marble.	Float	Default: 3.42 Min: 0 Max: 50 Clamped: True
Marble Damage Depth	marble_damage_depth	The depth of the marble damages.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Marble Damage Scale	marble_damage_scale	The scale of the damage pattern on the marble.	Int	Default: 8 Min: 2 Max: 32 Clamped: True

Marble Damage Thickness	marble_damage_thickness	The thickness of the damage lines.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Rough Veins	rough_veins	Gives the veins a high roughness value to allow them to stand out from the marble base.	Int	Boolean 1
Roughness	roughness	The roughness of the marble surface. Increase for a more worn-down and aged effect. Decrease for a newer, polished look.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Height Variation	height_variation	Changes the height variation of the material to give a carved look and feel. Increase the roughness to give the presentation of carved marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Normal Intensity	normal_intensity	The Intensity parameter modifies the intensity of normal map.	Float	Default: 1 Min: 0 Max: 3 Clamped: False

Granite_06

Consts: `PolyLabs.MarbleAndGranite.Granite_06`

Label	Identifier	Description	Type	Notes
Cracks Opacity	cracks_opacity	The Opacity of the cracks on the marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Cracks Amount	cracks_amount	Randomly adds cracks to the marble.	Float	Default: 0.25 Min: 0 Max: 1 Clamped: True
Cracks Depth	cracks_depth	The depth of the cracks on the marble.	Float	Default: 3.42 Min: 0 Max: 50 Clamped:

				Clamped: True
Marble Damage Depth	marble_damage_depth	The depth of the marble damages.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Marble Damage Scale	marble_damage_scale	The scale of the damage pattern on the marble.	Int	Default: 8 Min: 2 Max: 32 Clamped: True
Marble Damage Thickness	marble_damage_thickness	The thickness of the damage lines.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Rough Veins	rough_veins	Gives the veins a high roughness value to allow them to stand out from the marble base.	Int	Boolean 1
Roughness	roughness	The roughness of the marble surface. Increase for a more worn-down and aged effect. Decrease for a newer, polished look.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Height Variation	height_variation	Changes the height variation of the material to give a carved look and feel. Increase the roughness to give the presentation of carved marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Normal Intensity	normal_intensity	The Intensity parameter modifies the intensity of normal map.	Float	Default: 1 Min: 0 Max: 3 Clamped: False

Granite_07

Consts: `PolyLabs.MarbleAndGranite.Granite_07`

Label	Identifier	Description	Type	Notes
Cracks				Default: 0 Min: 0

Cracks Opacity	cracks_opacity	The Opacity of the cracks on the marble.	Float	Default: 0 Max: 1 Clamped: True
Cracks Amount	cracks_amount	Randomly adds cracks to the marble.	Float	Default: 0.25 Min: 0 Max: 1 Clamped: True
Cracks Depth	cracks_depth	The depth of the cracks on the marble.	Float	Default: 3.42 Min: 0 Max: 50 Clamped: True
Marble Damage Depth	marble_damage_depth	The depth of the marble damages.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Marble Damage Scale	marble_damage_scale	The scale of the damage pattern on the marble.	Int	Default: 8 Min: 2 Max: 32 Clamped: True
Marble Damage Thickness	marble_damage_thickness	The thickness of the damage lines.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Rough Veins	rough_veins	Gives the veins a high roughness value to allow them to stand out from the marble base.	Int	Boolean 1
Roughness	roughness	The roughness of the marble surface. Increase for a more worn-down and aged effect. Decrease for a newer, polished look.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Height Variation	height_variation	Changes the height variation of the material to give a carved look and feel. Increase the roughness to give the presentation of carved marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
				Default: 1

Normal Intensity	normal_intensity	The Intensity parameter modifies the intensity of normal map.	Float	Min: 0 Max: 3 Clamped: False
------------------	------------------	--	-------	------------------------------------

Granite_08

Consts: `PolyLabs.MarbleAndGranite.Granite_08`

Label	Identifier	Description	Type	Notes
Cracks Opacity	cracks_opacity	The Opacity of the cracks on the marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Cracks Amount	cracks_amount	Randomly adds cracks to the marble.	Float	Default: 0.25 Min: 0 Max: 1 Clamped: True
Cracks Depth	cracks_depth	The depth of the cracks on the marble.	Float	Default: 3.42 Min: 0 Max: 50 Clamped: True
Marble Damage Depth	marble_damage_depth	The depth of the marble damages.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Marble Damage Scale	marble_damage_scale	The scale of the damage pattern on the marble.	Int	Default: 8 Min: 2 Max: 32 Clamped: True
Marble Damage Thickness	marble_damage_thickness	The thickness of the damage lines.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Rough Veins	rough_veins	Gives the veins a high roughness value to allow them to stand out from the marble base.	Int	Boolean 1

Roughness	roughness	The roughness of the marble surface. Increase for a more worn-down and aged effect. Decrease for a newer, polished look.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Height Variation	height_variation	Changes the height variation of the material to give a carved look and feel. Increase the roughness to give the presentation of carved marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Normal Intensity	normal_intensity	The Intensity parameter modifies the intensity of normal map.	Float	Default: 1 Min: 0 Max: 3 Clamped: False

Granite_09

Consts: `PolyLabs.MarbleAndGranite.Granite_09`

Label	Identifier	Description	Type	Notes
Cracks Opacity	cracks_opacity	The Opacity of the cracks on the marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Cracks Amount	cracks_amount	Randomly adds cracks to the marble.	Float	Default: 0.25 Min: 0 Max: 1 Clamped: True
Cracks Depth	cracks_depth	The depth of the cracks on the marble.	Float	Default: 3.42 Min: 0 Max: 50 Clamped: True
Marble Damage Depth	marble_damage_depth	The depth of the marble damages.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
				Default:

Marble Damage Scale	marble_damage_scale	The scale of the damage pattern on the marble.	Int	8 Min: 2 Max: 32 Clamped: True
Marble Damage Thickness	marble_damage_thickness	The thickness of the damage lines.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Rough Veins	rough_veins	Gives the veins a high roughness value to allow them to stand out from the marble base.	Int	Boolean 1
Roughness	roughness	The roughness of the marble surface. Increase for a more worn-down and aged effect. Decrease for a newer, polished look.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Height Variation	height_variation	Changes the height variation of the material to give a carved look and feel. Increase the roughness to give the presentation of carved marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Normal Intensity	normal_intensity	The Intensity parameter modifies the intensity of normal map.	Float	Default: 1 Min: 0 Max: 3 Clamped: False

Granite_10

Consts: `PolyLabs.MarbleAndGranite.Granite_10`

Label	Identifier	Description	Type	Notes
Cracks Opacity	cracks_opacity	The Opacity of the cracks on the marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Cracks Amount	cracks_amount	Randomly adds cracks to the marble.	Float	Default: 0.25 Min: 0 Max: 1 Clamped: True

Cracks Depth	cracks_depth	The depth of the cracks on the marble.	Float	Default: 3.42 Min: 0 Max: 50 Clamped: True
Marble Damage Depth	marble_damage_depth	The depth of the marble damages.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Marble Damage Scale	marble_damage_scale	The scale of the damage pattern on the marble.	Int	Default: 8 Min: 2 Max: 32 Clamped: True
Marble Damage Thickness	marble_damage_thickness	The thickness of the damage lines.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Rough Veins	rough_veins	Gives the veins a high roughness value to allow them to stand out from the marble base.	Int	Boolean 1
Roughness	roughness	The roughness of the marble surface. Increase for a more worn-down and aged effect. Decrease for a newer, polished look.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Height Variation	height_variation	Changes the height variation of the material to give a carved look and feel. Increase the roughness to give the presentation of carved marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Normal Intensity	normal_intensity	The Intensity parameter modifies the intensity of normal map.	Float	Default: 1 Min: 0 Max: 3 Clamped: False

Marble_01

Consts: PolyTabs.MarbleAndGranite.Marble_01

Label	Identifier	Description	Type	Notes
Cracks Opacity	cracks_opacity	The Opacity of the cracks on the marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Cracks Amount	cracks_amount	Randomly adds cracks to the marble.	Float	Default: 0.25 Min: 0 Max: 1 Clamped: True
Cracks Depth	cracks_depth	The depth of the cracks on the marble.	Float	Default: 3.42 Min: 0 Max: 50 Clamped: True
Marble Damage Depth	marble_damage_depth	The depth of the marble damages.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Marble Damage Scale	marble_damage_scale	The scale of the damage pattern on the marble.	Int	Default: 8 Min: 2 Max: 32 Clamped: True
Marble Damage Thickness	marble_damage_thickness	The thickness of the damage lines.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Rough Veins	rough_veins	Gives the veins a high roughness value to allow them to stand out from the marble base.	Int	Boolean 1
Roughness	roughness	The roughness of the marble surface. Increase for a more worn-down and aged effect. Decrease for a newer, polished look.	Float	Default: 0.15 Min: 0 Max: 1 Clamped: True
		Changes the height variation of the material to give a carved look		Default: 0

Height Variation	height_variation	and feel. Increase the roughness to give the presentation of carved marble.	Float	Min: 0 Max: 1 Clamped: True
Normal Intensity	normal_intensity	The Intensity parameter modifies the intensity of normal map.	Float	Default: 1 Min: 0 Max: 3 Clamped: False

Marble_02

Consts: `PolyLabs.MarbleAndGranite.Marble_02`

Label	Identifier	Description	Type	Notes
Cracks Opacity	cracks_opacity	The Opacity of the cracks on the marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Cracks Amount	cracks_amount	Randomly adds cracks to the marble.	Float	Default: 0.25 Min: 0 Max: 1 Clamped: True
Cracks Depth	cracks_depth	The depth of the cracks on the marble.	Float	Default: 3.42 Min: 0 Max: 50 Clamped: True
Marble Damage Depth	marble_damage_depth	The depth of the marble damages.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Marble Damage Scale	marble_damage_scale	The scale of the damage pattern on the marble.	Int	Default: 8 Min: 2 Max: 32 Clamped: True
Marble				Default: 0.2

Damage Thickness	marble_damage_thickness	The thickness of the damage lines.	Float	Min: 0 Max: 1 Clamped: True
Rough Veins	rough_veins	Gives the veins a high roughness value to allow them to stand out from the marble base.	Int	Boolean 1
Roughness	roughness	The roughness of the marble surface. Increase for a more worn-down and aged effect. Decrease for a newer, polished look.	Float	Default: 0.15 Min: 0 Max: 1 Clamped: True
Height Variation	height_variation	Changes the height variation of the material to give a carved look and feel. Increase the roughness to give the presentation of carved marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Normal Intensity	normal_intensity	The Intensity parameter modifies the intensity of normal map.	Float	Default: 1 Min: 0 Max: 3 Clamped: False

Marble_03

Consts: `PolyLabs.MarbleAndGranite.Marble_03`

Label	Identifier	Description	Type	Notes
Cracks Opacity	cracks_opacity	The Opacity of the cracks on the marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Cracks Amount	cracks_amount	Randomly adds cracks to the marble.	Float	Default: 0.25 Min: 0 Max: 1 Clamped: True
Cracks Depth	cracks_depth	The depth of the cracks on the marble.	Float	Default: 3.42 Min: 0 Max: 50 Clamped: True

Marble Damage Depth	marble_damage_depth	The depth of the marble damages.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Marble Damage Scale	marble_damage_scale	The scale of the damage pattern on the marble.	Int	Default: 8 Min: 2 Max: 32 Clamped: True
Marble Damage Thickness	marble_damage_thickness	The thickness of the damage lines.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Rough Veins	rough_veins	Gives the veins a high roughness value to allow them to stand out from the marble base.	Int	Boolean 1
Roughness	roughness	The roughness of the marble surface. Increase for a more worn-down and aged effect. Decrease for a newer, polished look.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Height Variation	height_variation	Changes the height variation of the material to give a carved look and feel. Increase the roughness to give the presentation of carved marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Normal Intensity	normal_intensity	The Intensity parameter modifies the intensity of normal map.	Float	Default: 1 Min: 0 Max: 3 Clamped: False

Marble_04

Consts: PolyLabs.MarbleAndGranite.Marble_04

Label	Identifier	Description	Type	Notes
Cracks Opacity	cracks_opacity	The Opacity of the cracks on the marble.	Float	Default: 0 Min: 0 Max: 1 Clamped:

				True
Cracks Amount	cracks_amount	Randomly adds cracks to the marble.	Float	Default: 0.25 Min: 0 Max: 1 Clamped: True
Cracks Depth	cracks_depth	The depth of the cracks on the marble.	Float	Default: 3.42 Min: 0 Max: 50 Clamped: True
Marble Damage Depth	marble_damage_depth	The depth of the marble damages.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Marble Damage Scale	marble_damage_scale	The scale of the damage pattern on the marble.	Int	Default: 8 Min: 2 Max: 32 Clamped: True
Marble Damage Thickness	marble_damage_thickness	The thickness of the damage lines.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Rough Veins	rough_veins	Gives the veins a high roughness value to allow them to stand out from the marble base.	Int	Boolean 1
Roughness	roughness	The roughness of the marble surface. Increase for a more worn-down and aged effect. Decrease for a newer, polished look.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Height Variation	height_variation	Changes the height variation of the material to give a carved look and feel. Increase the roughness to give the presentation of carved marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Normal Intensity	normal_intensity	The Intensity parameter modifies the intensity of normal map.	Float	Default: 1 Min: 0 Max: 3

				Clamped: False
--	--	--	--	-------------------

Marble_05

Consts: PolyLabs.MarbleAndGranite.Marble_05

Label	Identifier	Description	Type	Notes
Cracks Opacity	cracks_opacity	The Opacity of the cracks on the marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Cracks Amount	cracks_amount	Randomly adds cracks to the marble.	Float	Default: 0.25 Min: 0 Max: 1 Clamped: True
Cracks Depth	cracks_depth	The depth of the cracks on the marble.	Float	Default: 3.42 Min: 0 Max: 50 Clamped: True
Marble Damage Depth	marble_damage_depth	The depth of the marble damages.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Marble Damage Scale	marble_damage_scale	The scale of the damage pattern on the marble.	Int	Default: 8 Min: 2 Max: 32 Clamped: True
Marble Damage Thickness	marble_damage_thickness	The thickness of the damage lines.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Rough Veins	rough_veins	Gives the veins a high roughness value to allow them to stand out from the marble base.	Int	Boolean 1
				Default: 0.2

Roughness	roughness	The roughness of the marble surface. Increase for a more worn-down and aged effect. Decrease for a newer, polished look.	Float	Min: 0 Max: 1 Clamped: True
Height Variation	height_variation	Changes the height variation of the material to give a carved look and feel. Increase the roughness to give the presentation of carved marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Normal Intensity	normal_intensity	The Intensity parameter modifies the intensity of normal map.	Float	Default: 1 Min: 0 Max: 3 Clamped: False

Marble_06

Consts: `PolyLabs.MarbleAndGranite.Marble_06`

Label	Identifier	Description	Type	Notes
Cracks Opacity	cracks_opacity	The Opacity of the cracks on the marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Cracks Amount	cracks_amount	Randomly adds cracks to the marble.	Float	Default: 0.25 Min: 0 Max: 1 Clamped: True
Cracks Depth	cracks_depth	The depth of the cracks on the marble.	Float	Default: 3.42 Min: 0 Max: 50 Clamped: True
Marble Damage Depth	marble_damage_depth	The depth of the marble damages.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Marble	marble_damage_scale	The scale of the damage pattern on the marble	Int	Default: 8

Damage Scale	marble_damage_scale	The scale of the damage pattern on the marble.	Int	Min: 2 Max: 32 Clamped: True
Marble Damage Thickness	marble_damage_thickness	The thickness of the damage lines.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Rough Veins	rough_veins	Gives the veins a high roughness value to allow them to stand out from the marble base.	Int	Boolean 1
Roughness	roughness	The roughness of the marble surface. Increase for a more worn-down and aged effect. Decrease for a newer, polished look.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Height Variation	height_variation	Changes the height variation of the material to give a carved look and feel. Increase the roughness to give the presentation of carved marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Normal Intensity	normal_intensity	The Intensity parameter modifies the intensity of normal map.	Float	Default: 1 Min: 0 Max: 3 Clamped: False

Marble_07

Consts: `PolyLabs.MarbleAndGranite.Marble_07`

Label	Identifier	Description	Type	Notes
Cracks Opacity	cracks_opacity	The Opacity of the cracks on the marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Cracks Amount	cracks_amount	Randomly adds cracks to the marble.	Float	Default: 0.25 Min: 0 Max: 1 Clamped: True

Cracks Depth	cracks_depth	The depth of the cracks on the marble.	Float	Default: 3.42 Min: 0 Max: 50 Clamped: True
Marble Damage Depth	marble_damage_depth	The depth of the marble damages.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Marble Damage Scale	marble_damage_scale	The scale of the damage pattern on the marble.	Int	Default: 8 Min: 2 Max: 32 Clamped: True
Marble Damage Thickness	marble_damage_thickness	The thickness of the damage lines.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Rough Veins	rough_veins	Gives the veins a high roughness value to allow them to stand out from the marble base.	Int	Boolean 1
Roughness	roughness	The roughness of the marble surface. Increase for a more worn-down and aged effect. Decrease for a newer, polished look.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Height Variation	height_variation	Changes the height variation of the material to give a carved look and feel. Increase the roughness to give the presentation of carved marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Normal Intensity	normal_intensity	The Intensity parameter modifies the intensity of normal map.	Float	Default: 1 Min: 0 Max: 3 Clamped: False

Marble_08

Consts: `PolyLabs.MarbleAndGranite.Marble_08`

Label	Identifier	Description	Type	Notes
-------	------------	-------------	------	-------

Cracks Opacity	cracks_opacity	The Opacity of the cracks on the marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Cracks Amount	cracks_amount	Randomly adds cracks to the marble.	Float	Default: 0.25 Min: 0 Max: 1 Clamped: True
Cracks Depth	cracks_depth	The depth of the cracks on the marble.	Float	Default: 3.42 Min: 0 Max: 50 Clamped: True
Marble Damage Depth	marble_damage_depth	The depth of the marble damages.	Float	Default: 0 Min: 0 Max: 1 Clamped: True
Marble Damage Scale	marble_damage_scale	The scale of the damage pattern on the marble.	Int	Default: 8 Min: 2 Max: 32 Clamped: True
Marble Damage Thickness	marble_damage_thickness	The thickness of the damage lines.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Rough Veins	rough_veins	Gives the veins a high roughness value to allow them to stand out from the marble base.	Int	Boolean 1
Roughness	roughness	The roughness of the marble surface. Increase for a more worn-down and aged effect. Decrease for a newer, polished look.	Float	Default: 0.2 Min: 0 Max: 1 Clamped: True
Height Variation	height_variation	Changes the height variation of the material to give a carved look and feel. Increase the roughness to give the presentation of carved marble.	Float	Default: 0 Min: 0 Max: 1 Clamped: True

				true
Normal Intensity	normal_intensity	The Intensity parameter modifies the intensity of normal map.	Float	Default: 1 Min: 0 Max: 3 Clamped: False