

Namespace EasyTechToolUI

Classes

[CanvasTransitionManager](#)

EasyTechToolUI's top administrator is responsible for initializing, updating, and transition of pages

[CanvasTransitionManagerBuffer](#)

A buffer that helps store and identify all CanvasTransitionManagers present in the program.

[EdgyModulePrototype](#)

An abstract class that collects things to manage the UI module located at the bottom of the UI abstraction tree.

[TransitionCanvasMonoBehaviour< TransitionCanvasCommonDataBuffer>](#)

Class that describe each page that is the subject of the screen

Interfaces

[CanvasTransitionManager.ITransitionEventSub](#)

Define the methods that must be implemented when each page is transition by the CanvasTransitionManager

[IItemSelectedAction](#)

The interface defined by the method for processing when an item in the UI element is selected

[IModuleStateUpdate](#)

Interface that defines the methods necessary to manage the UI module

Class CanvasTransitionManager

Namespace: [EasyTechToolUI](#)

Assembly: EasyTechToolUI.dll

EasyTechToolUI's top administrator is responsible for initializing, updating, and transition of pages

```
public class CanvasTransitionManager : MonoBehaviour, IModuleStateUpdate
```

Inheritance

[object](#)  ← Object ← Component ← Behaviour ← MonoBehaviour ← CanvasTransitionManager

Implements

[IModuleStateUpdate](#)

Inherited Members

MonoBehaviour.IsInvoking(), MonoBehaviour.CancelInvoke(), [MonoBehaviour.Invoke\(string, float\)](#) , [MonoBehaviour.InvokeRepeating\(string, float, float\)](#) , [MonoBehaviour.CancelInvoke\(string\)](#) , [MonoBehaviour.IsInvoking\(string\)](#) , [MonoBehaviour.StartCoroutine\(string\)](#) , [MonoBehaviour.StartCoroutine\(string, object\)](#) , [MonoBehaviour.StartCoroutine\(IEnumerator\)](#) , [MonoBehaviour.StartCoroutine_Auto\(IEnumerator\)](#) , [MonoBehaviour.StopCoroutine\(IEnumerator\)](#) , MonoBehaviour.StopCoroutine(Coroutine), [MonoBehaviour.StopCoroutine\(string\)](#) , MonoBehaviour.StopAllCoroutines(), [MonoBehaviour.print\(object\)](#) , MonoBehaviour.destroyCancellationToken, MonoBehaviour.useGUILayout, MonoBehaviour.didStart, MonoBehaviour.didAwake, MonoBehaviour.runInEditMode, Behaviour.enabled, Behaviour.isActiveAndEnabled, [Component.GetComponent\(Type\)](#) , Component.GetComponent<T>(), [Component.TryGetComponent\(Type, out Component\)](#) , Component.TryGetComponent<T>(out T), [Component.GetComponent\(string\)](#) , [Component.GetComponentInChildren\(Type, bool\)](#) , [Component.GetComponentInChildren\(Type\)](#) , [Component.GetComponentInChildren<T>\(bool\)](#) , Component.GetComponentInChildren<T>(), [Component.GetComponentInChildren\(Type, bool\)](#) , [Component.GetComponentInChildren<T>\(bool, List<T>\)](#) , Component.GetComponentInChildren<T>(), [Component.GetComponentInChildren<T>\(List<T>\)](#) , [Component.GetComponentInParent\(Type, bool\)](#) , [Component.GetComponentInParent\(Type\)](#) , [Component.GetComponentInParent<T>\(bool\)](#) , Component.GetComponentInParent<T>(), [Component.GetComponentInParent\(Type, bool\)](#) , [Component.GetComponentInParent\(Type\)](#) , [Component.GetComponentInParent<T>\(bool\)](#) , [Component.GetComponentInParent<T>\(bool, List<T>\)](#) 

[Component.GetComponentInParent<T>\(\)](#) , [Component.GetComponent\(Type\)](#) ,
[Component.GetComponent\(Type, List<Component>\)](#) ,
[Component.GetComponent<T>\(List<T>\)](#) , [Component.GetComponent<T>\(\)](#) ,
[Component.CompareTag\(string\)](#) ,
[Component.SendMessageUpwards\(string, object, SendMessageOptions\)](#) ,
[Component.SendMessageUpwards\(string, object\)](#) , [Component.SendMessageUpwards\(string\)](#) ,
[Component.SendMessageUpwards\(string, SendMessageOptions\)](#) ,
[Component.SendMessage\(string, object\)](#) , [Component.SendMessage\(string\)](#) ,
[Component.SendMessage\(string, object, SendMessageOptions\)](#) ,
[Component.SendMessage\(string, SendMessageOptions\)](#) ,
[Component.BroadcastMessage\(string, object, SendMessageOptions\)](#) ,
[Component.BroadcastMessage\(string, object\)](#) , [Component.BroadcastMessage\(string\)](#) ,
[Component.BroadcastMessage\(string, SendMessageOptions\)](#) , [Component.transform](#) ,
[Component.gameObject](#) , [Component.tag](#) , [Object.GetInstanceID\(\)](#) , [Object.GetHashCode\(\)](#) ,
[Object.Equals\(object\)](#) , [Object.Instantiate\(Object, Vector3, Quaternion\)](#) ,
[Object.Instantiate\(Object, Vector3, Quaternion, Transform\)](#) , [Object.Instantiate\(Object\)](#) ,
[Object.Instantiate\(Object, Transform\)](#) , [Object.Instantiate\(Object, Transform, bool\)](#) ,
[Object.Instantiate<T>\(T\)](#) , [Object.Instantiate<T>\(T, Vector3, Quaternion\)](#) ,
[Object.Instantiate<T>\(T, Vector3, Quaternion, Transform\)](#) , [Object.Instantiate<T>\(T, Transform\)](#) ,
[Object.Instantiate<T>\(T, Transform, bool\)](#) , [Object.Destroy\(Object, float\)](#) , [Object.Destroy\(Object\)](#) ,
[Object.DestroyImmediate\(Object, bool\)](#) , [Object.DestroyImmediate\(Object\)](#) ,
[Object.FindObjectsOfType\(Type\)](#) , [Object.FindObjectsOfType\(Type, bool\)](#) ,
[Object.FindObjectsByType\(Type, FindObjectsSortMode\)](#) ,
[Object.FindObjectsByType\(Type, FindObjectsInactive, FindObjectsSortMode\)](#) ,
[Object.DontDestroyOnLoad\(Object\)](#) , [Object.DestroyObject\(Object, float\)](#) ,
[Object.DestroyObject\(Object\)](#) , [Object.FindSceneObjectsOfType\(Type\)](#) ,
[Object.FindObjectsOfTypeIncludingAssets\(Type\)](#) , [Object.FindObjectsOfType<T>\(\)](#) ,
[Object.FindObjectsByType<T>\(FindObjectsSortMode\)](#) , [Object.FindObjectsOfType<T>\(bool\)](#) ,
[Object.FindObjectsByType<T>\(FindObjectsInactive, FindObjectsSortMode\)](#) ,
[Object.FindObjectOfType<T>\(\)](#) , [Object.FindObjectOfType<T>\(bool\)](#) ,
[Object.FindFirstObjectByType<T>\(\)](#) , [Object.FindAnyObjectByType<T>\(\)](#) ,
[Object.FindFirstObjectByType<T>\(FindObjectsInactive\)](#) ,
[Object.FindAnyObjectByType<T>\(FindObjectsInactive\)](#) , [Object.FindObjectsOfTypeAll\(Type\)](#) ,
[Object.FindObjectOfType\(Type\)](#) , [Object.FindFirstObjectByType\(Type\)](#) ,
[Object.FindAnyObjectByType\(Type\)](#) , [Object.FindObjectOfType\(Type, bool\)](#) ,
[Object.FindFirstObjectByType\(Type, FindObjectsInactive\)](#) ,
[Object.FindAnyObjectByType\(Type, FindObjectsInactive\)](#) , [Object.ToString\(\)](#) , [Object.name](#) ,
[Object.hideFlags](#) , [object.Equals\(object, object\)](#) , [object.ReferenceEquals\(object, object\)](#) ,
[object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#)

Properties

CanvasNames

```
public List<string> CanvasNames { get; }
```

Property Value

[List](#) <[string](#)>

CanvasTransitionEventSub

```
public Dictionary<string, CanvasTransitionManager.ITransitionEventSub>  
CanvasTransitionEventSub { get; }
```

Property Value

[Dictionary](#) <[string](#), [CanvasTransitionManager.ITransitionEventSub](#)>

CanvasTransitionManagerGuid

```
public Guid CanvasTransitionManagerGuid { get; }
```

Property Value

[Guid](#)

Canvases

```
public List<Canvas> Canvases { get; }
```

Property Value

[List](#) <Canvas>

CurCanvasIndex

```
public int CurCanvasIndex { get; }
```

Property Value

[int](#)

FirstScreenCanvasIndex

```
public int FirstScreenCanvasIndex { get; set; }
```

Property Value

[int](#)

PageTransitionControll

It refers to the EdgeModulePrototype for managing UI elements to be used for page transition

```
public EdgyModulePrototype PageTransitionControll { get; }
```

Property Value

[EdgyModulePrototype](#)

PrevCanvasName

```
public string PrevCanvasName { get; }
```

Property Value

[string](#)

Methods

InitializeModule(in List<object>)

```
protected void InitializeModule(in List<object> moduleInitDataPerCanvas)
```

Parameters

moduleInitDataPerCanvas [List](#) <[object](#)>

InitializeModule(in object, in Guid)

You can call the module when you initialize it

```
public virtual void InitializeModule(in object moduleInitData, in Guid  
attachedCanvasTransitionManagerGuid)
```

Parameters

moduleInitData [object](#)

This refers to custom data to be used when initializing modules. In some cases, null is also allowed

attachedCanvasTransitionManagerGuid [Guid](#)

This is the Guid of the CanvasTransitionManager to which the module belongs

OpenCanvas(int)

Transition to canvas on the corresponding m_canvas using the given int as index

```
public virtual void OpenCanvas(int canvasIndex)
```

Parameters

canvasIndex [int](#)

Index of the page you want to switch to

OpenCanvas(in int, in object)

```
protected void OpenCanvas(in int canvasIndex, in object moduleUpdateData)
```

Parameters

canvasIndex [int](#)

moduleUpdateData [object](#)

UpdateModuleState(in List<object>)

```
protected void UpdateModuleState(in List<object> moduleUpdateDataPerCanvas)
```

Parameters

moduleUpdateDataPerCanvas [List](#) <[object](#)>

UpdateModuleState(in object)

You can call the module when you updating it

```
public virtual void UpdateModuleState(in object moduleUpdateData)
```

Parameters

moduleUpdateData [object](#)

This refers to custom data to be used when updating modules. In some cases, null is also allowed

Interface

CanvasTransitionManager.ITransitionEventSub

Namespace: [EasyTechToolUI](#)

Assembly: EasyTechToolUI.dll

Define the methods that must be implemented when each page is transition by the CanvasTransitionManager

```
public interface CanvasTransitionManager.ITransitionEventSub
```

Methods

InitializeAwake(in Guid)

The page that inherited ITransitionEventSub is called by the appropriate CanvasTransitionManager when it is initialized for the first time

```
void InitializeAwake(in Guid attachedCanvasTransitionManagerGuid)
```

Parameters

attachedCanvasTransitionManagerGuid [Guid](#)

OnTransition(in string)

Called when the screen switches to the page that inherited the corresponding ITransitionEventSub

```
void OnTransition(in string from)
```

Parameters

from [string](#)

Name of the screen before it was switched to the current screen

Class CanvasTransitionManagerBuffer

Namespace: [EasyTechToolUI](#)

Assembly: EasyTechToolUI.dll

A buffer that helps store and identify all CanvasTransitionManagers present in the program.

```
public static class CanvasTransitionManagerBuffer
```

Inheritance

[object](#)  ← CanvasTransitionManagerBuffer

Inherited Members

[object.ToString\(\)](#)  , [object.Equals\(object\)](#)  , [object.Equals\(object, object\)](#)  ,
[object.ReferenceEquals\(object, object\)](#)  , [object.GetHashCode\(\)](#)  , [object.GetType\(\)](#)  ,
[object.MemberwiseClone\(\)](#) 

Properties

CanvasTransitionManagerGuids

```
public static List<Guid> CanvasTransitionManagerGuids { get; }
```

Property Value

[List](#)  <[Guid](#)  >

CanvasTransitionManagers

```
public static List<CanvasTransitionManager> CanvasTransitionManagers { get; }
```

Property Value

[List](#)  <[CanvasTransitionManager](#)  >

Methods

AddCanvasTransitionManager(in Guid, in CanvasTransitionManager)

Method to register a new CanvasTransitionManager

```
public static void AddCanvasTransitionManager(in Guid canvasTransitionManagerGuid, in CanvasTransitionManager canvasTransitionManager)
```

Parameters

canvasTransitionManagerGuid [Guid](#)

Guid of the CanvasTransitionManager instance you wish to register

canvasTransitionManager [CanvasTransitionManager](#)

The CanvasTransitionManager instance you wish to register

GetCanvasTransitionManager(in Guid)

Method that returns the corresponding CanvasTransitionManager according to the given Guid

```
public static CanvasTransitionManager GetCanvasTransitionManager(in Guid canvasTransitionManagerGuid)
```

Parameters

canvasTransitionManagerGuid [Guid](#)

Guid corresponding to the CanvasTranstionManager you want to find

Returns

[CanvasTransitionManager](#)

CanvasTransitionManager instance found via Guid. If there is no appropriate instance corresponding to Guid, null is returned

Class EdgyModulePrototype

Namespace: [EasyTechToolUI](#)

Assembly: EasyTechToolUI.dll

An abstract class that collects things to manage the UI module located at the bottom of the UI abstraction tree.

```
public abstract class EdgyModulePrototype : MonoBehaviour, IModuleStateUpdate
```

Inheritance

[object](#)  ← Object ← Component ← Behaviour ← MonoBehaviour ← EdgyModulePrototype

Implements

[IModuleStateUpdate](#)

Derived

[CirculatingLayoutItemList](#), [FreeLayoutItemPlane](#), [ItemGridPlane](#), [ItemViewList](#), [LayoutGroup](#), [SliderWrapper](#), [TransitionCanvasMonoBehaviour](#) < [TransitionCanvasCommonDataBuffer](#) >

Inherited Members

MonoBehaviour.IsInvoking(), MonoBehaviour.CancelInvoke(), [MonoBehaviour.Invoke\(string, float\)](#) , [MonoBehaviour.InvokeRepeating\(string, float, float\)](#) , [MonoBehaviour.CancelInvoke\(string\)](#) , [MonoBehaviour.IsInvoking\(string\)](#) , [MonoBehaviour.StartCoroutine\(string\)](#) , [MonoBehaviour.StartCoroutine\(string, object\)](#) , [MonoBehaviour.StartCoroutine\(IEnumerator\)](#) , [MonoBehaviour.StartCoroutine_Auto\(IEnumerator\)](#) , [MonoBehaviour.StopCoroutine\(Enumerator\)](#) , MonoBehaviour.StopCoroutine(Coroutine), [MonoBehaviour.StopCoroutine\(string\)](#) , MonoBehaviour.StopAllCoroutines(), [MonoBehaviour.print\(object\)](#) , MonoBehaviour.destroyCancellationToken, MonoBehaviour.useGUILayout, MonoBehaviour.didStart, MonoBehaviour.didAwake, MonoBehaviour.runInEditMode, Behaviour.enabled, Behaviour.isActiveAndEnabled, [Component.GetComponent\(Type\)](#) , Component.GetComponent<T>(), [Component.TryGetComponent\(Type, out Component\)](#) , Component.TryGetComponent<T>(out T), [Component.GetComponent\(string\)](#) , [Component.GetComponentInChildren\(Type, bool\)](#) , [Component.GetComponentInChildren\(Type\)](#) , [Component.GetComponentInChildren<T>\(bool\)](#) , Component.GetComponentInChildren<T>(), [Component.GetComponentInChildren\(Type, bool\)](#) , [Component.GetComponentInChildren\(Type\)](#) , [Component.GetComponentInChildren<T>\(bool\)](#) , [Component.GetComponentInChildren<T>\(bool, List<T>\)](#) , Component.GetComponentInChildren<T>(), [Component.GetComponentInChildren<T>\(List<T>\)](#) , [Component.GetComponentInParent\(Type, bool\)](#) , [Component.GetComponentInParent\(Type\)](#) 

[Component.GetComponentInParent<T>\(bool\)](#) , [Component.GetComponentInParent<T>\(\)](#) ,
[Component.GetComponentsInParent\(Type, bool\)](#) , [Component.GetComponentsInParent\(Type\)](#) ,
[Component.GetComponentsInParent<T>\(bool\)](#) ,
[Component.GetComponentsInParent<T>\(bool, List<T>\)](#) ,
[Component.GetComponentsInParent<T>\(\)](#) , [Component.GetComponents\(Type\)](#) ,
[Component.GetComponents\(Type, List<Component>\)](#) ,
[Component.GetComponents<T>\(List<T>\)](#) , [Component.GetComponents<T>\(\)](#) ,
[Component.CompareTag\(string\)](#) ,
[Component.SendMessageUpwards\(string, object, SendMessageOptions\)](#) ,
[Component.SendMessageUpwards\(string, object\)](#) , [Component.SendMessageUpwards\(string\)](#) ,
[Component.SendMessageUpwards\(string, SendMessageOptions\)](#) ,
[Component.SendMessage\(string, object\)](#) , [Component.SendMessage\(string\)](#) ,
[Component.SendMessage\(string, object, SendMessageOptions\)](#) ,
[Component.SendMessage\(string, SendMessageOptions\)](#) ,
[Component.BroadcastMessage\(string, object, SendMessageOptions\)](#) ,
[Component.BroadcastMessage\(string, object\)](#) , [Component.BroadcastMessage\(string\)](#) ,
[Component.BroadcastMessage\(string, SendMessageOptions\)](#) , [Component.transform](#) ,
[Component.gameObject](#) , [Component.tag](#) , [Object.GetInstanceID\(\)](#) , [Object.GetHashCode\(\)](#) ,
[Object.Equals\(object\)](#) , [Object.Instantiate\(Object, Vector3, Quaternion\)](#) ,
[Object.Instantiate\(Object, Vector3, Quaternion, Transform\)](#) , [Object.Instantiate\(Object\)](#) ,
[Object.Instantiate\(Object, Transform\)](#) , [Object.Instantiate\(Object, Transform, bool\)](#) ,
[Object.Instantiate<T>\(T\)](#) , [Object.Instantiate<T>\(T, Vector3, Quaternion\)](#) ,
[Object.Instantiate<T>\(T, Vector3, Quaternion, Transform\)](#) , [Object.Instantiate<T>\(T, Transform\)](#) ,
[Object.Instantiate<T>\(T, Transform, bool\)](#) , [Object.Destroy\(Object, float\)](#) , [Object.Destroy\(Object\)](#) ,
[Object.DestroyImmediate\(Object, bool\)](#) , [Object.DestroyImmediate\(Object\)](#) ,
[Object.FindObjectsOfType\(Type\)](#) , [Object.FindObjectsOfType\(Type, bool\)](#) ,
[Object.FindObjectsByType\(Type, FindObjectsSortMode\)](#) ,
[Object.FindObjectsByType\(Type, FindObjectsInactive, FindObjectsSortMode\)](#) ,
[Object.DontDestroyOnLoad\(Object\)](#) , [Object.DestroyObject\(Object, float\)](#) ,
[Object.DestroyObject\(Object\)](#) , [Object.FindSceneObjectsOfType\(Type\)](#) ,
[Object.FindObjectsOfTypeIncludingAssets\(Type\)](#) , [Object.FindObjectsOfType<T>\(\)](#) ,
[Object.FindObjectsByType<T>\(FindObjectsSortMode\)](#) , [Object.FindObjectsOfType<T>\(bool\)](#) ,
[Object.FindObjectsByType<T>\(FindObjectsInactive, FindObjectsSortMode\)](#) ,
[Object.FindObjectOfType<T>\(\)](#) , [Object.FindObjectOfType<T>\(bool\)](#) ,
[Object.FindFirstObjectByType<T>\(\)](#) , [Object.FindAnyObjectByType<T>\(\)](#) ,
[Object.FindFirstObjectByType<T>\(FindObjectsInactive\)](#) ,
[Object.FindAnyObjectByType<T>\(FindObjectsInactive\)](#) , [Object.FindObjectsOfTypeAll\(Type\)](#) ,
[Object.FindObjectOfType\(Type\)](#) , [Object.FindFirstObjectByType\(Type\)](#) ,
[Object.FindAnyObjectByType\(Type\)](#) , [Object.FindObjectOfType\(Type, bool\)](#) ,
[Object.FindFirstObjectByType\(Type, FindObjectsInactive\)](#) ,

[Object.FindAnyObjectByType\(Type, FindObjectsInactive\)](#)[↗] , [Object.ToString\(\)](#) , [Object.name](#) , [Object.hideFlags](#) , [object.Equals\(object, object\)](#)[↗] , [object.ReferenceEquals\(object, object\)](#)[↗] , [object.GetType\(\)](#)[↗] , [object.MemberwiseClone\(\)](#)[↗]

Methods

InitializeModule(in object, in Guid)

You can call the module when you initialize it

```
public abstract void InitializeModule(in object moduleInitData, in Guid
attachedCanvasTransitionManagerGuid)
```

Parameters

moduleInitData [object](#)[↗]

This refers to custom data to be used when initializing modules. In some cases, null is also allowed

attachedCanvasTransitionManagerGuid [Guid](#)[↗]

This is the Guid of the CanvasTransitionManager to which the module belongs

UpdateModuleState(in object)

You can call the module when you updating it

```
public abstract void UpdateModuleState(in object moduleUpdateData)
```

Parameters

moduleUpdateData [object](#)[↗]

This refers to custom data to be used when updating modules. In some cases, null is also allowed

Interface IItemSelectedAction

Namespace: [EasyTechToolUI](#)

Assembly: EasyTechToolUI.dll

The interface defined by the method for processing when an item in the UI element is selected

```
public interface IItemSelectedAction
```

Methods

OnItemSelected(in object, in bool)

Called when one of the UI elements to which the item belongs is selected

```
void OnItemSelected(in object itemData, in bool bisSelected)
```

Parameters

itemData [object](#) 

A parameter seat for custom data that can be used as needed

bisSelected [bool](#) 

Indicates whether the current item has been selected

Interface IModuleStateUpdate

Namespace: [EasyTechToolUI](#)

Assembly: EasyTechToolUI.dll

Interface that defines the methods necessary to manage the UI module

```
public interface IModuleStateUpdate
```

Methods

InitializeModule(in object, in Guid)

You can call the module when you initialize it

```
void InitializeModule(in object moduleInitData, in Guid attachedCanvasTransitionManagerGuid)
```

Parameters

moduleInitData [object](#)

This refers to custom data to be used when initializing modules. In some cases, null is also allowed

attachedCanvasTransitionManagerGuid [Guid](#)

This is the Guid of the CanvasTransitionManager to which the module belongs

UpdateModuleState(in object)

You can call the module when you updating it

```
void UpdateModuleState(in object moduleUpdateData)
```

Parameters

moduleUpdateData [object](#)

This refers to custom data to be used when updating modules. In some cases, null is also allowed

Class

TransitionCanvasMonoBehaviour<_TransitionCanvasCommonDataBuffer>

Namespace: [EasyTechToolUI](#)

Assembly: EasyTechToolUI.dll

Class that describe each page that is the subject of the screen

```
public abstract class TransitionCanvasMonoBehaviour<_TransitionCanvasCommonDataBuffer> :  
    EdgyModulePrototype, IModuleStateUpdate, CanvasTransitionManager.ITransitionEventSub where  
    _TransitionCanvasCommonDataBuffer : new()
```

Type Parameters

[_TransitionCanvasCommonDataBuffer](#)

Dedicated data buffer for TransitionCanvasMonoBehaviour

Inheritance

[object](#)  ← [Object](#) ← [Component](#) ← [Behaviour](#) ← [MonoBehaviour](#) ← [EdgyModulePrototype](#) ←
[TransitionCanvasMonoBehaviour<_TransitionCanvasCommonDataBuffer>](#)

Implements

[IModuleStateUpdate](#), [CanvasTransitionManager.ITransitionEventSub](#)

Inherited Members

[MonoBehaviour.IsInvoking\(\)](#) , [MonoBehaviour.CancelInvoke\(\)](#) , [MonoBehaviour.Invoke\(string, float\)](#)  ,
[MonoBehaviour.InvokeRepeating\(string, float, float\)](#)  , [MonoBehaviour.CancelInvoke\(string\)](#)  ,
[MonoBehaviour.IsInvoking\(string\)](#)  , [MonoBehaviour.StartCoroutine\(string\)](#)  ,
[MonoBehaviour.StartCoroutine\(string, object\)](#)  , [MonoBehaviour.StartCoroutine\(IEnumerator\)](#)  ,
[MonoBehaviour.StartCoroutine_Auto\(IEnumerator\)](#)  , [MonoBehaviour.StopCoroutine\(IEnumerator\)](#)  ,
[MonoBehaviour.StopCoroutine\(Coroutine\)](#) , [MonoBehaviour.StopCoroutine\(string\)](#)  ,
[MonoBehaviour.StopAllCoroutines\(\)](#) , [MonoBehaviour.print\(object\)](#)  ,
[MonoBehaviour.destroyCancellationToken](#) , [MonoBehaviour.useGUILayout](#) , [MonoBehaviour.didStart](#) ,
[MonoBehaviour.didAwake](#) , [MonoBehaviour.runInEditMode](#) , [Behaviour.enabled](#) ,
[Behaviour.isActiveAndEnabled](#) , [Component.GetComponent\(Type\)](#)  ,
[Component.GetComponent<T>\(\)](#) , [Component.TryGetComponent\(Type, out Component\)](#)  ,
[Component.TryGetComponent<T>\(out T\)](#) , [Component.GetComponent\(string\)](#)  ,

[Component.GetComponentInChildren\(Type, bool\)](#), [Component.GetComponentInChildren\(Type\)](#),
[Component.GetComponentInChildren<T>\(bool\)](#), [Component.GetComponentInChildren<T>\(\)](#),
[Component.GetComponentsInChildren\(Type, bool\)](#),
[Component.GetComponentsInChildren\(Type\)](#), [Component.GetComponentsInChildren<T>\(bool\)](#),
[Component.GetComponentsInChildren<T>\(bool, List<T>\)](#),
[Component.GetComponentsInChildren<T>\(\)](#), [Component.GetComponentsInChildren<T>\(List<T>\)](#),
[Component.GetComponentInParent\(Type, bool\)](#), [Component.GetComponentInParent\(Type\)](#),
[Component.GetComponentInParent<T>\(bool\)](#), [Component.GetComponentInParent<T>\(\)](#),
[Component.GetComponentsInParent\(Type, bool\)](#), [Component.GetComponentsInParent\(Type\)](#),
[Component.GetComponentsInParent<T>\(bool\)](#),
[Component.GetComponentsInParent<T>\(bool, List<T>\)](#),
[Component.GetComponentsInParent<T>\(\)](#), [Component.GetComponents\(Type\)](#),
[Component.GetComponents\(Type, List<Component>\)](#),
[Component.GetComponents<T>\(List<T>\)](#), [Component.GetComponents<T>\(\)](#),
[Component.CompareTag\(string\)](#),
[Component.SendMessageUpwards\(string, object, SendMessageOptions\)](#),
[Component.SendMessageUpwards\(string, object\)](#), [Component.SendMessageUpwards\(string\)](#),
[Component.SendMessageUpwards\(string, SendMessageOptions\)](#),
[Component.SendMessage\(string, object\)](#), [Component.SendMessage\(string\)](#),
[Component.SendMessage\(string, object, SendMessageOptions\)](#),
[Component.SendMessage\(string, SendMessageOptions\)](#),
[Component.BroadcastMessage\(string, object, SendMessageOptions\)](#),
[Component.BroadcastMessage\(string, object\)](#), [Component.BroadcastMessage\(string\)](#),
[Component.BroadcastMessage\(string, SendMessageOptions\)](#), [Component.transform](#),
[Component.gameObject](#), [Component.tag](#), [Object.GetInstanceID\(\)](#), [Object.GetHashCode\(\)](#),
[Object.Equals\(object\)](#), [Object.Instantiate\(Object, Vector3, Quaternion\)](#),
[Object.Instantiate\(Object, Vector3, Quaternion, Transform\)](#), [Object.Instantiate\(Object\)](#),
[Object.Instantiate\(Object, Transform\)](#), [Object.Instantiate\(Object, Transform, bool\)](#),
[Object.Instantiate<T>\(T\)](#), [Object.Instantiate<T>\(T, Vector3, Quaternion\)](#),
[Object.Instantiate<T>\(T, Vector3, Quaternion, Transform\)](#), [Object.Instantiate<T>\(T, Transform\)](#),
[Object.Instantiate<T>\(T, Transform, bool\)](#), [Object.Destroy\(Object, float\)](#), [Object.Destroy\(Object\)](#),
[Object.DestroyImmediate\(Object, bool\)](#), [Object.DestroyImmediate\(Object\)](#),
[Object.FindObjectsOfType\(Type\)](#), [Object.FindObjectsOfType\(Type, bool\)](#),
[Object.FindObjectsByType\(Type, FindObjectsSortMode\)](#),
[Object.FindObjectsByType\(Type, FindObjectsInactive, FindObjectsSortMode\)](#),
[Object.DontDestroyOnLoad\(Object\)](#), [Object.DestroyObject\(Object, float\)](#),
[Object.DestroyObject\(Object\)](#), [Object.FindSceneObjectsOfType\(Type\)](#),
[Object.FindObjectsOfTypeIncludingAssets\(Type\)](#), [Object.FindObjectsOfType<T>\(\)](#),
[Object.FindObjectsByType<T>\(FindObjectsSortMode\)](#), [Object.FindObjectsOfType<T>\(bool\)](#),
[Object.FindObjectsByType<T>\(FindObjectsInactive, FindObjectsSortMode\)](#),

[Object.FindObjectOfType<T>\(\)](#) , [Object.FindObjectOfType<T>\(bool\)](#) ,
[Object.FindFirstObjectByType<T>\(\)](#) , [Object.FindAnyObjectByType<T>\(\)](#) ,
[Object.FindFirstObjectByType<T>\(FindObjectInactive\)](#) ,
[Object.FindAnyObjectByType<T>\(FindObjectInactive\)](#) , [Object.FindObjectsOfTypeAll\(Type\)](#) ,
[Object.FindObjectOfType\(Type\)](#) , [Object.FindFirstObjectByType\(Type\)](#) ,
[Object.FindAnyObjectByType\(Type\)](#) , [Object.FindObjectOfType\(Type, bool\)](#) ,
[Object.FindFirstObjectByType\(Type, FindObjectInactive\)](#) ,
[Object.FindAnyObjectByType\(Type, FindObjectInactive\)](#) , [Object.ToString\(\)](#) , [Object.name](#) ,
[Object.hideFlags](#) , [object.Equals\(object, object\)](#) , [object.ReferenceEquals\(object, object\)](#) ,
[object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#)

Properties

AttachedCanvasTransitionManagerGuid

Guid for Canvas Transition Manager who manages the current page

```
public Guid AttachedCanvasTransitionManagerGuid { get; }
```

Property Value

[Guid](#)

CommonDataBuffer

Reference to a dedicated data buffer for the current page

```
public static _TransitionCanvasCommonDataBuffer CommonDataBuffer { get; }
```

Property Value

[_TransitionCanvasCommonDataBuffer](#)

EdgyModulePrototypes

This refers to the list of EdgyModulePrototypes for the management of UI elements on the current page

```
public List<EdgyModulePrototype> EdgyModulePrototypes { get; }
```

Property Value

[List](#) <[EdgyModulePrototype](#)>

Methods

InitializeAwake(in Guid)

The page that inherited ITTransitionEventSub is called by the appropriate CanvasTransitionManager when it is initialized for the first time

```
public virtual void InitializeAwake(in Guid attachedCanvasTransitionManagerGuid)
```

Parameters

attachedCanvasTransitionManagerGuid [Guid](#)

InitializeModule(in List<object>)

```
protected void InitializeModule(in List<object> moduleInitDataPerSubModule)
```

Parameters

moduleInitDataPerSubModule [List](#) <[object](#)>

InitializeModule(in object, in Guid)

You can call the module when you initialize it

```
public override void InitializeModule(in object moduleInitData, in Guid attachedCanvasTransitionManagerGuid)
```

Parameters

`moduleInitData` [object](#)

This refers to custom data to be used when initializing modules. In some cases, null is also allowed

`attachedCanvasTransitionManagerGuid` [Guid](#)

This is the Guid of the CanvasTransitionManager to which the module belongs

OnTransition(in string)

Called when the screen switches to the page that inherited the corresponding ITransitionEventSub

```
public abstract void OnTransition(in string from)
```

Parameters

`from` [string](#)

Name of the screen before it was switched to the current screen

UpdateModuleState(in List<object>)

```
protected void UpdateModuleState(in List<object> moduleUpdateDataPerSubModule)
```

Parameters

`moduleUpdateDataPerSubModule` [List](#) <[object](#)>

UpdateModuleState(in object)

You can call the module when you updating it

```
public override void UpdateModuleState(in object moduleInitData)
```

Parameters

moduleInitData [object](#)

Namespace EasyTechToolUI.CirculatingLayout ItemList

Classes

[CirculatingLayoutItemList](#)

[CirculatingLayoutItemList.Item](#)

Interfaces

[CirculatingLayoutItemList.ItemStateUpdate](#)

Class CirculatingLayoutItemList

Namespace: [EasyTechToolUI.CirculatingLayoutItemList](#)

Assembly: EasyTechToolUI.dll

```
public abstract class CirculatingLayoutItemList : EdgyModulePrototype, IModuleStateUpdate
```

Inheritance

[object](#)  ← Object ← Component ← Behaviour ← MonoBehaviour ← [EdgyModulePrototype](#)  ← CirculatingLayoutItemList

Implements

[IModuleStateUpdate](#)

Inherited Members

[MonoBehaviour.Invoke\(\)](#) , [MonoBehaviour.CancelInvoke\(\)](#) , [MonoBehaviour.Invoke\(string, float\)](#)  , [MonoBehaviour.InvokeRepeating\(string, float, float\)](#)  , [MonoBehaviour.CancelInvoke\(string\)](#)  , [MonoBehaviour.IsInvoking\(string\)](#)  , [MonoBehaviour.StartCoroutine\(string\)](#)  , [MonoBehaviour.StartCoroutine\(string, object\)](#)  , [MonoBehaviour.StartCoroutine\(IEnumerator\)](#)  , [MonoBehaviour.StartCoroutine_Auto\(IEnumerator\)](#)  , [MonoBehaviour.StopCoroutine\(IEnumerator\)](#)  , [MonoBehaviour.StopCoroutine\(Coroutine\)](#) , [MonoBehaviour.StopCoroutine\(string\)](#)  , [MonoBehaviour.StopAllCoroutines\(\)](#) , [MonoBehaviour.print\(object\)](#)  , [MonoBehaviour.destroyCancellationToken](#) , [MonoBehaviour.useGUILayout](#) , [MonoBehaviour.didStart](#) , [MonoBehaviour.didAwake](#) , [MonoBehaviour.runInEditMode](#) , [Behaviour.enabled](#) , [Behaviour.isActiveAndEnabled](#) , [Component.GetComponent\(Type\)](#)  , [Component.GetComponent<T>\(\)](#) , [Component.TryGetComponent\(Type, out Component\)](#)  , [Component.TryGetComponent<T>\(out T\)](#) , [Component.GetComponent\(string\)](#)  , [Component.GetComponentInChildren\(Type, bool\)](#)  , [Component.GetComponentInChildren\(Type\)](#)  , [Component.GetComponentInChildren<T>\(bool\)](#)  , [Component.GetComponentInChildren<T>\(\)](#) , [Component.GetComponentsInChildren\(Type, bool\)](#)  , [Component.GetComponentsInChildren\(Type\)](#)  , [Component.GetComponentsInChildren<T>\(bool\)](#)  , [Component.GetComponentsInChildren<T>\(bool, List<T>\)](#)  , [Component.GetComponentsInChildren<T>\(\)](#) , [Component.GetComponentsInChildren<T>\(List<T>\)](#)  , [Component.GetComponentInParent\(Type, bool\)](#)  , [Component.GetComponentInParent\(Type\)](#)  , [Component.GetComponentInParent<T>\(bool\)](#)  , [Component.GetComponentInParent<T>\(\)](#) , [Component.GetComponentsInParent\(Type, bool\)](#)  , [Component.GetComponentsInParent\(Type\)](#)  , [Component.GetComponentsInParent<T>\(bool\)](#)  , [Component.GetComponentsInParent<T>\(bool, List<T>\)](#)  , [Component.GetComponentsInParent<T>\(\)](#) , [Component.GetComponents\(Type\)](#)  ,

[Component.GetComponent<Type>\(Type, List<Component>\)](#) ,
[Component.GetComponent<T>\(List<T>\)](#) , [Component.GetComponent<T>\(\)](#) ,
[Component.CompareTag\(string\)](#) ,
[Component.SendMessageUpwards\(string, object, SendMessageOptions\)](#) ,
[Component.SendMessageUpwards\(string, object\)](#) , [Component.SendMessageUpwards\(string\)](#) ,
[Component.SendMessageUpwards\(string, SendMessageOptions\)](#) ,
[Component.SendMessage\(string, object\)](#) , [Component.SendMessage\(string\)](#) ,
[Component.SendMessage\(string, object, SendMessageOptions\)](#) ,
[Component.SendMessage\(string, SendMessageOptions\)](#) ,
[Component.BroadcastMessage\(string, object, SendMessageOptions\)](#) ,
[Component.BroadcastMessage\(string, object\)](#) , [Component.BroadcastMessage\(string\)](#) ,
[Component.BroadcastMessage\(string, SendMessageOptions\)](#) , [Component.transform](#) ,
[Component.gameObject](#) , [Component.tag](#) , [Object.GetInstanceID\(\)](#) , [Object.GetHashCode\(\)](#) ,
[Object.Equals\(object\)](#) , [Object.Instantiate\(Object, Vector3, Quaternion\)](#) ,
[Object.Instantiate\(Object, Vector3, Quaternion, Transform\)](#) , [Object.Instantiate\(Object\)](#) ,
[Object.Instantiate\(Object, Transform\)](#) , [Object.Instantiate\(Object, Transform, bool\)](#) ,
[Object.Instantiate<T>\(T\)](#) , [Object.Instantiate<T>\(T, Vector3, Quaternion\)](#) ,
[Object.Instantiate<T>\(T, Vector3, Quaternion, Transform\)](#) , [Object.Instantiate<T>\(T, Transform\)](#) ,
[Object.Instantiate<T>\(T, Transform, bool\)](#) , [Object.Destroy\(Object, float\)](#) , [Object.Destroy\(Object\)](#) ,
[Object.DestroyImmediate\(Object, bool\)](#) , [Object.DestroyImmediate\(Object\)](#) ,
[Object.FindObjectsOfType\(Type\)](#) , [Object.FindObjectsOfType\(Type, bool\)](#) ,
[Object.FindObjectsByType\(Type, FindObjectsSortMode\)](#) ,
[Object.FindObjectsByType\(Type, FindObjectsInactive, FindObjectsSortMode\)](#) ,
[Object.DontDestroyOnLoad\(Object\)](#) , [Object.DestroyObject\(Object, float\)](#) ,
[Object.DestroyObject\(Object\)](#) , [Object.FindSceneObjectsOfType\(Type\)](#) ,
[Object.FindObjectsOfTypeIncludingAssets\(Type\)](#) , [Object.FindObjectsOfType<T>\(\)](#) ,
[Object.FindObjectsByType<T>\(FindObjectsSortMode\)](#) , [Object.FindObjectsOfType<T>\(bool\)](#) ,
[Object.FindObjectsByType<T>\(FindObjectsInactive, FindObjectsSortMode\)](#) ,
[Object.FindObjectOfType<T>\(\)](#) , [Object.FindObjectOfType<T>\(bool\)](#) ,
[Object.FindFirstObjectByType<T>\(\)](#) , [Object.FindAnyObjectByType<T>\(\)](#) ,
[Object.FindFirstObjectByType<T>\(FindObjectsInactive\)](#) ,
[Object.FindAnyObjectByType<T>\(FindObjectsInactive\)](#) , [Object.FindObjectsOfTypeAll\(Type\)](#) ,
[Object.FindObjectOfType\(Type\)](#) , [Object.FindFirstObjectByType\(Type\)](#) ,
[Object.FindAnyObjectByType\(Type\)](#) , [Object.FindObjectOfType\(Type, bool\)](#) ,
[Object.FindFirstObjectByType\(Type, FindObjectsInactive\)](#) ,
[Object.FindAnyObjectByType\(Type, FindObjectsInactive\)](#) , [Object.ToString\(\)](#) , [Object.name](#) ,
[Object.hideFlags](#) , [object.Equals\(object, object\)](#) , [object.ReferenceEquals\(object, object\)](#) ,
[object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#)

Properties

AttachedCanvasTransitionManagerGuid

```
public Guid AttachedCanvasTransitionManagerGuid { get; }
```

Property Value

[Guid](#)

CurAbsoluteSelectedItemIndex

```
public int CurAbsoluteSelectedItemIndex { get; set; }
```

Property Value

[int](#)

ItemCount

```
public int ItemCount { get; }
```

Property Value

[int](#)

Items

```
public List<CirculatingLayoutItemList.Item> Items { get; }
```

Property Value

[List](#) <[CirculatingLayoutItemList.Item](#)>

Methods

AddItem()

```
public virtual void AddItem()
```

AddItem(in object)

```
protected void AddItem(in object itemInitData)
```

Parameters

itemInitData [object](#)

ClearItems()

```
public virtual void ClearItems()
```

InitializeModule(in List<object>)

```
protected void InitializeModule(in List<object> moduleInitDataPerItem)
```

Parameters

moduleInitDataPerItem [List](#) <[object](#)>

InitializeModule(in object, in Guid)

You can call the module when you initialize it

```
public override void InitializeModule(in object moduleInitData, in Guid  
attachedCanvasTransitionManagerGuid)
```

Parameters

`moduleInitData` [object](#)

This refers to custom data to be used when initializing modules. In some cases, null is also allowed

`attachedCanvasTransitionManagerGuid` [Guid](#)

This is the Guid of the CanvasTransitionManager to which the module belongs

RemoveItemAt(in int)

```
public virtual void RemoveItemAt(in int index)
```

Parameters

`index` [int](#)

ReorderItem()

```
protected void ReorderItem()
```

UpdateModuleState(in List<object>)

```
public void UpdateModuleState(in List<object> moduleUpdateDataPerItem)
```

Parameters

`moduleUpdateDataPerItem` [List](#) <[object](#)>

UpdateModuleState(in object)

You can call the module when you updating it

```
public override void UpdateModuleState(in object moduleUpdateData)
```

Parameters

moduleUpdateData [object](#)

This refers to custom data to be used when updating modules. In some cases, null is also allowed

Interface

CirculatingLayoutItemList.ItemStateUpdate

Namespace: [EasyTechToolUI.CirculatingLayoutItemList](#)

Assembly: EasyTechToolUI.dll

```
public interface CirculatingLayoutItemList.IItemStateUpdate
```

Methods

InitializeItem(in CirculatingLayoutItemList, in int, in object)

```
void InitializeItem(in CirculatingLayoutItemList circulatingLayoutItemList, in int  
absoluteItemIndex, in object itemInitData)
```

Parameters

circulatingLayoutItemList [CirculatingLayoutItemList](#)

absoluteItemIndex [int](#)

itemInitData [object](#)

UpdateItemState(in object)

```
void UpdateItemState(in object itemUpdateData)
```

Parameters

itemUpdateData [object](#)

Class CirculatingLayoutItemList.Item

Namespace: [EasyTechToolUI.CirculatingLayoutItemList](#)

Assembly: EasyTechToolUI.dll

```
public abstract class CirculatingLayoutItemList.Item : MonoBehaviour,
    CirculatingLayoutItemList.IItemStateUpdate, IItemSelectedAction
```

Inheritance

[object](#)  ← Object ← Component ← Behaviour ← MonoBehaviour ← CirculatingLayoutItemList.Item

Implements

[CirculatingLayoutItemList.IItemStateUpdate](#), [IItemSelectedAction](#)

Inherited Members

MonoBehaviour.Invoke(), MonoBehaviour.CancelInvoke(), [MonoBehaviour.Invoke\(string, float\)](#) , [MonoBehaviour.InvokeRepeating\(string, float, float\)](#) , [MonoBehaviour.CancelInvoke\(string\)](#) , [MonoBehaviour.IsInvoking\(string\)](#) , [MonoBehaviour.StartCoroutine\(string\)](#) , [MonoBehaviour.StartCoroutine\(string, object\)](#) , [MonoBehaviour.StartCoroutine\(IEnumerator\)](#) , [MonoBehaviour.StartCoroutine_Auto\(IEnumerator\)](#) , [MonoBehaviour.StopCoroutine\(IEnumerator\)](#) , MonoBehaviour.StopCoroutine(Coroutine), [MonoBehaviour.StopCoroutine\(string\)](#) , MonoBehaviour.StopAllCoroutines(), [MonoBehaviour.print\(object\)](#) , MonoBehaviour.destroyCancellationToken, MonoBehaviour.useGUILayout, MonoBehaviour.didStart, MonoBehaviour.didAwake, MonoBehaviour.runInEditMode, Behaviour.enabled, Behaviour.isActiveAndEnabled, [Component.GetComponent\(Type\)](#) , Component.GetComponent<T>(), [Component.TryGetComponent\(Type, out Component\)](#) , Component.TryGetComponent<T>(out T), [Component.GetComponent\(string\)](#) , [Component.GetComponentInChildren\(Type, bool\)](#) , [Component.GetComponentInChildren\(Type\)](#) , [Component.GetComponentInChildren<T>\(bool\)](#) , Component.GetComponentInChildren<T>(), [Component.GetComponentInChildren\(Type, bool\)](#) , [Component.GetComponentInChildren\(Type\)](#) , [Component.GetComponentInChildren<T>\(bool\)](#) , [Component.GetComponentInChildren<T>\(bool, List<T>\)](#) , Component.GetComponentInChildren<T>(), [Component.GetComponentInChildren<T>\(List<T>\)](#) , [Component.GetComponentInParent\(Type, bool\)](#) , [Component.GetComponentInParent\(Type\)](#) , [Component.GetComponentInParent<T>\(bool\)](#) , Component.GetComponentInParent<T>(), [Component.GetComponentInParent\(Type, bool\)](#) , [Component.GetComponentInParent\(Type\)](#) , [Component.GetComponentInParent<T>\(bool\)](#) , [Component.GetComponentInParent<T>\(bool, List<T>\)](#) , Component.GetComponentInParent<T>(), [Component.GetComponentInParent\(Type\)](#) ,

[Component.GetComponent<Type>\(Type, List<Component>\)](#) ,
[Component.GetComponent<T>\(List<T>\)](#) , [Component.GetComponent<T>\(\)](#) ,
[Component.CompareTag\(string\)](#) ,
[Component.SendMessageUpwards\(string, object, SendMessageOptions\)](#) ,
[Component.SendMessageUpwards\(string, object\)](#) , [Component.SendMessageUpwards\(string\)](#) ,
[Component.SendMessageUpwards\(string, SendMessageOptions\)](#) ,
[Component.SendMessage\(string, object\)](#) , [Component.SendMessage\(string\)](#) ,
[Component.SendMessage\(string, object, SendMessageOptions\)](#) ,
[Component.SendMessage\(string, SendMessageOptions\)](#) ,
[Component.BroadcastMessage\(string, object, SendMessageOptions\)](#) ,
[Component.BroadcastMessage\(string, object\)](#) , [Component.BroadcastMessage\(string\)](#) ,
[Component.BroadcastMessage\(string, SendMessageOptions\)](#) , [Component.transform](#) ,
[Component.gameObject](#) , [Component.tag](#) , [Object.GetInstanceID\(\)](#) , [Object.GetHashCode\(\)](#) ,
[Object.Equals\(object\)](#) , [Object.Instantiate\(Object, Vector3, Quaternion\)](#) ,
[Object.Instantiate\(Object, Vector3, Quaternion, Transform\)](#) , [Object.Instantiate\(Object\)](#) ,
[Object.Instantiate\(Object, Transform\)](#) , [Object.Instantiate\(Object, Transform, bool\)](#) ,
[Object.Instantiate<T>\(T\)](#) , [Object.Instantiate<T>\(T, Vector3, Quaternion\)](#) ,
[Object.Instantiate<T>\(T, Vector3, Quaternion, Transform\)](#) , [Object.Instantiate<T>\(T, Transform\)](#) ,
[Object.Instantiate<T>\(T, Transform, bool\)](#) , [Object.Destroy\(Object, float\)](#) , [Object.Destroy\(Object\)](#) ,
[Object.DestroyImmediate\(Object, bool\)](#) , [Object.DestroyImmediate\(Object\)](#) ,
[Object.FindObjectsOfType<Type>\(Type\)](#) , [Object.FindObjectsOfType<Type>\(Type, bool\)](#) ,
[Object.FindObjectsByType<Type>\(Type, FindObjectsSortMode\)](#) ,
[Object.FindObjectsByType<Type>\(Type, FindObjectsInactive, FindObjectsSortMode\)](#) ,
[Object.DontDestroyOnLoad\(Object\)](#) , [Object.DestroyObject\(Object, float\)](#) ,
[Object.DestroyObject\(Object\)](#) , [Object.FindSceneObjectsOfType<Type>\(Type\)](#) ,
[Object.FindObjectsOfTypeIncludingAssets<Type>\(Type\)](#) , [Object.FindObjectsOfType<T>\(\)](#) ,
[Object.FindObjectsByType<T>\(FindObjectsSortMode\)](#) , [Object.FindObjectsOfType<T>\(bool\)](#) ,
[Object.FindObjectsByType<T>\(FindObjectsInactive, FindObjectsSortMode\)](#) ,
[Object.FindObjectOfTypes<T>\(\)](#) , [Object.FindObjectOfTypes<T>\(bool\)](#) ,
[Object.FindFirstObjectByType<T>\(\)](#) , [Object.FindAnyObjectByType<T>\(\)](#) ,
[Object.FindFirstObjectByType<T>\(FindObjectsInactive\)](#) ,
[Object.FindAnyObjectByType<T>\(FindObjectsInactive\)](#) , [Object.FindObjectsOfTypeAll<Type>\(Type\)](#) ,
[Object.FindObjectOfTypes<Type>\(Type\)](#) , [Object.FindFirstObjectByType<Type>\(Type\)](#) ,
[Object.FindAnyObjectByType<Type>\(Type\)](#) , [Object.FindObjectOfTypes<Type>\(Type, bool\)](#) ,
[Object.FindFirstObjectByType<Type>\(Type, FindObjectsInactive\)](#) ,
[Object.FindAnyObjectByType<Type>\(Type, FindObjectsInactive\)](#) , [Object.ToString\(\)](#) , [Object.name](#) ,
[Object.hideFlags](#) , [object.Equals\(object, object\)](#) , [object.ReferenceEquals\(object, object\)](#) ,
[object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#)

Properties

AbsoluteItemIndex

```
public int AbsoluteItemIndex { get; }
```

Property Value

[int](#)

AttahcedCirculatingLayoutItemList

```
public CirculatingLayoutItemList AttahcedCirculatingLayoutItemList { get; }
```

Property Value

[CirculatingLayoutItemList](#)

Methods

InitializeItem(in CirculatingLayoutItemList, in int, in object)

```
public virtual void InitializeItem(in CirculatingLayoutItemList circulatingLayoutItemList,  
in int absoluteItemIndex, in object itemInitData)
```

Parameters

circulatingLayoutItemList [CirculatingLayoutItemList](#)

absoluteItemIndex [int](#)

itemInitData [object](#)

OnItemSelected(in object, in bool)

Called when one of the UI elements to which the item belongs is selected

```
public abstract void OnItemSelected(in object itemData, in bool bisSelected)
```

Parameters

itemData [object](#)

A parameter seat for custom data that can be used as needed

bisSelected [bool](#)

Indicates whether the current item has been selected

RemoveItem()

```
public virtual void RemoveItem()
```

SelectItem(bool)

```
public virtual void SelectItem(bool bdoCanvasTransiton = false)
```

Parameters

bdoCanvasTransiton [bool](#)

UpdateItemState(in object)

```
public virtual void UpdateItemState(in object itemUpdateData)
```

Parameters

itemUpdateData [object](#)

Namespace EasyTechToolUI.FreeLayoutItemPlane

Classes

[FreeLayoutItemPlane](#)

[FreeLayoutItemPlane.Item](#)

Interfaces

[FreeLayoutItemPlane.ItemStateUpdate](#)

Delegates

[FreeLayoutItemPlane.MaxItemCountEvent](#)

This event is called when item addition is faced on limit

Class FreeLayoutItemPlane

Namespace: [EasyTechToolUI.FreeLayoutItemPlane](#)

Assembly: EasyTechToolUI.dll

```
public abstract class FreeLayoutItemPlane : EdgyModulePrototype, IModuleStateUpdate
```

Inheritance

[object](#)  ← Object ← Component ← Behaviour ← MonoBehaviour ← [EdgyModulePrototype](#)  ← FreeLayoutItemPlane

Implements

[IModuleStateUpdate](#)

Inherited Members

MonoBehaviour.IsInvoking(), MonoBehaviour.CancelInvoke(), [MonoBehaviour.Invoke\(string, float\)](#) , [MonoBehaviour.InvokeRepeating\(string, float, float\)](#) , [MonoBehaviour.CancelInvoke\(string\)](#) , [MonoBehaviour.IsInvoking\(string\)](#) , [MonoBehaviour.StartCoroutine\(string\)](#) , [MonoBehaviour.StartCoroutine\(string, object\)](#) , [MonoBehaviour.StartCoroutine\(IEnumerator\)](#) , [MonoBehaviour.StartCoroutine_Auto\(IEnumerator\)](#) , [MonoBehaviour.StopCoroutine\(IEnumerator\)](#) , MonoBehaviour.StopCoroutine(Coroutine), [MonoBehaviour.StopCoroutine\(string\)](#) , MonoBehaviour.StopAllCoroutines(), [MonoBehaviour.print\(object\)](#) , MonoBehaviour.destroyCancellationToken, MonoBehaviour.useGUILayout, MonoBehaviour.didStart, MonoBehaviour.didAwake, MonoBehaviour.runInEditMode, Behaviour.enabled, Behaviour.isActiveAndEnabled, [Component.GetComponent\(Type\)](#) , Component.GetComponent<T>(), [Component.TryGetComponent\(Type, out Component\)](#) , Component.TryGetComponent<T>(out T), [Component.GetComponent\(string\)](#) , [Component.GetComponentInChildren\(Type, bool\)](#) , [Component.GetComponentInChildren\(Type\)](#) , [Component.GetComponentInChildren<T>\(bool\)](#) , Component.GetComponentInChildren<T>(), [Component.GetComponentsInChildren\(Type, bool\)](#) , [Component.GetComponentsInChildren\(Type\)](#) , [Component.GetComponentsInChildren<T>\(bool\)](#) , [Component.GetComponentsInChildren<T>\(bool, List<T>\)](#) , Component.GetComponentsInChildren<T>(), [Component.GetComponentsInChildren<T>\(List<T>\)](#) , [Component.GetComponentInParent\(Type, bool\)](#) , [Component.GetComponentInParent\(Type\)](#) , [Component.GetComponentInParent<T>\(bool\)](#) , Component.GetComponentInParent<T>(), [Component.GetComponentsInParent\(Type, bool\)](#) , [Component.GetComponentsInParent\(Type\)](#) , [Component.GetComponentsInParent<T>\(bool\)](#) , [Component.GetComponentsInParent<T>\(bool, List<T>\)](#) , Component.GetComponentsInParent<T>(), [Component.GetComponents\(Type\)](#) ,

[Component.GetComponent<Type>\(Type, List<Component>\)](#) ,
[Component.GetComponent<T>\(List<T>\)](#) , [Component.GetComponent<T>\(\)](#) ,
[Component.CompareTag\(string\)](#) ,
[Component.SendMessageUpwards\(string, object, SendMessageOptions\)](#) ,
[Component.SendMessageUpwards\(string, object\)](#) , [Component.SendMessageUpwards\(string\)](#) ,
[Component.SendMessageUpwards\(string, SendMessageOptions\)](#) ,
[Component.SendMessage\(string, object\)](#) , [Component.SendMessage\(string\)](#) ,
[Component.SendMessage\(string, object, SendMessageOptions\)](#) ,
[Component.SendMessage\(string, SendMessageOptions\)](#) ,
[Component.BroadcastMessage\(string, object, SendMessageOptions\)](#) ,
[Component.BroadcastMessage\(string, object\)](#) , [Component.BroadcastMessage\(string\)](#) ,
[Component.BroadcastMessage\(string, SendMessageOptions\)](#) , [Component.transform](#) ,
[Component.gameObject](#) , [Component.tag](#) , [Object.GetInstanceID\(\)](#) , [Object.GetHashCode\(\)](#) ,
[Object.Equals\(object\)](#) , [Object.Instantiate\(Object, Vector3, Quaternion\)](#) ,
[Object.Instantiate\(Object, Vector3, Quaternion, Transform\)](#) , [Object.Instantiate\(Object\)](#) ,
[Object.Instantiate\(Object, Transform\)](#) , [Object.Instantiate\(Object, Transform, bool\)](#) ,
[Object.Instantiate<T>\(T\)](#) , [Object.Instantiate<T>\(T, Vector3, Quaternion\)](#) ,
[Object.Instantiate<T>\(T, Vector3, Quaternion, Transform\)](#) , [Object.Instantiate<T>\(T, Transform\)](#) ,
[Object.Instantiate<T>\(T, Transform, bool\)](#) , [Object.Destroy\(Object, float\)](#) , [Object.Destroy\(Object\)](#) ,
[Object.DestroyImmediate\(Object, bool\)](#) , [Object.DestroyImmediate\(Object\)](#) ,
[Object.FindObjectsOfType\(Type\)](#) , [Object.FindObjectsOfType\(Type, bool\)](#) ,
[Object.FindObjectsByType\(Type, FindObjectsSortMode\)](#) ,
[Object.FindObjectsByType\(Type, FindObjectsInactive, FindObjectsSortMode\)](#) ,
[Object.DontDestroyOnLoad\(Object\)](#) , [Object.DestroyObject\(Object, float\)](#) ,
[Object.DestroyObject\(Object\)](#) , [Object.FindSceneObjectsOfType\(Type\)](#) ,
[Object.FindObjectsOfTypeIncludingAssets\(Type\)](#) , [Object.FindObjectsOfType<T>\(\)](#) ,
[Object.FindObjectsByType<T>\(FindObjectsSortMode\)](#) , [Object.FindObjectsOfType<T>\(bool\)](#) ,
[Object.FindObjectsByType<T>\(FindObjectsInactive, FindObjectsSortMode\)](#) ,
[Object.FindObjectOfType<T>\(\)](#) , [Object.FindObjectOfType<T>\(bool\)](#) ,
[Object.FindFirstObjectByType<T>\(\)](#) , [Object.FindAnyObjectByType<T>\(\)](#) ,
[Object.FindFirstObjectByType<T>\(FindObjectsInactive\)](#) ,
[Object.FindAnyObjectByType<T>\(FindObjectsInactive\)](#) , [Object.FindObjectsOfTypeAll\(Type\)](#) ,
[Object.FindObjectOfType\(Type\)](#) , [Object.FindFirstObjectByType\(Type\)](#) ,
[Object.FindAnyObjectByType\(Type\)](#) , [Object.FindObjectOfType\(Type, bool\)](#) ,
[Object.FindFirstObjectByType\(Type, FindObjectsInactive\)](#) ,
[Object.FindAnyObjectByType\(Type, FindObjectsInactive\)](#) , [Object.ToString\(\)](#) , [Object.name](#) ,
[Object.hideFlags](#) , [object.Equals\(object, object\)](#) , [object.ReferenceEquals\(object, object\)](#) ,
[object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#)

Properties

AttachedCanvasTransitionManagerGuid

```
public Guid AttachedCanvasTransitionManagerGuid { get; }
```

Property Value

[Guid](#)

CurSelectedItemIndex

```
public int CurSelectedItemIndex { get; set; }
```

Property Value

[int](#)

ItemCount

```
public int ItemCount { get; }
```

Property Value

[int](#)

Items

```
public List<FreeLayoutItemPlane.Item> Items { get; }
```

Property Value

[List](#) <[FreeLayoutItemPlane.Item](#)>

MaxItemCountEventHandler

```
protected FreeLayoutItemPlane.MaxItemCountEvent MaxItemCountEventHandler { get; set; }
```

Property Value

[FreeLayoutItemPlane.MaxItemCountEvent](#)

Methods

AddItem()

```
public virtual void AddItem()
```

AddItem(in object)

```
protected void AddItem(in object itemInitData)
```

Parameters

itemInitData [object](#)[↗]

ClearItems()

```
public virtual void ClearItems()
```

GetItemIndex(in Item)

```
public virtual int GetItemIndex(in FreeLayoutItemPlane.Item itemComponentClass)
```

Parameters

itemComponentClass [FreeLayoutItemPlane.Item](#)

Returns

[int](#)

InitializeModule(in List<object>)

```
protected void InitializeModule(in List<object> moduleInitDataPerItem)
```

Parameters

moduleInitDataPerItem [List](#) <[object](#)>

InitializeModule(in object, in Guid)

You can call the module when you initialize it

```
public override void InitializeModule(in object moduleInitData, in Guid  
attachedCanvasTransitionManagerGuid)
```

Parameters

moduleInitData [object](#)

This refers to custom data to be used when initializing modules. In some cases, null is also allowed

attachedCanvasTransitionManagerGuid [Guid](#)

This is the Guid of the CanvasTransitionManager to which the module belongs

RemoveItemAt(in int)

```
public virtual void RemoveItemAt(in int index)
```


Parameters

index [int](#)

UpdateModuleState(in List<object>)

```
protected void UpdateModuleState(in List<object> moduleUpdateDataPerItem)
```

Parameters

moduleUpdateDataPerItem [List](#) <[object](#)>

UpdateModuleState(in object)

You can call the module when you updating it

```
public override void UpdateModuleState(in object moduleUpdateData)
```

Parameters

moduleUpdateData [object](#)

This refers to custom data to be used when updating modules. In some cases, null is also allowed

Interface

FreeLayoutItemPlane.IItemStateUpdate

Namespace: [EasyTechToolUI.FreeLayoutItemPlane](#)

Assembly: EasyTechToolUI.dll

```
public interface FreeLayoutItemPlane.IItemStateUpdate
```

Methods

InitializeItem(in FreeLayoutItemPlane, in object)

```
void InitializeItem(in FreeLayoutItemPlane freeLayoutItemPlane, in object itemInitData)
```

Parameters

freeLayoutItemPlane [FreeLayoutItemPlane](#)

itemInitData [object](#) 

UpdateItemState(in object)

```
void UpdateItemState(in object itemUpdateData)
```

Parameters

itemUpdateData [object](#) 

Class FreeLayoutItemPlane.Item

Namespace: [EasyTechToolUI.FreeLayoutItemPlane](#)

Assembly: EasyTechToolUI.dll

```
public abstract class FreeLayoutItemPlane.Item : MonoBehaviour,  
FreeLayoutItemPlane.IItemStateUpdate, IItemSelectedAction
```

Inheritance

[object](#)  ← Object ← Component ← Behaviour ← MonoBehaviour ← FreeLayoutItemPlane.Item

Implements

[FreeLayoutItemPlane.IItemStateUpdate](#), [IItemSelectedAction](#)

Inherited Members

MonoBehaviour.IsInvoking(), MonoBehaviour.CancelInvoke(), [MonoBehaviour.Invoke\(string, float\)](#) , [MonoBehaviour.InvokeRepeating\(string, float, float\)](#) , [MonoBehaviour.CancelInvoke\(string\)](#) , [MonoBehaviour.IsInvoking\(string\)](#) , [MonoBehaviour.StartCoroutine\(string\)](#) , [MonoBehaviour.StartCoroutine\(string, object\)](#) , [MonoBehaviour.StartCoroutine\(IEnumerator\)](#) , [MonoBehaviour.StartCoroutine_Auto\(IEnumerator\)](#) , [MonoBehaviour.StopCoroutine\(IEnumerator\)](#) , MonoBehaviour.StopCoroutine(Coroutine), [MonoBehaviour.StopCoroutine\(string\)](#) , MonoBehaviour.StopAllCoroutines(), [MonoBehaviour.print\(object\)](#) , MonoBehaviour.destroyCancellationToken, MonoBehaviour.useGUILayout, MonoBehaviour.didStart, MonoBehaviour.didAwake, MonoBehaviour.runInEditMode, Behaviour.enabled, Behaviour.isActiveAndEnabled, [Component.GetComponent\(Type\)](#) , Component.GetComponent<T>(), [Component.TryGetComponent\(Type, out Component\)](#) , Component.TryGetComponent<T>(out T), [Component.GetComponent\(string\)](#) , [Component.GetComponentInChildren\(Type, bool\)](#) , [Component.GetComponentInChildren\(Type\)](#) , [Component.GetComponentInChildren<T>\(bool\)](#) , Component.GetComponentInChildren<T>(), [Component.GetComponentInChildren\(Type, bool\)](#) , [Component.GetComponentInChildren<T>\(bool\)](#) , [Component.GetComponentInChildren<T>\(bool, List<T>\)](#) , Component.GetComponentInChildren<T>(), [Component.GetComponentInChildren<T>\(List<T>\)](#) , [Component.GetComponentInParent\(Type, bool\)](#) , [Component.GetComponentInParent\(Type\)](#) , [Component.GetComponentInParent<T>\(bool\)](#) , Component.GetComponentInParent<T>(), [Component.GetComponentInParent\(Type, bool\)](#) , [Component.GetComponentInParent\(Type\)](#) , [Component.GetComponentInParent<T>\(bool\)](#) , [Component.GetComponentInParent<T>\(bool, List<T>\)](#) , Component.GetComponentInParent<T>(), [Component.GetComponentInParent\(Type\)](#) ,

[Component.GetComponent<Type>\(Type, List<Component>\)](#) ,
[Component.GetComponent<T>\(List<T>\)](#) , [Component.GetComponent<T>\(\)](#) ,
[Component.CompareTag\(string\)](#) ,
[Component.SendMessageUpwards\(string, object, SendMessageOptions\)](#) ,
[Component.SendMessageUpwards\(string, object\)](#) , [Component.SendMessageUpwards\(string\)](#) ,
[Component.SendMessageUpwards\(string, SendMessageOptions\)](#) ,
[Component.SendMessage\(string, object\)](#) , [Component.SendMessage\(string\)](#) ,
[Component.SendMessage\(string, object, SendMessageOptions\)](#) ,
[Component.SendMessage\(string, SendMessageOptions\)](#) ,
[Component.BroadcastMessage\(string, object, SendMessageOptions\)](#) ,
[Component.BroadcastMessage\(string, object\)](#) , [Component.BroadcastMessage\(string\)](#) ,
[Component.BroadcastMessage\(string, SendMessageOptions\)](#) , [Component.transform](#) ,
[Component.gameObject](#) , [Component.tag](#) , [Object.GetInstanceID\(\)](#) , [Object.GetHashCode\(\)](#) ,
[Object.Equals\(object\)](#) , [Object.Instantiate\(Object, Vector3, Quaternion\)](#) ,
[Object.Instantiate\(Object, Vector3, Quaternion, Transform\)](#) , [Object.Instantiate\(Object\)](#) ,
[Object.Instantiate\(Object, Transform\)](#) , [Object.Instantiate\(Object, Transform, bool\)](#) ,
[Object.Instantiate<T>\(T\)](#) , [Object.Instantiate<T>\(T, Vector3, Quaternion\)](#) ,
[Object.Instantiate<T>\(T, Vector3, Quaternion, Transform\)](#) , [Object.Instantiate<T>\(T, Transform\)](#) ,
[Object.Instantiate<T>\(T, Transform, bool\)](#) , [Object.Destroy\(Object, float\)](#) , [Object.Destroy\(Object\)](#) ,
[Object.DestroyImmediate\(Object, bool\)](#) , [Object.DestroyImmediate\(Object\)](#) ,
[Object.FindObjectsOfType\(Type\)](#) , [Object.FindObjectsOfType\(Type, bool\)](#) ,
[Object.FindObjectsByType\(Type, FindObjectsSortMode\)](#) ,
[Object.FindObjectsByType\(Type, FindObjectsInactive, FindObjectsSortMode\)](#) ,
[Object.DontDestroyOnLoad\(Object\)](#) , [Object.DestroyObject\(Object, float\)](#) ,
[Object.DestroyObject\(Object\)](#) , [Object.FindSceneObjectsOfType\(Type\)](#) ,
[Object.FindObjectsOfTypeIncludingAssets\(Type\)](#) , [Object.FindObjectsOfType<T>\(\)](#) ,
[Object.FindObjectsByType<T>\(FindObjectsSortMode\)](#) , [Object.FindObjectsOfType<T>\(bool\)](#) ,
[Object.FindObjectsByType<T>\(FindObjectsInactive, FindObjectsSortMode\)](#) ,
[Object.FindObjectOfType<T>\(\)](#) , [Object.FindObjectOfType<T>\(bool\)](#) ,
[Object.FindFirstObjectByType<T>\(\)](#) , [Object.FindAnyObjectByType<T>\(\)](#) ,
[Object.FindFirstObjectByType<T>\(FindObjectsInactive\)](#) ,
[Object.FindAnyObjectByType<T>\(FindObjectsInactive\)](#) , [Object.FindObjectsOfTypeAll\(Type\)](#) ,
[Object.FindObjectOfType\(Type\)](#) , [Object.FindFirstObjectByType\(Type\)](#) ,
[Object.FindAnyObjectByType\(Type\)](#) , [Object.FindObjectOfType\(Type, bool\)](#) ,
[Object.FindFirstObjectByType\(Type, FindObjectsInactive\)](#) ,
[Object.FindAnyObjectByType\(Type, FindObjectsInactive\)](#) , [Object.ToString\(\)](#) , [Object.name](#) ,
[Object.hideFlags](#) , [object.Equals\(object, object\)](#) , [object.ReferenceEquals\(object, object\)](#) ,
[object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#)

Properties

AttahcedFreeLayoutItemPlane

```
public FreeLayoutItemPlane AttahcedFreeLayoutItemPlane { get; }
```

Property Value

[FreeLayoutItemPlane](#)

Methods

InitializeItem(in FreeLayoutItemPlane, in object)

```
public void InitializeItem(in FreeLayoutItemPlane freeLayoutItemPlane, in object itemInitData)
```

Parameters

freeLayoutItemPlane [FreeLayoutItemPlane](#)

itemInitData [object](#)

OnItemSelected(in object, in bool)

Called when one of the UI elements to which the item belongs is selected

```
public abstract void OnItemSelected(in object itemData, in bool bisSelected)
```

Parameters

itemData [object](#)

A parameter seat for custom data that can be used as needed

bisSelected [bool](#)

Indicates whether the current item has been selected

RemoveItem()

```
public virtual void RemoveItem()
```

SelectItem(bool)

```
public virtual void SelectItem(bool bdoCanvasTransiton = false)
```

Parameters

bdoCanvasTransiton [bool](#)

UpdateItemState(in object)

```
public void UpdateItemState(in object itemUpdateData)
```

Parameters

itemUpdateData [object](#)

Delegate

FreeLayoutItemPlane.MaxItemCountEvent

Namespace: [EasyTechToolUI.FreeLayoutItemPlane](#)

Assembly: EasyTechToolUI.dll

This event is called when item addition is faced on limit

```
public delegate void FreeLayoutItemPlane.MaxItemCountEvent()
```

Namespace EasyTechToolUI.ItemGridPlane

Classes

[ItemGridPlane](#)

[ItemGridPlane.Item](#)

Interfaces

[ItemGridPlane.IItemStateUpdate](#)

Enums

[ItemGridPlane.AbstractItemPlacementRegulation](#)

Class ItemGridPlane

Namespace: [EasyTechToolUI.ItemGridPlane](#)

Assembly: EasyTechToolUI.dll

```
public abstract class ItemGridPlane : EdgyModulePrototype, IModuleStateUpdate
```

Inheritance

[object](#)  ← Object ← Component ← Behaviour ← MonoBehaviour ← [EdgyModulePrototype](#)  ← ItemGridPlane

Implements

[IModuleStateUpdate](#)

Inherited Members

MonoBehaviour.Invoke(), MonoBehaviour.CancelInvoke(), [MonoBehaviour.Invoke\(string, float\)](#) , [MonoBehaviour.InvokeRepeating\(string, float, float\)](#) , [MonoBehaviour.CancelInvoke\(string\)](#) , [MonoBehaviour.IsInvoking\(string\)](#) , [MonoBehaviour.StartCoroutine\(string\)](#) , [MonoBehaviour.StartCoroutine\(string, object\)](#) , [MonoBehaviour.StartCoroutine\(IEnumerator\)](#) , [MonoBehaviour.StartCoroutine_Auto\(IEnumerator\)](#) , [MonoBehaviour.StopCoroutine\(IEnumerator\)](#) , MonoBehaviour.StopCoroutine(Coroutine), [MonoBehaviour.StopCoroutine\(string\)](#) , MonoBehaviour.StopAllCoroutines(), [MonoBehaviour.print\(object\)](#) , MonoBehaviour.destroyCancellationToken, MonoBehaviour.useGUILayout, MonoBehaviour.didStart, MonoBehaviour.didAwake, MonoBehaviour.runInEditMode, Behaviour.enabled, Behaviour.isActiveAndEnabled, [Component.GetComponent\(Type\)](#) , Component.GetComponent<T>(), [Component.TryGetComponent\(Type, out Component\)](#) , Component.TryGetComponent<T>(out T), [Component.GetComponent\(string\)](#) , [Component.GetComponentInChildren\(Type, bool\)](#) , [Component.GetComponentInChildren\(Type\)](#) , [Component.GetComponentInChildren<T>\(bool\)](#) , Component.GetComponentInChildren<T>(), [Component.GetComponentsInChildren\(Type, bool\)](#) , [Component.GetComponentsInChildren\(Type\)](#) , [Component.GetComponentsInChildren<T>\(bool\)](#) , [Component.GetComponentsInChildren<T>\(bool, List<T>\)](#) , Component.GetComponentsInChildren<T>(), [Component.GetComponentsInChildren<T>\(List<T>\)](#) , [Component.GetComponentInParent\(Type, bool\)](#) , [Component.GetComponentInParent\(Type\)](#) , [Component.GetComponentInParent<T>\(bool\)](#) , Component.GetComponentInParent<T>(), [Component.GetComponentsInParent\(Type, bool\)](#) , [Component.GetComponentsInParent\(Type\)](#) , [Component.GetComponentsInParent<T>\(bool\)](#) , [Component.GetComponentsInParent<T>\(bool, List<T>\)](#) , Component.GetComponentsInParent<T>(), [Component.GetComponents\(Type\)](#) ,

[Component.GetComponent<Type>\(Type, List<Component>\)](#) ,
[Component.GetComponent<T>\(List<T>\)](#) , [Component.GetComponent<T>\(\)](#) ,
[Component.CompareTag\(string\)](#) ,
[Component.SendMessageUpwards\(string, object, SendMessageOptions\)](#) ,
[Component.SendMessageUpwards\(string, object\)](#) , [Component.SendMessageUpwards\(string\)](#) ,
[Component.SendMessageUpwards\(string, SendMessageOptions\)](#) ,
[Component.SendMessage\(string, object\)](#) , [Component.SendMessage\(string\)](#) ,
[Component.SendMessage\(string, object, SendMessageOptions\)](#) ,
[Component.SendMessage\(string, SendMessageOptions\)](#) ,
[Component.BroadcastMessage\(string, object, SendMessageOptions\)](#) ,
[Component.BroadcastMessage\(string, object\)](#) , [Component.BroadcastMessage\(string\)](#) ,
[Component.BroadcastMessage\(string, SendMessageOptions\)](#) , [Component.transform](#) ,
[Component.gameObject](#) , [Component.tag](#) , [Object.GetInstanceID\(\)](#) , [Object.GetHashCode\(\)](#) ,
[Object.Equals\(object\)](#) , [Object.Instantiate\(Object, Vector3, Quaternion\)](#) ,
[Object.Instantiate\(Object, Vector3, Quaternion, Transform\)](#) , [Object.Instantiate\(Object\)](#) ,
[Object.Instantiate\(Object, Transform\)](#) , [Object.Instantiate\(Object, Transform, bool\)](#) ,
[Object.Instantiate<T>\(T\)](#) , [Object.Instantiate<T>\(T, Vector3, Quaternion\)](#) ,
[Object.Instantiate<T>\(T, Vector3, Quaternion, Transform\)](#) , [Object.Instantiate<T>\(T, Transform\)](#) ,
[Object.Instantiate<T>\(T, Transform, bool\)](#) , [Object.Destroy\(Object, float\)](#) , [Object.Destroy\(Object\)](#) ,
[Object.DestroyImmediate\(Object, bool\)](#) , [Object.DestroyImmediate\(Object\)](#) ,
[Object.FindObjectsOfType\(Type\)](#) , [Object.FindObjectsOfType\(Type, bool\)](#) ,
[Object.FindObjectsByType\(Type, FindObjectsSortMode\)](#) ,
[Object.FindObjectsByType\(Type, FindObjectsInactive, FindObjectsSortMode\)](#) ,
[Object.DontDestroyOnLoad\(Object\)](#) , [Object.DestroyObject\(Object, float\)](#) ,
[Object.DestroyObject\(Object\)](#) , [Object.FindSceneObjectsOfType\(Type\)](#) ,
[Object.FindObjectsOfTypeIncludingAssets\(Type\)](#) , [Object.FindObjectsOfType<T>\(\)](#) ,
[Object.FindObjectsByType<T>\(FindObjectsSortMode\)](#) , [Object.FindObjectsOfType<T>\(bool\)](#) ,
[Object.FindObjectsByType<T>\(FindObjectsInactive, FindObjectsSortMode\)](#) ,
[Object.FindObjectOfType<T>\(\)](#) , [Object.FindObjectOfType<T>\(bool\)](#) ,
[Object.FindFirstObjectByType<T>\(\)](#) , [Object.FindAnyObjectByType<T>\(\)](#) ,
[Object.FindFirstObjectByType<T>\(FindObjectsInactive\)](#) ,
[Object.FindAnyObjectByType<T>\(FindObjectsInactive\)](#) , [Object.FindObjectsOfTypeAll\(Type\)](#) ,
[Object.FindObjectOfType\(Type\)](#) , [Object.FindFirstObjectByType\(Type\)](#) ,
[Object.FindAnyObjectByType\(Type\)](#) , [Object.FindObjectOfType\(Type, bool\)](#) ,
[Object.FindFirstObjectByType\(Type, FindObjectsInactive\)](#) ,
[Object.FindAnyObjectByType\(Type, FindObjectsInactive\)](#) , [Object.ToString\(\)](#) , [Object.name](#) ,
[Object.hideFlags](#) , [object.Equals\(object, object\)](#) , [object.ReferenceEquals\(object, object\)](#) ,
[object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#)

Properties

AbstractItemCellSize

```
public Vector2 AbstractItemCellSize { get; set; }
```

Property Value

Vector2

AbstractItemPlacementRegulationType

```
public ItemGridPlane.AbstractItemPlacementRegulation AbstractItemPlacementRegulationType {  
    get; set; }
```

Property Value

[ItemGridPlane.AbstractItemPlacementRegulation](#)

AbstractItemSpacing

```
public Vector2 AbstractItemSpacing { get; set; }
```

Property Value

Vector2

AdjustedItemPlaneSize

```
public Vector2Int AdjustedItemPlaneSize { get; }
```

Property Value

Vector2Int

AttachedCanvasTransitionManagerGuid

```
public Guid AttachedCanvasTransitionManagerGuid { get; }
```

Property Value

[Guid](#)

CurSelectedItemPos

```
public Vector2Int CurSelectedItemPos { get; set; }
```

Property Value

Vector2Int

GridLayoutGroup

```
public GridLayoutGroup GridLayoutGroup { get; }
```

Property Value

GridLayoutGroup

ItemPlane

```
public ItemGridPlane.Item[,] ItemPlane { get; }
```

Property Value

[Item\[,\]](#)

ItemPlaneSize

```
public Vector2Int ItemPlaneSize { get; set; }
```

Property Value

Vector2Int

ParentPlaneBaseSize

```
public Vector2 ParentPlaneBaseSize { get; }
```

Property Value

Vector2

Methods

ClearItemPlane()

```
public virtual void ClearItemPlane()
```

GetItemPos(in Item)

```
public virtual Vector2Int GetItemPos(in ItemGridPlane.Item itemComponentClass)
```

Parameters

itemComponentClass [ItemGridPlane.Item](#)

Returns

Vector2Int

InitializeModule(in object, in Guid)

You can call the module when you initialize it

```
public override void InitializeModule(in object moduleInitData, in Guid  
attachedCanvasTransitionManagerGuid)
```

Parameters

`moduleInitData` [object](#)

This refers to custom data to be used when initializing modules. In some cases, null is also allowed

`attachedCanvasTransitionManagerGuid` [Guid](#)

This is the Guid of the CanvasTransitionManager to which the module belongs

InitializeModule(in object[,])

```
protected void InitializeModule(in object[,] moduleInitDataPerItem)
```

Parameters

`moduleInitDataPerItem` [object](#)[,]

ResizeItemPlane(in Vector2Int)

```
public virtual void ResizeItemPlane(in Vector2Int newItemPlaneSize)
```

Parameters

`newitemPlaneSize` Vector2Int

UpdateModuleState(in object)

You can call the module when you updating it

```
public override void UpdateModuleState(in object moduleUpdateData)
```

Parameters

moduleUpdateData [object](#)

This refers to custom data to be used when updating modules. In some cases, null is also allowed

UpdateModuleState(in object[,])

```
protected void UpdateModuleState(in object[,] moduleUpdateDataPerItem)
```

Parameters

moduleUpdateDataPerItem [object](#)[,]

Enum

ItemGridPlane.AbstractItemPlacementRegulation

Namespace: [EasyTechToolUI.ItemGridPlane](#)

Assembly: EasyTechToolUI.dll

```
public enum ItemGridPlane.AbstractItemPlacementRegulation : byte
```

Fields

```
LogErrorWhenInvalid = 2
```

```
NoRegulation = 0
```

```
SliceItemSizeToFit = 3
```

```
WarningWhenInvalid = 1
```


Interface ItemGridPlane.ItemStateUpdate

Namespace: [EasyTechToolUI.ItemGridPlane](#)

Assembly: EasyTechToolUI.dll

```
public interface ItemGridPlane.IItemStateUpdate
```

Methods

InitializeItem(in ItemGridPlane, in int, in object)

```
void InitializeItem(in ItemGridPlane itemGridPlane, in int spawnedItemIndex, in object itemInitData)
```

Parameters

itemGridPlane [ItemGridPlane](#)

spawnedItemIndex [int](#) 

itemInitData [object](#) 

UpdateItemState(in object)

```
void UpdateItemState(in object itemUpdateData)
```

Parameters

itemUpdateData [object](#) 

Class ItemGridPlane.Item

Namespace: [EasyTechToolUI.ItemGridPlane](#)

Assembly: EasyTechToolUI.dll

```
public abstract class ItemGridPlane.Item : MonoBehaviour, ItemGridPlane.IItemStateUpdate,
    IItemSelectedAction
```

Inheritance

[object](#)  ← [Object](#) ← [Component](#) ← [Behaviour](#) ← [MonoBehaviour](#) ← [ItemGridPlane.Item](#)

Implements

[ItemGridPlane.IItemStateUpdate](#), [IItemSelectedAction](#)

Inherited Members

[MonoBehaviour.Invoke\(\)](#), [MonoBehaviour.CancelInvoke\(\)](#), [MonoBehaviour.Invoke\(string, float\)](#) , [MonoBehaviour.InvokeRepeating\(string, float, float\)](#) , [MonoBehaviour.CancelInvoke\(string\)](#) , [MonoBehaviour.IsInvoking\(string\)](#) , [MonoBehaviour.StartCoroutine\(string\)](#) , [MonoBehaviour.StartCoroutine\(string, object\)](#) , [MonoBehaviour.StartCoroutine\(IEnumerator\)](#) , [MonoBehaviour.StartCoroutine_Auto\(IEnumerator\)](#) , [MonoBehaviour.StopCoroutine\(IEnumerator\)](#) , [MonoBehaviour.StopCoroutine\(Coroutine\)](#), [MonoBehaviour.StopCoroutine\(string\)](#) , [MonoBehaviour.StopAllCoroutines\(\)](#), [MonoBehaviour.print\(object\)](#) , [MonoBehaviour.destroyCancellationToken](#), [MonoBehaviour.useGUILayout](#), [MonoBehaviour.didStart](#), [MonoBehaviour.didAwake](#), [MonoBehaviour.runInEditMode](#), [Behaviour.enabled](#), [Behaviour.isActiveAndEnabled](#), [Component.GetComponent\(Type\)](#) , [Component.GetComponent<T>\(\)](#), [Component.TryGetComponent\(Type, out Component\)](#) , [Component.TryGetComponent<T>\(out T\)](#), [Component.GetComponent\(string\)](#) , [Component.GetComponentInChildren\(Type, bool\)](#) , [Component.GetComponentInChildren\(Type\)](#) , [Component.GetComponentInChildren<T>\(bool\)](#) , [Component.GetComponentInChildren<T>\(\)](#), [Component.GetComponentsInChildren\(Type, bool\)](#) , [Component.GetComponentsInChildren\(Type\)](#) , [Component.GetComponentsInChildren<T>\(bool\)](#) , [Component.GetComponentsInChildren<T>\(bool, List<T>\)](#) , [Component.GetComponentsInChildren<T>\(\)](#), [Component.GetComponentsInChildren<T>\(List<T>\)](#) , [Component.GetComponentInParent\(Type, bool\)](#) , [Component.GetComponentInParent\(Type\)](#) , [Component.GetComponentInParent<T>\(bool\)](#) , [Component.GetComponentInParent<T>\(\)](#), [Component.GetComponentsInParent\(Type, bool\)](#) , [Component.GetComponentsInParent\(Type\)](#) , [Component.GetComponentsInParent<T>\(bool\)](#) , [Component.GetComponentsInParent<T>\(bool, List<T>\)](#) , [Component.GetComponentsInParent<T>\(\)](#), [Component.GetComponents\(Type\)](#) ,

[Component.GetComponent<Type>\(Type, List<Component>\)](#) ,
[Component.GetComponent<T>\(List<T>\)](#) , [Component.GetComponent<T>\(\)](#) ,
[Component.CompareTag\(string\)](#) ,
[Component.SendMessageUpwards\(string, object, SendMessageOptions\)](#) ,
[Component.SendMessageUpwards\(string, object\)](#) , [Component.SendMessageUpwards\(string\)](#) ,
[Component.SendMessageUpwards\(string, SendMessageOptions\)](#) ,
[Component.SendMessage\(string, object\)](#) , [Component.SendMessage\(string\)](#) ,
[Component.SendMessage\(string, object, SendMessageOptions\)](#) ,
[Component.SendMessage\(string, SendMessageOptions\)](#) ,
[Component.BroadcastMessage\(string, object, SendMessageOptions\)](#) ,
[Component.BroadcastMessage\(string, object\)](#) , [Component.BroadcastMessage\(string\)](#) ,
[Component.BroadcastMessage\(string, SendMessageOptions\)](#) , [Component.transform](#) ,
[Component.gameObject](#) , [Component.tag](#) , [Object.GetInstanceID\(\)](#) , [Object.GetHashCode\(\)](#) ,
[Object.Equals\(object\)](#) , [Object.Instantiate\(Object, Vector3, Quaternion\)](#) ,
[Object.Instantiate\(Object, Vector3, Quaternion, Transform\)](#) , [Object.Instantiate\(Object\)](#) ,
[Object.Instantiate\(Object, Transform\)](#) , [Object.Instantiate\(Object, Transform, bool\)](#) ,
[Object.Instantiate<T>\(T\)](#) , [Object.Instantiate<T>\(T, Vector3, Quaternion\)](#) ,
[Object.Instantiate<T>\(T, Vector3, Quaternion, Transform\)](#) , [Object.Instantiate<T>\(T, Transform\)](#) ,
[Object.Instantiate<T>\(T, Transform, bool\)](#) , [Object.Destroy\(Object, float\)](#) , [Object.Destroy\(Object\)](#) ,
[Object.DestroyImmediate\(Object, bool\)](#) , [Object.DestroyImmediate\(Object\)](#) ,
[Object.FindObjectsOfType\(Type\)](#) , [Object.FindObjectsOfType\(Type, bool\)](#) ,
[Object.FindObjectsByType\(Type, FindObjectsSortMode\)](#) ,
[Object.FindObjectsByType\(Type, FindObjectsInactive, FindObjectsSortMode\)](#) ,
[Object.DontDestroyOnLoad\(Object\)](#) , [Object.DestroyObject\(Object, float\)](#) ,
[Object.DestroyObject\(Object\)](#) , [Object.FindSceneObjectsOfType\(Type\)](#) ,
[Object.FindObjectsOfTypeIncludingAssets\(Type\)](#) , [Object.FindObjectsOfType<T>\(\)](#) ,
[Object.FindObjectsByType<T>\(FindObjectsSortMode\)](#) , [Object.FindObjectsOfType<T>\(bool\)](#) ,
[Object.FindObjectsByType<T>\(FindObjectsInactive, FindObjectsSortMode\)](#) ,
[Object.FindObjectOfType<T>\(\)](#) , [Object.FindObjectOfType<T>\(bool\)](#) ,
[Object.FindFirstObjectByType<T>\(\)](#) , [Object.FindAnyObjectByType<T>\(\)](#) ,
[Object.FindFirstObjectByType<T>\(FindObjectsInactive\)](#) ,
[Object.FindAnyObjectByType<T>\(FindObjectsInactive\)](#) , [Object.FindObjectsOfTypeAll\(Type\)](#) ,
[Object.FindObjectOfType\(Type\)](#) , [Object.FindFirstObjectByType\(Type\)](#) ,
[Object.FindAnyObjectByType\(Type\)](#) , [Object.FindObjectOfType\(Type, bool\)](#) ,
[Object.FindFirstObjectByType\(Type, FindObjectsInactive\)](#) ,
[Object.FindAnyObjectByType\(Type, FindObjectsInactive\)](#) , [Object.ToString\(\)](#) , [Object.name](#) ,
[Object.hideFlags](#) , [object.Equals\(object, object\)](#) , [object.ReferenceEquals\(object, object\)](#) ,
[object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#)

Properties

AttahcedItemGridPlane

```
public ItemGridPlane AttahcedItemGridPlane { get; }
```

Property Value

[ItemGridPlane](#)

SpawnedItemIndex

```
public int SpawnedItemIndex { get; }
```

Property Value

[int](#)

Methods

InitializeItem(in ItemGridPlane, in int, in object)

```
public virtual void InitializeItem(in ItemGridPlane itemGridPlane, in int spawnedItemIndex, in object itemInitData)
```

Parameters

itemGridPlane [ItemGridPlane](#)

spawnedItemIndex [int](#)

itemInitData [object](#)

OnItemSelected(in object, in bool)

Called when one of the UI elements to which the item belongs is selected

```
public abstract void OnItemSelected(in object itemData, in bool bisSelected)
```

Parameters

itemData [object](#)

A parameter seat for custom data that can be used as needed

bisSelected [bool](#)

Indicates whether the current item has been selected

SelectItem(bool)

```
public virtual void SelectItem(bool bdoCanvasTransiton = false)
```

Parameters

bdoCanvasTransiton [bool](#)

UpdateItemState(in object)

```
public virtual void UpdateItemState(in object itemUpdateData)
```

Parameters

itemUpdateData [object](#)

Namespace EasyTechToolUI.ItemViewList

Classes

[ItemViewList](#)

UI module that enables users to freely add, remove, and manage items based on Unity's ScrollView

[ItemViewList.Item](#)

Classes describing items for ItemViewList

Interfaces

[ItemViewList.IItemStateUpdate](#)

Interface that defines methods for managing items in the UI module

Class ItemViewList

Namespace: [EasyTechToolUI.ItemViewList](#)

Assembly: EasyTechToolUI.dll

UI module that enables users to freely add, remove, and manage items based on Unity's ScrollView

```
public abstract class ItemViewList : EdgyModulePrototype, IModuleStateUpdate
```

Inheritance

[object](#)  ← Object ← Component ← Behaviour ← MonoBehaviour ← [EdgyModulePrototype](#)  ← ItemViewList

Implements

[IModuleStateUpdate](#)

Inherited Members

MonoBehaviour.IsInvoking(), MonoBehaviour.CancelInvoke(), [MonoBehaviour.Invoke\(string, float\)](#) , [MonoBehaviour.InvokeRepeating\(string, float, float\)](#) , [MonoBehaviour.CancelInvoke\(string\)](#) , [MonoBehaviour.IsInvoking\(string\)](#) , [MonoBehaviour.StartCoroutine\(string\)](#) , [MonoBehaviour.StartCoroutine\(string, object\)](#) , [MonoBehaviour.StartCoroutine\(IEnumerator\)](#) , [MonoBehaviour.StartCoroutine_Auto\(IEnumerator\)](#) , [MonoBehaviour.StopCoroutine\(IEnumerator\)](#) , MonoBehaviour.StopCoroutine(Coroutine), [MonoBehaviour.StopCoroutine\(string\)](#) , MonoBehaviour.StopAllCoroutines(), [MonoBehaviour.print\(object\)](#) , MonoBehaviour.destroyCancellationToken, MonoBehaviour.useGUILayout, MonoBehaviour.didStart, MonoBehaviour.didAwake, MonoBehaviour.runInEditMode, Behaviour.enabled, Behaviour.isActiveAndEnabled, [Component.GetComponent\(Type\)](#) , Component.GetComponent<T>(), [Component.TryGetComponent\(Type, out Component\)](#) , Component.TryGetComponent<T>(out T), [Component.GetComponent\(string\)](#) , [Component.GetComponentInChildren\(Type, bool\)](#) , [Component.GetComponentInChildren\(Type\)](#) , [Component.GetComponentInChildren<T>\(bool\)](#) , Component.GetComponentInChildren<T>(), [Component.GetComponentsInChildren\(Type, bool\)](#) , [Component.GetComponentsInChildren\(Type\)](#) , [Component.GetComponentsInChildren<T>\(bool\)](#) , [Component.GetComponentsInChildren<T>\(bool, List<T>\)](#) , Component.GetComponentsInChildren<T>(), [Component.GetComponentsInChildren<T>\(List<T>\)](#) , [Component.GetComponentInParent\(Type, bool\)](#) , [Component.GetComponentInParent\(Type\)](#) , [Component.GetComponentInParent<T>\(bool\)](#) , Component.GetComponentInParent<T>(), [Component.GetComponentsInParent\(Type, bool\)](#) , [Component.GetComponentsInParent\(Type\)](#) , [Component.GetComponentsInParent<T>\(bool\)](#) ,

[Component.GetComponentInParent<T>\(bool, List<T>\)](#),
[Component.GetComponentInParent<T>\(\)](#), [Component.GetComponent\(Type\)](#),
[Component.GetComponent\(Type, List<Component>\)](#),
[Component.GetComponent<T>\(List<T>\)](#), [Component.GetComponent<T>\(\)](#),
[Component.CompareTag\(string\)](#),
[Component.SendMessageUpwards\(string, object, SendMessageOptions\)](#),
[Component.SendMessageUpwards\(string, object\)](#), [Component.SendMessageUpwards\(string\)](#),
[Component.SendMessageUpwards\(string, SendMessageOptions\)](#),
[Component.SendMessage\(string, object\)](#), [Component.SendMessage\(string\)](#),
[Component.SendMessage\(string, object, SendMessageOptions\)](#),
[Component.SendMessage\(string, SendMessageOptions\)](#),
[Component.BroadcastMessage\(string, object, SendMessageOptions\)](#),
[Component.BroadcastMessage\(string, object\)](#), [Component.BroadcastMessage\(string\)](#),
[Component.BroadcastMessage\(string, SendMessageOptions\)](#), [Component.transform](#),
[Component.gameObject](#), [Component.tag](#), [Object.GetInstanceID\(\)](#), [Object.GetHashCode\(\)](#),
[Object.Equals\(object\)](#), [Object.Instantiate\(Object, Vector3, Quaternion\)](#),
[Object.Instantiate\(Object, Vector3, Quaternion, Transform\)](#), [Object.Instantiate\(Object\)](#),
[Object.Instantiate\(Object, Transform\)](#), [Object.Instantiate\(Object, Transform, bool\)](#),
[Object.Instantiate<T>\(T\)](#), [Object.Instantiate<T>\(T, Vector3, Quaternion\)](#),
[Object.Instantiate<T>\(T, Vector3, Quaternion, Transform\)](#), [Object.Instantiate<T>\(T, Transform\)](#),
[Object.Instantiate<T>\(T, Transform, bool\)](#), [Object.Destroy\(Object, float\)](#), [Object.Destroy\(Object\)](#),
[Object.DestroyImmediate\(Object, bool\)](#), [Object.DestroyImmediate\(Object\)](#),
[Object.FindObjectsOfType\(Type\)](#), [Object.FindObjectsOfType\(Type, bool\)](#),
[Object.FindObjectsByType\(Type, FindObjectsSortMode\)](#),
[Object.FindObjectsByType\(Type, FindObjectsInactive, FindObjectsSortMode\)](#),
[Object.DontDestroyOnLoad\(Object\)](#), [Object.DestroyObject\(Object, float\)](#),
[Object.DestroyObject\(Object\)](#), [Object.FindSceneObjectsOfType\(Type\)](#),
[Object.FindObjectsOfTypeIncludingAssets\(Type\)](#), [Object.FindObjectsOfType<T>\(\)](#),
[Object.FindObjectsByType<T>\(FindObjectsSortMode\)](#), [Object.FindObjectsOfType<T>\(bool\)](#),
[Object.FindObjectsByType<T>\(FindObjectsInactive, FindObjectsSortMode\)](#),
[Object.FindObjectOfType<T>\(\)](#), [Object.FindObjectOfType<T>\(bool\)](#),
[Object.FindFirstObjectByType<T>\(\)](#), [Object.FindAnyObjectByType<T>\(\)](#),
[Object.FindFirstObjectByType<T>\(FindObjectsInactive\)](#),
[Object.FindAnyObjectByType<T>\(FindObjectsInactive\)](#), [Object.FindObjectsOfTypeAll\(Type\)](#),
[Object.FindObjectOfType\(Type\)](#), [Object.FindFirstObjectByType\(Type\)](#),
[Object.FindAnyObjectByType\(Type\)](#), [Object.FindObjectOfType\(Type, bool\)](#),
[Object.FindFirstObjectByType\(Type, FindObjectsInactive\)](#),
[Object.FindAnyObjectByType\(Type, FindObjectsInactive\)](#), [Object.ToString\(\)](#), [Object.name](#),
[Object.hideFlags](#), [object.Equals\(object, object\)](#), [object.ReferenceEquals\(object, object\)](#),
[object.GetType\(\)](#), [object.MemberwiseClone\(\)](#)

Properties

AttachedCanvasTransitionManagerGuid

```
public Guid AttachedCanvasTransitionManagerGuid { get; }
```

Property Value

[Guid](#)

CurSelectedItemIndex

```
public int CurSelectedItemIndex { get; set; }
```

Property Value

[int](#)

ItemCount

```
public int ItemCount { get; }
```

Property Value

[int](#)

Items

```
public List<ItemViewList.Item> Items { get; }
```

Property Value

[List](#) <[ItemViewList.Item](#)>

Methods

AddItem()

```
public virtual void AddItem()
```

AddItem(in object)

```
protected void AddItem(in object itemInitData)
```

Parameters

itemInitData [object](#)

ClearItems()

```
public virtual void ClearItems()
```

GetItemIndex(in Item)

```
public virtual int GetItemIndex(in ItemViewList.Item itemComponentClass)
```

Parameters

itemComponentClass [ItemViewList.Item](#)

Returns

[int](#)

InitializeModule(in object, in Guid)

You can call the module when you initialize it

```
public override void InitializeModule(in object moduleInitData, in Guid
attachedCanvasTransitionManagerGuid)
```

Parameters

`moduleInitData` [object](#)

This refers to custom data to be used when initializing modules. In some cases, null is also allowed

`attachedCanvasTransitionManagerGuid` [Guid](#)

This is the Guid of the CanvasTransitionManager to which the module belongs

InitializeModule(in object[])

```
protected void InitializeModule(in object[] moduleInitDataPerItem)
```

Parameters

`moduleInitDataPerItem` [object](#)[]

RemoveItemAt(in int)

```
public virtual void RemoveItemAt(in int index)
```

Parameters

`index` [int](#)

UpdateModuleState(in object)

You can call the module when you updating it

```
public override void UpdateModuleState(in object moduleUpdateData)
```

Parameters

`moduleUpdateData` [object](#)

This refers to custom data to be used when updating modules. In some cases, null is also allowed

UpdateModuleState(in object[])

```
protected void UpdateModuleState(in object[] moduleUpdateDataPerItem)
```

Parameters

`moduleUpdateDataPerItem` [object](#)[]

Interface ItemViewList.ItemStateUpdate

Namespace: [EasyTechToolUI.ItemViewList](#)

Assembly: EasyTechToolUI.dll

Interface that defines methods for managing items in the UI module

```
public interface ItemViewList.IItemStateUpdate
```

Methods

InitializeItem(in ItemViewList, in object)

Method for initializing items in the UI module

```
void InitializeItem(in ItemViewList itemViewList, in object itemInitData)
```

Parameters

itemViewList [ItemViewList](#)

Instance of ItemViewList where the current item is placed

itemInitData [object](#) 

Parameters place in custom data that can be used to initialize the current item. Null is also possible if desired

UpdateItemState(in object)

A method that can be invoked when updating the status of the current item

```
void UpdateItemState(in object itemUpdateData)
```

Parameters

itemUpdateData [object](#) 

A parameter spot for custom data that can be used to update the status of the current item. Null is also possible if desired

Class ItemViewList.Item

Namespace: [EasyTechToolUI.ItemViewList](#)

Assembly: EasyTechToolUI.dll

Classes describing items for ItemViewList

```
public abstract class ItemViewList.Item : MonoBehaviour, ItemViewList.IItemStateUpdate,
    IItemSelectedAction
```

Inheritance

[object](#)  ← Object ← Component ← Behaviour ← MonoBehaviour ← ItemViewList.Item

Implements

[ItemViewList.IItemStateUpdate](#), [IItemSelectedAction](#)

Inherited Members

MonoBehaviour.Invoke(), MonoBehaviour.CancelInvoke(), [MonoBehaviour.Invoke\(string, float\)](#) , [MonoBehaviour.InvokeRepeating\(string, float, float\)](#) , [MonoBehaviour.CancelInvoke\(string\)](#) , [MonoBehaviour.IsInvoking\(string\)](#) , [MonoBehaviour.StartCoroutine\(string\)](#) , [MonoBehaviour.StartCoroutine\(string, object\)](#) , [MonoBehaviour.StartCoroutine\(IEnumerator\)](#) , [MonoBehaviour.StartCoroutine_Auto\(IEnumerator\)](#) , [MonoBehaviour.StopCoroutine\(IEnumerator\)](#) , MonoBehaviour.StopCoroutine(Coroutine), [MonoBehaviour.StopCoroutine\(string\)](#) , MonoBehaviour.StopAllCoroutines(), [MonoBehaviour.print\(object\)](#) , MonoBehaviour.destroyCancellationToken, MonoBehaviour.useGUILayout, MonoBehaviour.didStart, MonoBehaviour.didAwake, MonoBehaviour.runInEditMode, Behaviour.enabled, Behaviour.isActiveAndEnabled, [Component.GetComponent\(Type\)](#) , Component.GetComponent<T>(), [Component.TryGetComponent\(Type, out Component\)](#) , Component.TryGetComponent<T>(out T), [Component.GetComponent\(string\)](#) , [Component.GetComponentInChildren\(Type, bool\)](#) , [Component.GetComponentInChildren\(Type\)](#) , [Component.GetComponentInChildren<T>\(bool\)](#) , Component.GetComponentInChildren<T>(), [Component.GetComponentInChildren\(Type, bool\)](#) , [Component.GetComponentInChildren\(Type\)](#) , [Component.GetComponentInChildren<T>\(bool\)](#) , [Component.GetComponentInChildren<T>\(bool, List<T>\)](#) , Component.GetComponentInChildren<T>(), [Component.GetComponentInChildren<T>\(List<T>\)](#) , [Component.GetComponentInParent\(Type, bool\)](#) , [Component.GetComponentInParent\(Type\)](#) , [Component.GetComponentInParent<T>\(bool\)](#) , Component.GetComponentInParent<T>(), [Component.GetComponentInParent\(Type, bool\)](#) , [Component.GetComponentInParent\(Type\)](#) , [Component.GetComponentInParent<T>\(bool\)](#) , [Component.GetComponentInParent<T>\(bool, List<T>\)](#) ,

[Component.GetComponentInParent<T>\(\)](#) , [Component.GetComponent\(Type\)](#) ,
[Component.GetComponent\(Type, List<Component>\)](#) ,
[Component.GetComponent<T>\(List<T>\)](#) , [Component.GetComponent<T>\(\)](#) ,
[Component.CompareTag\(string\)](#) ,
[Component.SendMessageUpwards\(string, object, SendMessageOptions\)](#) ,
[Component.SendMessageUpwards\(string, object\)](#) , [Component.SendMessageUpwards\(string\)](#) ,
[Component.SendMessageUpwards\(string, SendMessageOptions\)](#) ,
[Component.SendMessage\(string, object\)](#) , [Component.SendMessage\(string\)](#) ,
[Component.SendMessage\(string, object, SendMessageOptions\)](#) ,
[Component.SendMessage\(string, SendMessageOptions\)](#) ,
[Component.BroadcastMessage\(string, object, SendMessageOptions\)](#) ,
[Component.BroadcastMessage\(string, object\)](#) , [Component.BroadcastMessage\(string\)](#) ,
[Component.BroadcastMessage\(string, SendMessageOptions\)](#) , [Component.transform](#) ,
[Component.gameObject](#) , [Component.tag](#) , [Object.GetInstanceID\(\)](#) , [Object.GetHashCode\(\)](#) ,
[Object.Equals\(object\)](#) , [Object.Instantiate\(Object, Vector3, Quaternion\)](#) ,
[Object.Instantiate\(Object, Vector3, Quaternion, Transform\)](#) , [Object.Instantiate\(Object\)](#) ,
[Object.Instantiate\(Object, Transform\)](#) , [Object.Instantiate\(Object, Transform, bool\)](#) ,
[Object.Instantiate<T>\(T\)](#) , [Object.Instantiate<T>\(T, Vector3, Quaternion\)](#) ,
[Object.Instantiate<T>\(T, Vector3, Quaternion, Transform\)](#) , [Object.Instantiate<T>\(T, Transform\)](#) ,
[Object.Instantiate<T>\(T, Transform, bool\)](#) , [Object.Destroy\(Object, float\)](#) , [Object.Destroy\(Object\)](#) ,
[Object.DestroyImmediate\(Object, bool\)](#) , [Object.DestroyImmediate\(Object\)](#) ,
[Object.FindObjectsOfType\(Type\)](#) , [Object.FindObjectsOfType\(Type, bool\)](#) ,
[Object.FindObjectsByType\(Type, FindObjectsSortMode\)](#) ,
[Object.FindObjectsByType\(Type, FindObjectsInactive, FindObjectsSortMode\)](#) ,
[Object.DontDestroyOnLoad\(Object\)](#) , [Object.DestroyObject\(Object, float\)](#) ,
[Object.DestroyObject\(Object\)](#) , [Object.FindSceneObjectsOfType\(Type\)](#) ,
[Object.FindObjectsOfTypeIncludingAssets\(Type\)](#) , [Object.FindObjectsOfType<T>\(\)](#) ,
[Object.FindObjectsByType<T>\(FindObjectsSortMode\)](#) , [Object.FindObjectsOfType<T>\(bool\)](#) ,
[Object.FindObjectsByType<T>\(FindObjectsInactive, FindObjectsSortMode\)](#) ,
[Object.FindObjectOfType<T>\(\)](#) , [Object.FindObjectOfType<T>\(bool\)](#) ,
[Object.FindFirstObjectByType<T>\(\)](#) , [Object.FindAnyObjectByType<T>\(\)](#) ,
[Object.FindFirstObjectByType<T>\(FindObjectsInactive\)](#) ,
[Object.FindAnyObjectByType<T>\(FindObjectsInactive\)](#) , [Object.FindObjectsOfTypeAll\(Type\)](#) ,
[Object.FindObjectOfType\(Type\)](#) , [Object.FindFirstObjectByType\(Type\)](#) ,
[Object.FindAnyObjectByType\(Type\)](#) , [Object.FindObjectOfType\(Type, bool\)](#) ,
[Object.FindFirstObjectByType\(Type, FindObjectsInactive\)](#) ,
[Object.FindAnyObjectByType\(Type, FindObjectsInactive\)](#) , [Object.ToString\(\)](#) , [Object.name](#) ,
[Object.hideFlags](#) , [object.Equals\(object, object\)](#) , [object.ReferenceEquals\(object, object\)](#) ,
[object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#)

Properties

AttahcedItemViewList

A reference to the ItemViewList instance where the current item is placed.

```
public ItemViewList AttahcedItemViewList { get; }
```

Property Value

[ItemViewList](#)

Methods

InitializeItem(in ItemViewList, in object)

Method for initializing items in the UI module

```
public virtual void InitializeItem(in ItemViewList itemViewList, in object itemInitData)
```

Parameters

itemViewList [ItemViewList](#)

Instance of ItemViewList where the current item is placed

itemInitData [object](#) 

Parameters place in custom data that can be used to initialize the current item. Null is also possible if desired

OnItemSelected(in object, in bool)

Called when one of the UI elements to which the item belongs is selected

```
public abstract void OnItemSelected(in object itemData, in bool bisSelected)
```

Parameters

`itemData` [object](#)

A parameter seat for custom data that can be used as needed

`isSelected` [bool](#)

Indicates whether the current item has been selected

RemoveItem()

Method called when you want to remove the current item from ItemViewList

```
public virtual void RemoveItem()
```

SelectItem(bool)

Method called when you want to select the current item in ItemViewList

```
public virtual void SelectItem(bool bdoCanvasTransiton = false)
```

Parameters

`bdoCanvasTransiton` [bool](#)

UpdateItemState(in object)

A method that can be invoked when updating the status of the current item

```
public virtual void UpdateItemState(in object itemUpdateData)
```

Parameters

`itemUpdateData` [object](#)

A parameter spot for custom data that can be used to update the status of the current item. Null is also possible if desired

Namespace EasyTechToolUI.LayoutGroup

Classes

[LayoutGroup](#)

Class LayoutGroup

Namespace: [EasyTechToolUI.LayoutGroup](#)

Assembly: EasyTechToolUI.dll

```
public sealed class LayoutGroup : EdgyModulePrototype, IModuleStateUpdate
```

Inheritance

[object](#)  ← Object ← Component ← Behaviour ← MonoBehaviour ← [EdgyModulePrototype](#)  ← LayoutGroup

Implements

[IModuleStateUpdate](#)

Inherited Members

[MonoBehaviour.Invoke\(\)](#) , [MonoBehaviour.CancelInvoke\(\)](#) , [MonoBehaviour.Invoke\(string, float\)](#) , [MonoBehaviour.InvokeRepeating\(string, float, float\)](#) , [MonoBehaviour.CancelInvoke\(string\)](#) , [MonoBehaviour.IsInvoking\(string\)](#) , [MonoBehaviour.StartCoroutine\(string\)](#) , [MonoBehaviour.StartCoroutine\(string, object\)](#) , [MonoBehaviour.StartCoroutine\(IEnumerator\)](#) , [MonoBehaviour.StartCoroutine_Auto\(IEnumerator\)](#) , [MonoBehaviour.StopCoroutine\(IEnumerator\)](#) , [MonoBehaviour.StopCoroutine\(Coroutine\)](#) , [MonoBehaviour.StopCoroutine\(string\)](#) , [MonoBehaviour.StopAllCoroutines\(\)](#) , [MonoBehaviour.print\(object\)](#) , [MonoBehaviour.destroyCancellationToken](#) , [MonoBehaviour.useGUILayout](#) , [MonoBehaviour.didStart](#) , [MonoBehaviour.didAwake](#) , [MonoBehaviour.runInEditMode](#) , [Behaviour.enabled](#) , [Behaviour.isActiveAndEnabled](#) , [Component.GetComponent\(Type\)](#) , [Component.GetComponent<T>\(\)](#) , [Component.TryGetComponent\(Type, out Component\)](#) , [Component.TryGetComponent<T>\(out T\)](#) , [Component.GetComponent\(string\)](#) , [Component.GetComponentInChildren\(Type, bool\)](#) , [Component.GetComponentInChildren\(Type\)](#) , [Component.GetComponentInChildren<T>\(bool\)](#) , [Component.GetComponentInChildren<T>\(\)](#) , [Component.GetComponentsInChildren\(Type, bool\)](#) , [Component.GetComponentsInChildren\(Type\)](#) , [Component.GetComponentsInChildren<T>\(bool\)](#) , [Component.GetComponentsInChildren<T>\(bool, List<T>\)](#) , [Component.GetComponentsInChildren<T>\(\)](#) , [Component.GetComponentsInChildren<T>\(List<T>\)](#) , [Component.GetComponentInParent\(Type, bool\)](#) , [Component.GetComponentInParent\(Type\)](#) , [Component.GetComponentInParent<T>\(bool\)](#) , [Component.GetComponentInParent<T>\(\)](#) , [Component.GetComponentsInParent\(Type, bool\)](#) , [Component.GetComponentsInParent\(Type\)](#) , [Component.GetComponentsInParent<T>\(bool\)](#) , [Component.GetComponentsInParent<T>\(bool, List<T>\)](#) , [Component.GetComponentsInParent<T>\(\)](#) , [Component.GetComponents\(Type\)](#) ,

[Component.GetComponent<Type>\(Type, List<Component>\)](#) ,
[Component.GetComponent<T>\(List<T>\)](#) , [Component.GetComponent<T>\(\)](#) ,
[Component.CompareTag\(string\)](#) ,
[Component.SendMessageUpwards\(string, object, SendMessageOptions\)](#) ,
[Component.SendMessageUpwards\(string, object\)](#) , [Component.SendMessageUpwards\(string\)](#) ,
[Component.SendMessageUpwards\(string, SendMessageOptions\)](#) ,
[Component.SendMessage\(string, object\)](#) , [Component.SendMessage\(string\)](#) ,
[Component.SendMessage\(string, object, SendMessageOptions\)](#) ,
[Component.SendMessage\(string, SendMessageOptions\)](#) ,
[Component.BroadcastMessage\(string, object, SendMessageOptions\)](#) ,
[Component.BroadcastMessage\(string, object\)](#) , [Component.BroadcastMessage\(string\)](#) ,
[Component.BroadcastMessage\(string, SendMessageOptions\)](#) , [Component.transform](#) ,
[Component.gameObject](#) , [Component.tag](#) , [Object.GetInstanceID\(\)](#) , [Object.GetHashCode\(\)](#) ,
[Object.Equals\(object\)](#) , [Object.Instantiate\(Object, Vector3, Quaternion\)](#) ,
[Object.Instantiate\(Object, Vector3, Quaternion, Transform\)](#) , [Object.Instantiate\(Object\)](#) ,
[Object.Instantiate\(Object, Transform\)](#) , [Object.Instantiate\(Object, Transform, bool\)](#) ,
[Object.Instantiate<T>\(T\)](#) , [Object.Instantiate<T>\(T, Vector3, Quaternion\)](#) ,
[Object.Instantiate<T>\(T, Vector3, Quaternion, Transform\)](#) , [Object.Instantiate<T>\(T, Transform\)](#) ,
[Object.Instantiate<T>\(T, Transform, bool\)](#) , [Object.Destroy\(Object, float\)](#) , [Object.Destroy\(Object\)](#) ,
[Object.DestroyImmediate\(Object, bool\)](#) , [Object.DestroyImmediate\(Object\)](#) ,
[Object.FindObjectsOfType<Type>\(Type\)](#) , [Object.FindObjectsOfType<Type>\(Type, bool\)](#) ,
[Object.FindObjectsByType<Type>\(Type, FindObjectsSortMode\)](#) ,
[Object.FindObjectsByType<Type>\(Type, FindObjectsInactive, FindObjectsSortMode\)](#) ,
[Object.DontDestroyOnLoad\(Object\)](#) , [Object.DestroyObject\(Object, float\)](#) ,
[Object.DestroyObject\(Object\)](#) , [Object.FindSceneObjectsOfType<Type>\(Type\)](#) ,
[Object.FindObjectsOfTypeIncludingAssets<Type>\(Type\)](#) , [Object.FindObjectsOfType<T>\(\)](#) ,
[Object.FindObjectsByType<T>\(FindObjectsSortMode\)](#) , [Object.FindObjectsOfType<T>\(bool\)](#) ,
[Object.FindObjectsByType<T>\(FindObjectsInactive, FindObjectsSortMode\)](#) ,
[Object.FindObjectOfTypes<T>\(\)](#) , [Object.FindObjectOfTypes<T>\(bool\)](#) ,
[Object.FindFirstObjectByType<T>\(\)](#) , [Object.FindAnyObjectByType<T>\(\)](#) ,
[Object.FindFirstObjectByType<T>\(FindObjectsInactive\)](#) ,
[Object.FindAnyObjectByType<T>\(FindObjectsInactive\)](#) , [Object.FindObjectsOfTypeAll<Type>\(Type\)](#) ,
[Object.FindObjectOfTypes<Type>\(Type\)](#) , [Object.FindFirstObjectByType<Type>\(Type\)](#) ,
[Object.FindAnyObjectByType<Type>\(Type\)](#) , [Object.FindObjectOfTypes<Type>\(Type, bool\)](#) ,
[Object.FindFirstObjectByType<Type>\(Type, FindObjectsInactive\)](#) ,
[Object.FindAnyObjectByType<Type>\(Type, FindObjectsInactive\)](#) , [Object.ToString\(\)](#) , [Object.name](#) ,
[Object.hideFlags](#) , [object.Equals\(object, object\)](#) , [object.ReferenceEquals\(object, object\)](#) ,
[object.GetType\(\)](#)

Properties

EdgyModulePrototypes

```
public List<EdgyModulePrototype> EdgyModulePrototypes { get; }
```

Property Value

[List](#) <[EdgyModulePrototype](#)>

Methods

InitializeModule(in object, in Guid)

You can call the module when you initialize it

```
public override void InitializeModule(in object moduleInitData, in Guid  
attachedCanvasTransitionManagerGuid)
```

Parameters

moduleInitData [object](#)

This refers to custom data to be used when initializing modules. In some cases, null is also allowed

attachedCanvasTransitionManagerGuid [Guid](#)

This is the Guid of the CanvasTransitionManager to which the module belongs

UpdateModuleState(in object)

You can call the module when you updating it

```
public override void UpdateModuleState(in object moduleUpdateData)
```

Parameters

`moduleUpdateData` [object](#)

This refers to custom data to be used when updating modules. In some cases, null is also allowed

Namespace EasyTechToolUI.SliderWrapper

Classes

[SliderWrapper](#)

Enums

[SliderWrapper.SliderWrapperOption](#)

Class SliderWrapper

Namespace: [EasyTechToolUI.SliderWrapper](#)

Assembly: EasyTechToolUI.dll

```
public abstract class SliderWrapper : EdgyModulePrototype, IModuleStateUpdate
```

Inheritance

[object](#) ↗ ← Object ← Component ← Behaviour ← MonoBehaviour ← [EdgyModulePrototype](#) ↗ ← SliderWrapper

Implements

[IModuleStateUpdate](#)

Inherited Members

[EdgyModulePrototype.UpdateModuleState\(in object\)](#) ↗, MonoBehaviour.IsInvoking() ↗, MonoBehaviour.CancelInvoke() ↗, [MonoBehaviour.Invoke\(string, float\)](#) ↗, [MonoBehaviour.InvokeRepeating\(string, float, float\)](#) ↗, [MonoBehaviour.CancelInvoke\(string\)](#) ↗, [MonoBehaviour.IsInvoking\(string\)](#) ↗, [MonoBehaviour.StartCoroutine\(string\)](#) ↗, [MonoBehaviour.StartCoroutine\(string, object\)](#) ↗, [MonoBehaviour.StartCoroutine\(IEnumerator\)](#) ↗, [MonoBehaviour.StartCoroutine_Auto\(IEnumerator\)](#) ↗, [MonoBehaviour.StopCoroutine\(IEnumerator\)](#) ↗, MonoBehaviour.StopCoroutine(Coroutine) ↗, [MonoBehaviour.StopCoroutine\(string\)](#) ↗, MonoBehaviour.StopAllCoroutines() ↗, [MonoBehaviour.print\(object\)](#) ↗, MonoBehaviour.destroyCancellationTokens, MonoBehaviour.useGUILayout, MonoBehaviour.didStart, MonoBehaviour.didAwake, MonoBehaviour.runInEditMode, Behaviour.enabled, Behaviour.isActiveAndEnabled, [Component.GetComponent\(Type\)](#) ↗, Component.GetComponent<T>() ↗, [Component.TryGetComponent\(Type, out Component\)](#) ↗, Component.TryGetComponent<T>(out T) ↗, [Component.GetComponent\(string\)](#) ↗, [Component.GetComponentInChildren\(Type, bool\)](#) ↗, [Component.GetComponentInChildren\(Type\)](#) ↗, [Component.GetComponentInChildren<T>\(bool\)](#) ↗, Component.GetComponentInChildren<T>() ↗, [Component.GetComponentInChildren\(Type, bool\)](#) ↗, [Component.GetComponentInChildren\(Type\)](#) ↗, [Component.GetComponentInChildren<T>\(bool\)](#) ↗, [Component.GetComponentInChildren<T>\(bool, List<T>\)](#) ↗, Component.GetComponentInChildren<T>() ↗, [Component.GetComponentInChildren<T>\(List<T>\)](#) ↗, [Component.GetComponentInParent\(Type, bool\)](#) ↗, [Component.GetComponentInParent\(Type\)](#) ↗, [Component.GetComponentInParent<T>\(bool\)](#) ↗, Component.GetComponentInParent<T>() ↗, [Component.GetComponentInParent\(Type, bool\)](#) ↗, [Component.GetComponentInParent\(Type\)](#) ↗, [Component.GetComponentInParent<T>\(bool\)](#) ↗, [Component.GetComponentInParent<T>\(bool, List<T>\)](#) ↗,

[Component.GetComponentInParent<T>\(\)](#) , [Component.GetComponent\(Type\)](#) ,
[Component.GetComponent\(Type, List<Component>\)](#) ,
[Component.GetComponent<T>\(List<T>\)](#) , [Component.GetComponent<T>\(\)](#) ,
[Component.CompareTag\(string\)](#) ,
[Component.SendMessageUpwards\(string, object, SendMessageOptions\)](#) ,
[Component.SendMessageUpwards\(string, object\)](#) , [Component.SendMessageUpwards\(string\)](#) ,
[Component.SendMessageUpwards\(string, SendMessageOptions\)](#) ,
[Component.SendMessage\(string, object\)](#) , [Component.SendMessage\(string\)](#) ,
[Component.SendMessage\(string, object, SendMessageOptions\)](#) ,
[Component.SendMessage\(string, SendMessageOptions\)](#) ,
[Component.BroadcastMessage\(string, object, SendMessageOptions\)](#) ,
[Component.BroadcastMessage\(string, object\)](#) , [Component.BroadcastMessage\(string\)](#) ,
[Component.BroadcastMessage\(string, SendMessageOptions\)](#) , [Component.transform](#) ,
[Component.gameObject](#) , [Component.tag](#) , [Object.GetInstanceID\(\)](#) , [Object.GetHashCode\(\)](#) ,
[Object.Equals\(object\)](#) , [Object.Instantiate\(Object, Vector3, Quaternion\)](#) ,
[Object.Instantiate\(Object, Vector3, Quaternion, Transform\)](#) , [Object.Instantiate\(Object\)](#) ,
[Object.Instantiate\(Object, Transform\)](#) , [Object.Instantiate\(Object, Transform, bool\)](#) ,
[Object.Instantiate<T>\(T\)](#) , [Object.Instantiate<T>\(T, Vector3, Quaternion\)](#) ,
[Object.Instantiate<T>\(T, Vector3, Quaternion, Transform\)](#) , [Object.Instantiate<T>\(T, Transform\)](#) ,
[Object.Instantiate<T>\(T, Transform, bool\)](#) , [Object.Destroy\(Object, float\)](#) , [Object.Destroy\(Object\)](#) ,
[Object.DestroyImmediate\(Object, bool\)](#) , [Object.DestroyImmediate\(Object\)](#) ,
[Object.FindObjectsOfType\(Type\)](#) , [Object.FindObjectsOfType\(Type, bool\)](#) ,
[Object.FindObjectsByType\(Type, FindObjectsSortMode\)](#) ,
[Object.FindObjectsByType\(Type, FindObjectsInactive, FindObjectsSortMode\)](#) ,
[Object.DontDestroyOnLoad\(Object\)](#) , [Object.DestroyObject\(Object, float\)](#) ,
[Object.DestroyObject\(Object\)](#) , [Object.FindSceneObjectsOfType\(Type\)](#) ,
[Object.FindObjectsOfTypeIncludingAssets\(Type\)](#) , [Object.FindObjectsOfType<T>\(\)](#) ,
[Object.FindObjectsByType<T>\(FindObjectsSortMode\)](#) , [Object.FindObjectsOfType<T>\(bool\)](#) ,
[Object.FindObjectsByType<T>\(FindObjectsInactive, FindObjectsSortMode\)](#) ,
[Object.FindObjectOfType<T>\(\)](#) , [Object.FindObjectOfType<T>\(bool\)](#) ,
[Object.FindFirstObjectByType<T>\(\)](#) , [Object.FindAnyObjectByType<T>\(\)](#) ,
[Object.FindFirstObjectByType<T>\(FindObjectsInactive\)](#) ,
[Object.FindAnyObjectByType<T>\(FindObjectsInactive\)](#) , [Object.FindObjectsOfTypeAll\(Type\)](#) ,
[Object.FindObjectOfType\(Type\)](#) , [Object.FindFirstObjectByType\(Type\)](#) ,
[Object.FindAnyObjectByType\(Type\)](#) , [Object.FindObjectOfType\(Type, bool\)](#) ,
[Object.FindFirstObjectByType\(Type, FindObjectsInactive\)](#) ,
[Object.FindAnyObjectByType\(Type, FindObjectsInactive\)](#) , [Object.ToString\(\)](#) , [Object.name](#) ,
[Object.hideFlags](#) , [object.Equals\(object, object\)](#) , [object.ReferenceEquals\(object, object\)](#) ,
[object.GetType\(\)](#) , [object.MemberwiseClone\(\)](#)

Properties

AttachedCanvasTransitionManagerGuid

```
public Guid AttachedCanvasTransitionManagerGuid { get; }
```

Property Value

[Guid](#)

BdoLayoutGroupTransition

If true, each LayoutGroup is treated as if it were a separate page. However, if false, each LayoutGroup is treated as if it is a UI area belonging to one page.

```
public bool BdoLayoutGroupTransition { get; }
```

Property Value

[bool](#)

Remarks

If false, UpdateModuleState() of all modules of all LayoutGroup is called. At this time, the object parameter is filled with the value of the slider, so each module will need appropriate code to process this.

CurSliderValue

```
public int CurSliderValue { get; set; }
```

Property Value

[int](#)

MaxSliderValue

```
public int MaxSliderValue { get; set; }
```

Property Value

[int](#)

Option

```
public SliderWrapper.SliderWrapperOption Option { get; set; }
```

Property Value

[SliderWrapper.SliderWrapperOption](#)

Methods

ExcuteOtherInstruction(in int)

```
protected abstract void ExcuteOtherInstruction(in int value)
```

Parameters

value [int](#)

InitializeModule(in object, in Guid)

You can call the module when you initialize it

```
public override void InitializeModule(in object moduleInitData, in Guid  
attachedCanvasTransitionManagerGuid)
```

Parameters

`moduleInitData` [object](#)

This refers to custom data to be used when initializing modules. In some cases, null is also allowed

`attachedCanvasTransitionManagerGuid` [Guid](#)

This is the Guid of the CanvasTransitionManager to which the module belongs

OnSliderValueChanged()

This method must be added to Slider's onValueChanged event

```
public void OnSliderValueChanged()
```

Enum SliderWrapper.SliderWrapperOption

Namespace: [EasyTechToolUI.SliderWrapper](#)

Assembly: EasyTechToolUI.dll

```
public enum SliderWrapper.SliderWrapperOption : byte
```

Fields

```
ForCanvasTransition = 1
```

```
ForLayoutGroupUpdate = 2
```

```
ForOtherInstruction = 3
```

```
NpOption = 0
```