

Frontend - Review

Hi madilyani, What's up?

First of all, your work looks amazing, thanks for that!

Also, I really liked your coding skills, and how you structure the project.

Very nice, understandable and clean 🌟

I've looked a bit deeper and I've did found some stuff that needs your attention.

I've split it to

- General Look (Both for Landing page and Dashboard page)
- Per Panel
- Mobile responsivness
- General Coding stuff

But again as for overall - you did some great job bro :)

=====

General Look (Both for Landing page and Dashboard page)


The pages looks like they are too "zoom in":


I would like to have some left-right margin to all data area.

Can we add some centered main container with left + right margin? (maybe 150px per side would good?)


To give some reference, when the zoom is around 75% it looks a lot better.

screen while 75%:





instead when it's being (100%).



So if we can make the regular resouliuton (100%) look more similar to how it looks while it's on 75%.

Some Examples from other sites that emphasize what I mean: (The foolowing screenshots are in a 16inch mac laptop)

Linkedin:

Access exclusive tools & insights
Try Premium for free

My items

Recent

- # founders
- # startups
- # leadership

The Next Cloud Architecture + Subscribe

Eliya Tsabari Recruitment Business Partner at Matrix + Follow

View all recommendations →

Become a Software Engineering team lead at Locusview! Ad ...

The Next Cloud Architecture + Subscribe

View all recommendations →

Become a Software Engineering team lead at Locusview!

Messaging

Elements Sources Performance insights Network Application Console Memory Performance Security Lighthouse AdBlock Recorder Redux

```
<div class="scaffold-layout scaffold-layout--breakpoint-xl scaffold-layout--main-aside scaffold-layout--reflow">
  <!-->
  <div class="scaffold-layout__inner scaffold-layout--container scaffold-layout--container--reflow">
    <!--> == $0
    <!-->
    <!-->
    <div class="scaffold-layout__row scaffold-layout__content">
```

FPL (the main Fantasy League site)

Laporte 1 Alexander-Arn... 2 Cresswell 1 Davies 6

Kulusevski 14 De Bruyne 12 Mount 2 Bissouma 1

div.Layout_Wrapper-eg6 k6r0-kzylib 1220x2070.79

Elements Sources Performance insights Network Application Console Memory Performance Security Lighthouse AdBlock Recorder Components Profiler

```
<div class="AdWrap-mw5y1a-0 brbdY" style="flex: 1; margin-right: 10px;"></div>
<div class="Layout_Wrapper-eg6k6r-0 kzylib" style="flex: 1; padding: 10px; border: 1px solid #ccc; border-radius: 5px; background-color: #f9f9f9; min-height: 1000px;"></div>
```

<https://www.cyberciti.biz/faq/linux-delete-all-files-in-directory-using-command-line/>

nixCraft → Howto → BASH Shell → Linux Delete All Files In Directory Using Command Line

div.container.columns 1040x10003.2

Linux Delete All Files In Directory Using Command Line

Author: Vivek Gite • Last updated: June 6, 2022 • 4 comments

I want to remove all files from a directory. Can you tell me Linux command to delete all files in a directory?

Introduction: You can remove all files in a directory using unlink command. Another option is to use the rm command to delete all files in a directory. This page explains how to delete all

SEARCH

To search, type & hit enter...

FEATURED ARTICLES

- 30 Cool Open Source Software I Discovered in 2013
- 30 Handy Bash Shell Aliases For Linux / Unix / Mac OS X

Elements Sources Performance insights Network Application Console Memory Performance Security Lighthouse AdBlock Recorder Redux

```
<!DOCTYPE html>
<html dir="ltr" lang="en-US">
  <head></head>
  <body>
    <div id="header"></div>
    <nav id="nav"></nav>
    <div id="content">
      <div class="container columns" style="margin: 20px 0; border: 1px solid #ccc; padding: 10px; border-radius: 5px; background-color: #fff; position: relative; width: 100%; height: 100%;">
```

This is FantasyCuppy: (as of today)

“auto__container” inside “manager fadeInUp” class the (team panel and fixtures)

The screenshot shows the Chrome DevTools Elements tab. On the left, the DOM tree is visible with a red arrow pointing to a div element with the class "auto__container". This div is nested within another div with the class "manager fadeInUp". On the right, the browser's UI is displayed, showing a fixture between Chelsea and Liverpool at 18:00. A green circle highlights the "auto__container" div in the UI.

Note:

The container i've displayed above, is similmar to each “auto-container” implemented an the page. (each “auto-container” within each “info” class that contains each other section).

Maybe a suggestion:

What about having another container (“main_container”), whcih will have the following divs: "manager fadeInUp" and each “info”, and that “main container” would have the needed maring right + left? (and also be centered).

=====

====

Per Panel

Overview Panel:

Counter:

 07:12:48

Today in the React app, the counter is going up, but this one should be countered down, till it reaches the deadline.

The given “deadlineUtcDateEpoch” is a future timestamp, where the displayed time should implemented the following logic:

[deadlineUtcDateEpoch - current time] every second.

hence, it will result a counter going down, till the deadline reached.

When the deadline is reached, it should display 00:00:00 (meaning if [deadlineUtcDateEpoch - current time] < 0 then display 00:00:00)

Change Team:

Clicking “Submit” while being on the “Change team” modal doesn’t work.

[Change Team](#)

i How to find my FPL id?





123

Submit

While clicking “Submit”, It should display the following:

↓

Your Team
[Change Team](#)

Name Bella Ciao	Total Budget \$100K	Money Remaining 1.5%	Points 219	Points this GW 32
 <p>Emiliano Martinez</p> <p>av. CRY av. CRY sou</p>				
 <p>Emiliano Martinez</p> <p>av. CRY av. CRY sou</p>  <p>Emiliano Martinez</p> <p>av. CRY av. CRY sou</p>  <p>Emiliano Martinez</p> <p>av. CRY av. CRY sou</p>  <p>Emiliano Martinez</p> <p>av. CRY av. CRY sou</p>  <p>Emiliano Martinez</p> <p>av. CRY av. CRY sou</p>				
 <p>Importing your Team</p>  <p>Emiliano Martinez</p> <p>av. CRY av. CRY sou</p>  <p>Emiliano Martinez</p> <p>av. CRY av. CRY sou</p>  <p>Emiliano Martinez</p> <p>av. CRY av. CRY sou</p>				
 <p>Emiliano Martinez</p> <p>av. CRY av. CRY sou</p>  <p>Emiliano Martinez</p> <p>av. CRY av. CRY sou</p>				
 <p>Emiliano Martinez</p> <p>av. CRY av. CRY sou</p>  <p>Emiliano Martinez</p> <p>av. CRY av. CRY sou</p>  <p>Emiliano Martinez</p> <p>av. CRY av. CRY sou</p>  <p>Emiliano Martinez</p> <p>av. CRY av. CRY sou</p>				

On error:

Your Team

Change Team

Name
Bella Ciao


Total Budget
\$100K

Money Remaining
1.5%

Points
219

Points this GW
32

Emiliano Martinez



Emiliano Martinez

av. CRY av. CRY av. CRY av. CRY



Emiliano Martinez

av. CRY av. CRY av. CRY av. CRY



Emiliano Martinez

av. CRY av. CRY av. CRY av. CRY



Emiliano Martinez

av. CRY av. CRY av. CRY av. CRY



Emiliano Martinez

av. CRY av. CRY av. CRY av. CRY



Emiliano Martinez

av. CRY av. CRY av. CRY av. CRY

Ops.. Something went wrong
<Error message>



Emiliano Martinez

av. CRY av. CRY av. CRY

Emiliano Martinez

av. CRY av. CRY av. CRY



Emiliano Martinez

av. CRY av. CRY av. CRY




while on success, it should show the changed team.

Your Team

[Change Team](#)

Name Team Changed	Total Budget £99.3M	Money Remaining £1.5M	Points 1649	Points this GW 73
----------------------	------------------------	--------------------------	----------------	----------------------



=====

Team Panel:

FDR - No Game in a GameWeek

The forth game (the one with the gray box and opponentid=0) resembles a “No Game” in the forth GameWeek to come.

Taking from figma, it should look like this:




In your code, it is implemented as follows:



I've tried to remove the "TOT" leaving an empty string, but it result:

```
[  
  {  
    opponentId: 0,  
    displayShortName: "",  
    difficulty: 0,  
    difficultyHexCode: "635D5D",  
  },  
,  
,
```



It should be as in the example I've sent ().

Fixtures Panel:

- Day doesn't match the epoch timestamp day.

In your test case, for the given timestamp 1646479800000, it shows Sunday, While the true date is Saturday.

Sunday, March 5

Convert epoch to human-readable date and vice versa

1646479800000

Timestamp to Human date

[batch convert]

Supports Unix timestamps in seconds, milliseconds, microseconds and nanoseconds.

Assuming that this timestamp is in **milliseconds**:

GMT : Saturday, March 5, 2022 11:30:00 AM

Your time zone : Saturday, March 5, 2022 1:30:00 PM GMT+02:00

Relative : 3 months ago

So it should display Saturday (not Sunday).

All epoch under same day, should be under same day panel.

The “Group By” is per day, and not per day and hour,

Currently, it looks like the following, grouping by Day (“Sunday”) and Hour (“15:30” are on the same panel, while “17:30” is in another).

.2 Fixtures

Sunday, March 5



13:30



Sunday, March 5



15:30



Sunday, March 5



15:30



Sunday, March 5




17:30



Sunday, March 5



17:35



All the fixtures within “Sunday” should be in the same panel, Example:

Fixtures

Saturday, March 5



2-1



0-0



1-3



15:30



Sunday, March 6



16:00



16:30



21:30



21:30



Fixtures is going out of scope when a real-life example is inserted.

In your testData, there are 5 matches.

But in real life, there could be up to 16 matches in a game week. (The Example in the Figma is 15, which is also ok)

In Figma, while having 15, they are with scope with the Team Panel

Gameweek

Your Team

Name Bella Ciao	Total Budget £100M	Money Remaining £5M	Points 219	Points this GW 32
--------------------	-----------------------	------------------------	---------------	----------------------

Alexander-Arnold

avl CRY TOT bre man
MCI

Stones

avl CRY avl CRY sou

Cancelo

avl CRY avl CRY sou

van Dijk

avl CRY avl CRY sou

Emerson Royal

avl CRY avl CRY sou

Ward-Prowse

avl CRY avl CRY sou

De Bruyne

avl CRY avl CRY sou

Kulusevski

avl CRY avl CRY sou

Calvert-Lewin

avl CRY avl CRY sou

Richarlison

avl CRY avl CRY sou

Foster

avl CRY TOT bre man
MCI

A. Armstrong

avl CRY avl CRY sou

van de Beek

avl CRY avl CRY sou

Fabio Silva

avl CRY avl CRY sou

Fixtures

Saturday, March 5

	2-1	
	0-0	
	1-3	
	15:30	

Sunday, March 6

	16:00	
	16:00	
	15:30	

Monday, March 7

	16:00	
	16:30	
	21:30	
	21:30	

Tuesday, March 8

	22:00	
	22:45	

Thursday, March 10

	16:00	
	16:00	

But in current React app, it looks similar to the follows:

(please ignore the lack of icons, it's from a json i've created with real data, hence the icon are real urls (which aren't fetched))

Gameweek

⌚ 08:36:02

Fixtures

Sunday, May 7

- BRE 17:00 SOU
- BUR 17:00 AVL
- CHE 17:00 WOL
- CRY 17:00 WAT

Sunday, May 7

- BHA 19:30 MUN

Sunday, May 7

- LIV 21:45 TOT

Monday, May 8

- ARS 16:00 LEE
- LEI 16:00 EVE
- NOR 16:00 WHU

Monday, May 8

- MCI 18:30 NEW

Wednesday, May 10

- AVL 22:00 LIV

Thursday, May 11

- LEE 21:30 CHE

Thursday, May 11

- LEI 21:45 NOR
- WAT 21:45 EVE

Thursday, May 11

- WOL 22:15 MCI

Friday, May 12

- TOT 21:45 ARS

I think when you will have all matches within Same Day in one group, a lot of headers and padding would be dismissed.

but again, maybe additional work needs to be done in order to make those list of fixtures fit the Team Panel (maybe decrease some of the each fixture height?)

let's see.

=====

5 Games Momentum

There is a need to swap between the Teams and Players
First row should be “Players” and second is “Team”.

Left side - Figma (players first row (1), teams second row (2)

Right Side - React (teams first row (1), players second row (2)

5 Games Momentum

Player Goals		Player Assists		Players FPL Points	
Player	Total	Player	Total	Player	Total
Gabriel Jesus	5	Chiquinho	4	Heung-Min Son	39
Heung-Min Son	4	Emiliano Buendia	3	Raheem Sterling	31
Edward Nketiah	4	Ruben Dias	3	Kevin De Bruyne	30
Cristiano Ronaldo	3	Gabriel Martinelli	3	Marcos Alonso	27
Christian Pulisic	3	Jarrod Bowen	3	Leandro Trossard	25

Teams Goals		Teams Conceded		Games with Clean Sheets	
Team	Total	Team	Total	Team	Total
Manchester City	15	Manchester United	13	Manchester City	3
Arsenal	12	Wolves	12	Brentford	3
Brighton	10	Norwich	11	Everton	3
Liverpool	9	Watford	10	Newcastle	3
Chelsea	8	Leeds	9	Brighton	3

Form

Best Form		Worst Form	
Team	Form	Team	Form
Manchester City	███	Brentford	██████

Player Goals		Player Assists		Players FPL Points	
Player	Total Goals	Player	Total Assists	Player	Total Goals
Chiquinho	4	Gabriel Jesus	5	Heung-Min Son	39
Emiliano Buendia	3	Heung-Min Son	4	Raheem Sterling	31

Teams Goals		Teams Conceded		Games with Clean Sheets	
Team	Total Goals	Team	Total Goals	Team	Total Goals
Chiquinho	4	Gabriel Jesus	5	Heung-Min Son	39
Emiliano Buendia	3	Heung-Min Son	4	Raheem Sterling	31

The order should be (players first row (1), teams second row (2) like in the Figma.

Change Headlines

Can you please change all headers, insteade of “Total Goals, Total assists, etc” to “Total”

5 Games Momentum

Player Goals		Player Assists		Players FPL Points	
Player	Total	Player	Total	Player	Total
Gabriel Jesus	5	Chiquinho	4	Heung-Min Son	39
Heung-Min Son	4	Emiliano Buendia	3	Raheem Sterling	31
Edward Nketiah	4	Ruben Dias	3	Kevin De Bruyne	30
Cristiano Ronaldo	3	Gabriel Martinelli	3	Marcos Alonso	27
Christian Pulisic	3	Jarrod Bowen	3	Leandro Trossard	25

Teams Goals		Teams Conceded		Games with Clean Sheets	
Team	Total	Team	Total	Team	Total
Manchester City	15	Manchester United	13	Manchester City	3
Arsenal	12	Wolves	12	Brentford	3
Brighton	10	Norwich	11	Everton	3
Liverpool	9	Watford	10	Newcastle	3
Chelsea	8	Leeds	9	Brighton	3

Form

Best Form		Worst Form	
Team	Score	Team	Score
Manchester City	███	Brentford	██████

Player Goals		Player Assists		Players FPL Points	
Player	Total Goals	Player	Total Assists	Player	Total Goals
Chiquinho	4	Gabriel Jesus	5	Heung-Min Son	39
Emiliano Buendia	3	Heung-Min Son	4	Raheem Sterling	31

Teams Goals		Teams Conceded		Games with Clean Sheets	
Team	Total Goals	Team	Total Goals	Team	Total Goals
Chiquinho	4	Gabriel Jesus	5	Heung-Min Son	39
Emiliano Buendia	3	Heung-Min Son	4	Raheem Sterling	31

Teams Stats.

I see in your test mock for “topTeamsObject”, the keys are same as the players, but there shouldn't be.

They team stats keys should be:

```
"goals": [...]
"conceded": [...]
"cleansheets": [...]
```

Players Stats:

There is some data discrepancy

The data which is displayed doesn't match to the mock topPlayersObject in the test file.

The screenshot shows a dashboard with several sections:

- Team Goals**: Shows goals by team (Chiquinho, Emiliano Buendia) and player (Gabriel Jesus, Heung-Min Son, Raheem Sterling).
- Player Goals**: Shows total goals by player.
- Player Assists**: Shows total assists by player.
- Players FPL Points**: Shows FPL points by player.
- Form**: Shows best and worst form for teams (Manchester City, Brentford, Crystal Palace FC).
- FDR Snapshot**: Shows best and worst FDR for teams (Arsenal, Brentford, Crystal Palace FC).

A red arrow points from the 'Player Goals' section to the 'Player Assists' section.

On the right, there is a code editor window showing a JavaScript file named 'splice.js' with code for top players and their stats.

```

export const topPlayersObject = {
  goals: [
    {
      teamId: 17,
      teamIconUrl: "images/teams/1.png",
      playerId: 520,
      name: "Gabriel Jesus",
      amount: 5,
    },
    {
      teamId: 11,
      teamIconUrl: "images/teams/2.png",
      playerId: 198,
      name: "Heung-Min Son",
      amount: 4,
    },
  ],
  assists: [
    {
      teamId: 17,
      teamIconUrl: "images/teams/3.png",
      playerId: 114,
      name: "Chiquinho",
      amount: 4,
    },
    {
      teamId: 11,
      teamIconUrl: "images/teams/4.png",
      playerId: 198,
      name: "Emiliano Buendia",
      amount: 3,
    },
  ],
  points: [
    {
      teamId: 17,
      teamIconUrl: "images/teams/5.png",
      playerId: 114,
      name: "Heung-Min Son",
      amount: 39,
    },
    {
      teamId: 11,
      teamIconUrl: "images/teams/6.png",
      playerId: 198,
      name: "Raheem Sterling",
      amount: 31,
    },
  ],
}

```

Form

Header Naming - Instead of “Score” on the left, have an “Form” on the start of the form display

Left image - Figma design.

Right image - React app.

It should be as Figma design.

The comparison shows two versions of the same interface section:

- Figma Design (Left):** Shows 'Best Form' and 'Worst Form' panels. Each panel has a 'Form' header followed by a table of team names and their recent results (W, D, L).
- React App Implementation (Right):** Shows 'Score' and 'Team' headers. Below each header is a table of team names and their recent results (W, D, L).

BTW - Note that I do no that the “Score” is also in some (or most pages) in the Figma design.

But i've marked the page which should be source-of-truth with the following

In this page there are real data examples for panels:

- Team Imported
- Fixtures
- Top Transfers
- 5 Games momentum
- Form
- FDR Snapshot

Also - All panels headers are as in this page

The screenshot shows a navigation bar with 'team_imported' selected. Below it, other tabs are visible: Overview, Stats, Transfers, and FDR. The 'team_imported' panel has its own header ('team_imported') and contains data tables for teams and fixtures.


Also updated you in the Fiverr chat with it.

Sorry if it wasn't clear enough, kinda changing the “Score” to “Form” in all pages was a big huzzle for me.

=====

Page loading after login:

Is there a way to view the following screen which display an error while something doesn't load well after the sign?



=====

Landing page:

“For launching updates” text

This text shouldn't be in bold.

Figma:

Subscribe
for launching updates

Current:

Subscribe for launching updates

Mobile responsivness:

Landing page isn't similar to the Figma design:

There are two stuff i've noticed which aren't the same as the Figma design, while on mobile:

- Panels should become on top of the other (and not kept in a single row).
- “Submit” button should become smaller as the screen becomes smaller.

Figma:



Enhanced Stats

[Lorem ipsum dolor sit amet, consectetur](#)
[adipiscing elit. Penatibus fermentum, sit hac](#)
[lorem at phasellus venenatis pellentesque](#)
[Egestas eu non duis pellentesque](#)




FPL Teams Comparison

[Lorem ipsum dolor sit amet, consectetur](#)
[adipiscing elit. Penatibus fermentum, sit hac](#)
[lorem at phasellus venenatis pellentesque](#).
[Egestas eu non duis pellentesque](#)



Projected Points & Pricing

[Lorem ipsum dolor sit amet, consectetur](#)
[adipiscing elit. Penatibus fermentum, sit hac](#)
[lorem at phasellus venenatis pellentesque](#).
[Egestas eu non duis pellentesque](#)



While in Current React app:

A screenshot of a React application. At the top, there are browser controls for Dimensions: Responsive ▾ (400 x 638), 100% ▾, and No throttling ▾. Below the controls are three circular icons containing data visualizations: a bar chart with an upward arrow, a balance scale with two weights labeled A and B, and a bell curve with an upward arrow. Red arrows point from each icon to the main title. The main title is 'Enhanced FPL Teams Projected Stats Comparison Points & Pricing'. Below the title are three columns of placeholder text (Lorem ipsum dolor sit amet, consectetur adipiscing elit. Penatibus fermentum, sit hac lorem at phasellus).

for launching updates


Email address

Subscribe


- Link your team -> “Import your team” to be a bit more centralized.

If it's not too much of a problem, If you can make the “Icon + Import your team” row a bit more centered to the picture, it would be great.

Figma:



Current:



=====

General Coding stuff

- Some warnings are displayed while playing around:

```

Compiled with warnings.

src/components/main/Main.jsx
Line 22:6: React Hook useEffect has a missing dependency: 'dispatch'. Either include it or remove the dependency array react-hooks/exhaustive-deps

Search for the keywords to learn more about each warning.
To ignore, add // eslint-disable-next-line to the line before.

WARNING in src/components/main/Main.jsx
Line 22:6: React Hook useEffect has a missing dependency: 'dispatch'. Either include it or remove the dependency array react-hooks/exhaustive-deps

webpack compiled with 1 warning

```

```

src/components/main/Header.jsx
Line 55:6: React Hook useEffect has a missing dependency: 'closeDrop'. Either include it or remove the dependency array react-hooks/exhaustive-deps
Line 61:6: React Hook useEffect has a missing dependency: 'makeSticky'. Either include it or remove the dependency array react-hooks/exhaustive-deps

src/components/main/Main.jsx
Line 22:6: React Hook useEffect has a missing dependency: 'dispatch'. Either include it or remove the dependency array react-hooks/exhaustive-deps

src/components/main/manager/ManagerList.jsx
Line 31:6: React Hook React.useMemo has missing dependencies: 'month' and 'weekdays'. Either include them or remove the dependency array react-hooks/exhaustive-deps

WARNING in src/components/items/CountDown.jsx
Line 1:8: 'React' is defined but never used
no-unused-vars
Line 13:6: React Hook useEffect has a missing dependency: 'getTime'. Either include it or remove the dependency array react-hooks/exhaustive-deps

```

I don't really know / dig into how to reproduce those, but maybe those warnings will give you a hint?

[Using Redux createStore - which is a deperectaed method:](#)

I see that you have used a deprected function “createStore”, and I see it's recommended now to the “configureStore”.

If you do have some exprenecei with configureStore, is it possible to change it to be with “configureStore”?

```

128 export declare function createStore<S, A extends Action, Ext, StateExt>(
129   reducer: Reducer<S, A>,
130   preloadedState?: PreloadedState<S>,
131   enhancer?: StoreEnhancer<Ext>
132 ): Store<S & StateExt, A> & Ext
133
134 /**
135 * Creates a Redux store that holds the state tree.
136 *
137 * We recommend using `configureStore` from the
138 * `@reduxjs/toolkit` package**, which replaces `createStore`:
139 * https://redux.js.org/introduction/why-rtk-is-redux-today
140

```

