Before you start:

The computer has a special environment variable \$PATH to specify a set of directories where executable programs are located. On the command line type

echo \$PATH

to see which directories are currently in your PATH.

Some software tools for this exercise (e.g. velveth) are in /usr/bin which is already on your PATH. Other tools are stored in directories that are not on your path yet:

/local/prog/augustus/bin

/local/prog/braker

/local/prog/wgs-8.1/Linux-amd64/bin

To add these directories to the environment variable \$PATH, you need to edit a file in your home directory, named .profile (file name starts with a dot) In this file, add the following lines:

PATH=/local/prog/wgs-8.1/Linux-amd64/bin:\$PATH export PATH

You need one of these PATH=xxx/xxx:\$PATH lines for each software tool that you want to add.

Save the file, and close it.

After changing the file, type on the command line

source ~/.profile

Verify the changes to your path by typing

echo \$PATH

Executable programs like "runCA" are now available. To check this, type which runCA

If you install other tools (in progs nobackup in your home): same procedure.

The data for this exercise is stored in a tar archive:

http://www.bioinformatics.nl/courses/BIF-30806/docs/yeast.tgz

Use wget to download it to a directory on the server.

Type tar —xvzf yeast.tgz to unpack the tar archive.

Assembly, annotation, and mapping

Chromosome III of a specific yeast strain, which is often used in industrial biotechnology, CEN.PK 113-7D, was sequenced using an Illumina HiSeq. Paired-end sequencing of 300bp fragments resulted in read pairs of 101 bases each. The pairs are stored on corresponding lines in two files, "cenpk-chr3_1.fastq" and "cenpk-chr3_2.fastq". For this strain also some RNA was sequenced (CENPK RNA 1.fastq and CENPK RNA 2.fastq)

This particular strain, CEN.PK 113-7D, was used in an experiment in which cultures were evolved in the lab to find alternative transporters of lactic acid. To this end, the only known gene coding for a lactate transporter, Jen1, was knocked out and for 100 generations the cells best surviving on a medium containing lactate as a carbon source were selected. The resulting yeast strain *IMW004* was able to grow well on lactate. This strain was also sequenced, resulting in the files imw004-chr3_1.fastq and imw004-chr3_1.fastq.

Yeast is of course a well-studied model organism, so for *Saccharomyces cerevisiae* strain S288C, the reference genome of chromosome III (chr3.fasta) and annotation (chr3.gff) are available.

This assignment is **an invitation to explore and analyze** this yeast data set. You may design and implement a pipeline in Python to perform genome assembly and/or annotation and/or read mapping. Alternatively you can read some review papers.

1. Assembly

Assemble the genomic reads of CEN.PK 113-7D. Calculate the N50 size and index for this assembly. Try to improve the assembly, in terms of N50, by preprocessing the reads or changing parameters of the assembly tools. For example, what is the effect of the kmer size?

Assembly tools velvet wgs-assembler soapdenovo abyss

2. Annotation

Annotate one of your own assemblies or the reference genome of chr3. What is the output format that augustus produces? Try to visualize this data using the IGV. Can you find some genes with introns? How similar is your annotation to the reference annotation?

Annotation tools augustus braker1 tRNAscan

3. Mapping

Map the genomic reads of CEN.PK on your assembly or on the reference genome. Study the resulting SAM/BAM file. Do you understand the format? Try to visualize the data using IGV. Play around with samtools to generate some mapping statistics. What is the effect

Mapping tools bowtie2 bwa tophat

of the tool parameters? Try to map the RNA reads to the assembly, using tophat. Visualize these data also. What's the difference with the mapped genomic reads? How good is the correspondence between the annotation and the mapped RNA reads?

4. Reading (see Week 3&4 Literature on BlackBoard)

- Review NGS platforms
- Review assembly (GAGE and Assemblathon 2)
- Review annotation
- Review mapping