

A

View Model building

- Model building
 - Imports
 - import volumes
 - import atomic structure
 - import sequence
 - Preprocess map
 - xmipp3 - create 3d mask**
 - xmipp3 - local MonoRes
 - xmipp3 - localdeblur sharpening
 - xmipp3 - extract asymmetric unit
 - xmipp3 - deepEMhancer
 - Initial model
 - chimerax - model from template
 - Rigid fitting
 - phenix - dock in map
 - chimerax - rigid fit
 - Flexible fitting
 - ccp4 - coot refinement
 - ccp4 - refmac
 - phenix - real space refine
 - Validation
 - phenix - emringer
 - phenix - molprobtity
 - phenix - validation_cryoem
 - xmipp3 - validate fsc-q
 - Tools-Calculators
 - atomstructutils - operator
 - atomstructutils - convert_sym
 - phenix - superpose pdbs
 - chimerax - operate
 - chimerax - restore session
 - chimerax - contacts
 - chimerax - map subtraction
 - xmipp3 - map from atomic structure
 - Others
 - Exports
 - export to DB

B

Protocol Run: XmippProtCreateMask3D

Protocol: xmipp3 - create 3d mask Cite Help

Run

Run name xmipp3 - create 3d mask Comment

Run mode ☒ Continue ☐ Restart Host localhost

Use queue? ☐ Yes ☒ No

Wait for

Mask generation Postprocessing

Mask generation

Mask source Volume

Input volume

Operation Threshold

Threshold 0.0

Close Save Execute

Postprocessing

Remove small objects ☐ Yes ☒ No

Keep largest component ☐ Yes ☒ No

Symmetrize mask ☐ Yes ☒ No

Apply morphological operation ☒ Yes ☐ No

Operation dilation

Structural element size 1

Invert the mask ☐ Yes ☒ No

Smooth borders ☐ Yes ☒ No

Close Save Execute

C