

View Protocols SPA

- Protocols SPA
  - Imports
    - import movies
    - import micrographs
    - import particles
    - import volumes
    - more
  - Movies
  - Micrographs
    - CTF estimation
    - Preprocess
  - Particles
    - Picking
    - Extract
    - Preprocess
    - Filter
    - Mask
  - 2D
    - Alien
    - Classifu
  - 3D
    - Initial volume
    - Preprocess
    - Classifu
    - Refine
    - Postprocess
    - Analysis
      - Heterogeneity
      - Validation
      - Resolution
        - xmipp3 - local MonoRes
        - xmipp3 - local deepRes
        - xmipp3 - resolution 3D
        - xmipp3 - multiple fscs
        - xmipp3 - directional resolution 1
        - xmipp3 - local MonoTomo
        - relion - local resolution

Edit Copy Delete Bro

xmipp3 - high

xmipp3 - create 3d mas  
finishedxmipp3 - local deepRes  
finishedxmipp3 - crop/resize volumes res  
finished

Summary Methods Output Log

Input

inputVolume (from xmipp3

Mask (from xmipp3 - crea

Output

xmipp3 - local deepRes -&gt; resolution\_Volume

SUMMARY

Median resolution 4.43 Å,  
Highest resolution 2.98 Å, Lowest resolution 6.90 Å.



Protocol: xmipp3 - local deepRes

finished Cite Help

Run

Run name xmipp3 - local deepRes

Comment

Run mode ☒ Continue ☐ Restart

Host localhost

FGPU IDs 0

Use queue? ☐ Yes ☒ No

Wait for

Input

Input

Input Volume xmipp3 - highres angles&amp;shifts 2.outputVolume

Mask xmipp3 - create 3d mask.outputMask

Expected resolutions range ☒ 2.5Å - 13.0Å ☐ 1.5Å - 6.0Å

Close

Save

Execute

Volume (185 x 185 x 185, 1.00 Å/px)