

A

View **Model building**

- Model building
 - Imports
 - import volumes
 - import atomic structure
 - import sequence
 - Preprocess map
 - xmipp3 - create 3d mask
 - xmipp3 - local MonoRes**
 - xmipp3 - localdeblur sharpening
 - xmipp3 - extract unit cell
 - Initial model
 - chimera - model from template
 - Rigid fitting
 - powerfit_scipion - powerfit
 - chimera - chimera rigid fit
 - Flexible fitting
 - phenix - real space refine
 - ccp4 - coot refinement
 - ccp4 - refmac
 - Validation
 - phenix - emringer
 - phenix - molprobity
 - phenix - validation_cryoem
 - Tools-Calculators
 - phenix - superpose pdbs
 - atomstructutils - operator
 - atomstructutils - convert_sym
 - chimera - chimera operate
 - chimera - chimera restore session
 - chimera - contacts
 - Others
 - xmipp3 - 3d bionotes
 - Exports
 - export to EMDB

B

Protocol Run: XmippProtMonoRes

Protocol: xmipp3 - local MonoRes

Run

Run name: **xmipp3 - local MonoRes** Comment:

Run mode: ☒ Continue ☐ Restart Host: **localhost**

Parallel Threads: **4** Use queue? ☐ Yes ☒ No Wait for:

Expert Level: ☐ Normal ☒ Advanced

Input

Would you like to use half volumes? ☐ Yes ☒ No

Input Volume

Binary Mask

Extra parameters

Resolution Range (Å) High **0.0** Low Step

Significance **0.95**

Mask threshold **0.5**

Is the original premasked? ☐ Yes ☒ No

Filter input volume with local resolution? ☐ Yes ☒ No