# A Survey of Student Crisis Management and Mental Health Interventions in Education Through Virtual Reality and Educational Technology

## Abstract

This survey paper explores the integration of advanced technologies, such as virtual reality (VR), in education to enhance teacher preparedness and address student mental health issues, including depression. The research highlights the transformative potential of immersive learning experiences and educational technology in providing effective mental health interventions and crisis management strategies. Key sections include an overview of student crisis management, teacher training, mental health education, and the role of VR in education. The paper examines technological innovations in crisis detection, such as machine learning and multimodal data analysis, which improve diagnostic accuracy and intervention effectiveness. Additionally, the integration of VR in teacher training and mental health interventions is discussed, emphasizing its ability to create engaging and realistic learning environments. The survey underscores the importance of interdisciplinary approaches and technological advancements in developing comprehensive educational frameworks that address mental health challenges. Future research directions include enhancing model robustness, expanding demographic diversity, and exploring the long-term effects of VR in education. The findings suggest that advanced technologies hold significant promise for improving student mental health and educational practices, offering new opportunities for innovation and enhancement in the field.

## 1 Introduction

### 1.1 Structure of the Survey

This survey systematically explores the integration of advanced technologies in education, with a focus on student crisis management and mental health interventions. The paper begins with an **Introduction**, emphasizing the urgent need for technological integration to address mental health challenges in educational settings. The **Background and Definitions** section provides an overview of core concepts, including student crisis management, teacher training, mental health education, and the roles of virtual reality and educational technology, establishing a foundation for subsequent discussions.

The survey examines **Student Crisis Management**, analyzing strategies and interventions that utilize educational technology and virtual reality to enhance traditional methods. The following section on underscores the necessity of equipping educators with essential skills for managing student crises effectively. This analysis highlights the transformative potential of immersive learning technologies, particularly Virtual Reality (VR), which offers engaging experiences that support experiential learning and serve as a promising alternative to conventional teaching methods, especially in resource-limited contexts. The integration of VR in teacher education not only fosters skill development but also addresses challenges associated with traditional practices, thereby enhancing pedagogical effectiveness [1, 2, 3].

Figure 1: chapter structure

In the section on **Mental Health Education**, the survey investigates the incorporation of mental health topics into curricula and the supportive role of educational technology in this process. The subsequent section, **Virtual Reality and Immersive Learning in Education**, assesses the application of these technologies in mental health interventions and teacher training, emphasizing their transformative potential.

The discussion then transitions to , focusing on the integration of innovative technologies that provide effective mental health services and tools for early depression detection. This includes methodologies leveraging Large Language Models (LLMs) and eXplainable Artificial Intelligence (XAI) to interpret depressive symptoms expressed on social media, facilitating timely and personalized support. Moreover, multimodal frameworks and natural language processing techniques improve the accuracy of depression identification, while interactive systems promote user engagement and deliver tailored recommendations for mental well-being [4, 5, 6, 7, 8]. The survey concludes with a **Conclusion** that summarizes key findings and outlines future research directions and implications for educational policy and practice, highlighting the potential of advanced technologies to enhance student mental health and crisis management.The following sections are organized as shown in Figure 1.

## 2 Background and Definitions

### 2.1 Core Concepts in Student Crisis Management

Managing student crises effectively requires a multifaceted approach that includes early detection, timely intervention, and resolution of mental health issues like depression and anxiety. Accurate identification of such conditions often involves integrating multimodal data—audio, visual, and textual—given the limitations of traditional, subjective diagnostic methods [9]. Advanced technologies, such as machine learning algorithms, enhance diagnostic accuracy and reliability by objectively assessing mental health conditions, even in complex cases involving comorbidities like PTSD [10, 11].

The transition to virtual learning environments has introduced challenges such as increased stress and reduced clinical exposure [12]. Virtual Reality (VR) applications offer promising solutions by boosting motivation, reducing anxiety, and improving learning outcomes, though they must be carefully designed to ensure emotional engagement [13, 12]. Detecting high cognitive load in dynamic VR settings remains a significant challenge [14].

Distinguishing between similar emotional states, like sadness and depression, in textual data is challenging due to nuanced definitions [15]. Existing benchmarks often fail to differentiate these states accurately, necessitating improved models for better emotional classification [15]. A comprehensive approach to crisis management includes advanced diagnostic tools and innovative interventions, aiming to enhance student well-being and academic success by providing timely mental health support. The rapid progress in natural language processing and online cognitive behavioral therapy (iCBT) underscores the need for effective AI models in mental health care [16].

### 2.2 The Role of Advanced Technologies in Education

Advanced technologies are reshaping education by introducing innovative tools that enhance learning experiences. Virtual Reality (VR) offers immersive environments that simulate real-world scenarios, particularly beneficial in healthcare education for skill development and anxiety reduction [13]. During public health emergencies, VR facilitates novel mental health interventions, addressing depression through engaging methods [17]. The integration of deep reinforcement learning within VR environments provides personalized therapeutic recommendations, enhancing its potential [18]. Online self-help communities also benefit from these advancements, promoting open discussions on mental health [19].

Machine learning and deep learning technologies play a crucial role in mental health interventions, improving depression detection through multimodal data analysis [3]. Techniques like Mel Frequency Cepstral Coefficients (MFCCs) with Long Short-Term Memory (LSTM) architectures effectively capture speech patterns indicative of depression [20]. However, challenges such as insufficient teacher training and inadequate infrastructure hinder their widespread adoption [21].

VR also extends to emergency training scenarios, such as earthquake preparedness, providing controlled environments for practicing safety measures [22]. The development of virtual agents in teaching simulations, particularly in healthcare, incorporates affective elements into learning [13]. Additionally, using large language models (LLMs) to generate dynamic questionnaires offers an engaging approach to knowledge assessment [23].

The integration of advanced technologies in education is revolutionizing training methodologies, enhancing mental health interventions, and addressing educational challenges. As these technologies evolve, their educational application is expected to expand, fostering innovation and improvement. However, addressing challenges like inadequate teacher training and infrastructure is essential for realizing their full potential. Ongoing research is crucial to evaluate the pedagogical effectiveness of immersive technologies like VR and to overcome implementation barriers. Collaboration among educators and leveraging technological advancements can transform educational contexts, ultimately improving teaching and learning outcomes [2, 21, 24, 25, 26].

In recent years, the landscape of crisis management in educational settings has evolved significantly, necessitating a reevaluation of traditional diagnostic methods. These methods, while foundational, often exhibit limitations that hinder effective response strategies. As illustrated in Figure 2, the hierarchical structure of student crisis management categorizes these challenges alongside emerging technological innovations in crisis detection. This figure not only highlights the shortcomings of

3

conventional approaches but also underscores the pressing need for innovation in this field. Moreover, it showcases advancements in data analysis, machine learning applications, and the integration of virtual reality (VR) and augmented reality (AR) technologies, which collectively represent a transformative shift towards more effective crisis management solutions. By understanding this framework, educators and administrators can better navigate the complexities of student crises and implement more responsive strategies.



Figure 2: This figure illustrates the hierarchical structure of student crisis management, categorizing the challenges of traditional diagnostic methods and the technological innovations in crisis detection. It highlights the limitations of traditional approaches and the need for innovation, while showcasing advancements in data analysis, machine learning applications, and the use of VR and AR technologies.

## 3 Student Crisis Management

### 3.1 Challenges in Traditional Diagnostic Methods

Traditional diagnostic methods for student crises often depend on subjective self-reports and standardized clinical interviews, leading to inaccuracies due to symptom variability and potential misrepresentation. This issue is particularly acute in primary care settings, where early detection is vital; conventional assessment tools like self-report questionnaires frequently lack engagement and effectiveness [27]. The subjective nature of depression symptoms further complicates diagnosis, leaving many cases unrecognized or untreated [9].

Social stigma surrounding mental health presents a significant barrier, discouraging help-seeking behaviors and complicating the identification of those in need through online expressions [28]. This

stigma, combined with operational costs and a focus on specific disorders, limits the capacity of existing methods to address shared symptoms across various mental health conditions [29].

In educational contexts, these limitations are exacerbated by traditional methods' inability to engage students effectively, often resulting in frustration and suboptimal learning outcomes [13]. The challenge of assessing cognitive load in dynamic environments, such as multitasking in VR, underscores the inadequacy of traditional methods in capturing the complexities of student experiences [14]. Additionally, in-person evaluations, which are inherently subjective and reliant on patient reports, hinder consistency and objectivity [30].

These challenges are summarized in Figure 3, which illustrates the key challenges in traditional diagnostic methods, focusing on subjective self-reports, social stigma, and educational contexts, as identified in recent research literature. Such highlights emphasize the need for innovative diagnostic approaches that leverage advanced technologies for more accurate, reliable, and culturally sensitive assessments of student mental health. Innovations in AI, particularly through fine-tuned language models, are crucial for enhancing the accuracy of student crisis management strategies by facilitating early detection of concerning responses indicative of threats to a student's or others' safety. The integration of VR technology in psychological interventions during public health emergencies in universities has demonstrated enhanced awareness and response rates, significantly reducing the frequency of such emergencies [31, 32].



Figure 3: This figure illustrates the key challenges in traditional diagnostic methods, focusing on subjective self-reports, social stigma, and educational contexts, as identified in recent research literature.

## 3.2 Technological Innovations in Crisis Detection

Recent technological advancements have significantly improved the detection and management of student crises through sophisticated data analysis techniques and machine learning models. Traditional diagnostic methods, often reliant on direct feature extraction from audio signals, are enhanced by innovative multimodal data approaches. For instance, multimodal feature extraction and decision-level fusion, capturing audio, visual, and text features, have been shown to improve detection accuracy in identifying depression [30]. The Multimodal Mental Disorder Detection System (MMDDS), which integrates audio and video data to diagnose mental disorders by analyzing emotional expressions and speech patterns, exemplifies this enhancement [29].

Machine learning frameworks have been pivotal in classifying and detecting mental health states. The integration of machine learning with neuroimaging data to identify biomarkers for depression illustrates the potential of data-driven approaches in mental health diagnostics [33]. Additionally, Bidirectional Long Short-Term Memory (BiLSTM) networks have been proposed to improve depression and anxiety detection by processing text data more effectively [28]. However, systematic differences between datasets remain a challenge for traditional methods, often causing models to rely on spurious correlations [34]. The development of interpretable and interactive systems, such as Chat-Diagnose, which engages users in natural language dialogue, offers promising avenues for improving accuracy and user engagement in depression detection [8].

VR and AR technologies have emerged as valuable tools in mental health interventions. VR systems, such as those used in controlled skiing scenarios, adapt to user movement capabilities, providing immersive environments for physical and mental training [22]. Moreover, models incorporating

5

multimodal data significantly outperform those using single modalities in detecting psychological distress [35], emphasizing the importance of diverse data sources for comprehensive mental health assessments.

The integration of conversational agents, such as Perla, which allows users to express feelings in natural language, enhances engagement and potentially improves the accuracy of depression detection compared to standard questionnaires [27]. Additionally, the MFCC-based RNN framework has achieved an overall accuracy of 76.27% in detecting depression, demonstrating significant improvements over existing methods [20].

These technological innovations represent a paradigm shift in the detection and management of student crises, offering more accurate, reliable, and comprehensive tools for mental health assessment. As these technologies advance, they hold the potential to reshape educational environments by enabling timely and effective interventions for students experiencing crises, including threats of self-harm or violence, through AI-driven systems that accurately detect alarming responses. This evolution is further supported by the integration of Information and Communication Technologies (ICT), which can enhance teaching capabilities and improve crisis management in education, particularly during challenging contexts like the COVID-19 pandemic [32, 36, 21, 24, 25].

## 4 Teacher Training and Preparedness

The current educational environment requires robust teacher training, particularly in addressing student mental health complexities. Teachers often act as the initial support for students with mental health challenges, necessitating training that incorporates advanced methodologies like Natural Language Processing (NLP) and Process Knowledge-infused Learning (PK-iL) to improve early detection and intervention [37, 38]. These approaches enhance teachers' abilities to identify at-risk students by analyzing online communications for signs of depression and anxiety, equipping educators with essential tools to address diverse mental health needs effectively.

### 4.1 Integrating Advanced Technologies in Teacher Training

Integrating advanced technologies in teacher training is essential for equipping educators with skills to manage student mental health effectively. Virtual Reality (VR) platforms create immersive environments that evoke emotional responses, offering personalized treatment strategies and experiential learning opportunities [17]. These experiences allow teachers to refine their skills in controlled settings, enhancing real-world preparedness.

Machine learning methodologies, including Random Effects/Expectation Maximization (RE-EM) trees and Mixed Effects Random Forest (MERF), are pivotal in identifying variables that classify individuals at risk for depression, thereby improving predictive accuracy [39]. These data-driven approaches are complemented by structured evaluation frameworks focusing on model selection and feature engineering [11]. Deep learning techniques, such as Long Short-Term Memory (LSTM) models analyzing Mel Frequency Cepstral Coefficients (MFCCs), have been proposed to predict depression severity, providing educators with advanced assessment tools [20]. Models incorporating PHQ9 symptoms enhance generalizability compared to traditional models, offering more reliable diagnostic tools [34].

The integration of audio-visual information fusion systems enhances mental disorder detection, providing a comprehensive approach compared to traditional methods [29]. This multimodal data integration, supported by deep learning frameworks, improves diagnostic accuracy [40], enabling continuous assessment of psychological states and allowing educators to respond dynamically to students' needs [41].

Despite these advancements, challenges remain, including insufficient resources and infrastructure, as well as the psychological impacts of new technologies. Addressing these challenges is crucial for realizing the full potential of these innovations in teacher training [21]. Eye-tracking cognitive load detection methods offer insights into enhancing VR training experiences by providing real-time feedback on cognitive engagement [14].

Advanced technologies in teacher training equip educators with tools to manage student mental health issues, fostering a more informed educational environment. As these technologies evolve, their

integration into training programs is expected to broaden, paving the way for innovative approaches in mental health education and crisis management. For instance, advancements in NLP can improve the identification of at-risk students through textual data analysis, enabling more effective responses to mental health crises. Leveraging domain-specific knowledge bases can further enhance educator training, equipping them with skills to recognize early signs of mental health issues and implement timely interventions [37, 42].

## 4.2 Innovative Training Approaches and Their Impact

Innovative training methodologies have significantly transformed teacher preparedness in mental health education and crisis management. The Hierarchical Conditional Self-Attention Framework (HCSAF) enhances depression assessment by integrating questionnaire data with visual cues from video recordings, providing educators with nuanced insights for effective interventions [43].

Benchmarks like the Lost Mental Health Dataset are critical for advancing mental health research, providing reliable datasets that improve detection methods and enhance educator training in diagnostics [44]. The StreamBED training approach, employing embodied learning principles, engages participants in realistic scenarios to enhance understanding and retention of assessment techniques [45].

VR offers immersive and engaging learning experiences that surpass traditional methods, effectively engaging pre-service teachers and presenting a promising alternative to conventional educational practices [1]. This engagement is crucial for developing skills necessary to manage student mental health issues and crises effectively.

The integration of artificial intelligence (AI) in training methodologies, such as the chain-of-thought approach, enhances the accuracy of mental health diagnostics, establishing AI as a reliable tool in clinical practice [46]. Incorporating AI-driven tools in teacher training programs improves diagnostic capabilities and intervention strategies.

Challenges remain in integrating technology into educational settings, primarily due to the need to enhance teachers' knowledge and skills through targeted training and support [21]. Addressing these challenges is essential for fully realizing the potential of innovative training methodologies in improving teacher preparedness and effectiveness in managing student mental health crises.

As illustrated in Figure 4, which highlights key frameworks, AI integration, and the challenges faced in technology integration, the evolution of these technologies is expected to expand their impact on educational practices, offering new opportunities for innovation and enhancement in teacher training programs.



Figure 4: This figure illustrates the innovative training approaches in mental health education, highlighting key frameworks, AI integration, and the challenges faced in technology integration.

## 5 Mental Health Education

### 5.1 Curriculum Integration Strategies

Incorporating mental health education within academic curricula necessitates a comprehensive approach that leverages technological advancements and interdisciplinary methods to enhance mental

health literacy. The InterMind model, which involves family members in assessments, enriches educational frameworks by integrating diverse perspectives on patient conditions, thereby equipping students with essential tools for managing their mental well-being [47]. Explainable AI enhances clinician trust and usability in mental health applications, facilitating effective education by increasing transparency and fostering a deeper understanding of mental health issues [48]. Machine learning models analyzing large social media datasets provide timely insights into student mental health, offering educators new avenues for intervention [49].

Social media platforms such as Twitter, Facebook, and Reddit serve as valuable data sources for understanding mental health trends. Techniques proposed by Nadeem et al. utilize natural language processing to identify linguistic patterns associated with depression, offering an objective measure beyond traditional self-reports [50]. Real-time monitoring of mental health changes through social media analysis is increasingly advocated in educational curricula, promoting a dynamic approach to mental health education [51].

As illustrated in Figure 5, the integration strategies for mental health education within academic curricula highlight the use of technological innovations, social media analysis, and interdisciplinary methods. Advanced technologies, such as the FacialPulse framework, capture comprehensive facial expression data, facilitating early detection of concealed depression [52]. Moreover, research indicating that individuals with spatially diverse social networks are less likely to use antidepressants underscores the role of social connectivity in mental health education [53]. The proposed multimodal detection system, achieving state-of-the-art performance in diagnosing ADHD and depression, demonstrates cost-effectiveness and broader applicability compared to traditional methods [29].

Integrating mental health education requires a strategy that combines technological innovations with ethical considerations and interdisciplinary research. By implementing targeted strategies rooted in positive psychology and advanced data analysis techniques, educational institutions can foster environments that enhance students' mental well-being and equip them with skills to navigate future mental health challenges. This approach incorporates innovative tools such as virtual reality and natural language processing to effectively identify and address mental health needs [37, 54, 55, 38].



Figure 5: This figure illustrates the integration strategies for mental health education within academic curricula, highlighting the use of technological innovations, social media analysis, and interdisciplinary methods.

## 5.2 Emotional and Cognitive Dimensions

Addressing the emotional and cognitive dimensions of mental health education is crucial for managing the complexities of mental health challenges faced by students. Physiological signals, including blood volume pulse (BVP) and heart rate variability (HRV), can be monitored through facial video analysis, offering non-intrusive methods to assess emotional states impacted by depression [56]. These indicators provide vital insights into students' emotional well-being, enabling educators to craft interventions that address both emotional and cognitive aspects of mental health.

Social media platforms offer extensive data for analyzing depressive symptoms expressed through figurative language, revealing insights into individuals' emotional and cognitive states [57]. Advanced natural language processing (NLP) techniques, particularly refined post-COVID-19, have improved depression modeling, emphasizing the need for ethical considerations in data collection and analysis

[58]. These advancements illustrate the potential of social media data for understanding emotional dimensions in mental health.

Behavioral indicators derived from body gestures further elucidate the emotional and cognitive dimensions relevant to mental health education. Such indicators inform educators about students' psychological distress, facilitating targeted interventions [59]. The integration of gait analysis in depression detection highlights the importance of recognizing emotional states, as gait alterations can indicate underlying disturbances [60].

Models with high predictive power, such as MSTPNet, allow for the identification of new depressive symptoms while considering their temporal aspects, providing a comprehensive understanding of cognitive dimensions in mental health [61]. Additionally, the use of topic attention modules in multimodal models enhances the retrieval of relevant samples, improving mental health assessment accuracy [62].

Machine learning and deep learning models, including BERT, have demonstrated high accuracy in predicting depression types from tweets, showcasing their potential in capturing emotional nuances [63]. Furthermore, analyzing transcribed speech recordings from discussions on mental health provides valuable insights into cognitive dimensions [4].

The clinical utility of random effects machine learning models in predicting depression severity underscores their potential to inform interventions aimed at reducing vulnerability to depression, emphasizing their relevance in educational contexts [39]. Exploring the emotional and cognitive dimensions in mental health education is essential for developing effective interventions that address the complexities of mental health issues. By leveraging advanced technologies and interdisciplinary approaches, educators can cultivate a supportive environment that promotes the emotional and cognitive well-being of students.

## 6 Virtual Reality and Immersive Learning in Education

### 6.1 Applications of VR in Mental Health Interventions

Virtual Reality (VR) represents a significant advancement in mental health interventions, providing immersive environments that enhance therapeutic processes and diagnostic capabilities. Research demonstrates that VR increases participant engagement and minimizes recall bias, surpassing traditional methods [17]. This ability to create engaging scenarios effectively addresses mental health challenges, promoting therapeutic involvement and mood relaxation [2]. The Interactive Virtual Reality Environment (IVRE) exemplifies how immersive scenarios can improve clinical skills by placing students in realistic situations [2], highlighting VR's role in simulating real-life conditions to facilitate mental health interventions [64].

VR applications are expanding into innovative areas, such as using motion sensor data to predict depression. Models like TempPNet not only predict depressive symptoms but also visualize their progression, enabling clinicians to tailor interventions [65]. This comprehensive framework enhances understanding of mental health conditions [66]. VR's versatility in mental health care is evident in its facilitation of various engagement stages, including direct communication, games, and asynchronous online interactions, allowing for personalized mental health care [67]. This strategy enhances the delivery of effective mental health care [68].

Integrating VR with artificial intelligence (AI) amplifies its therapeutic capabilities. The ProKnow-algo system illustrates how AI enhances VR interventions, making them safer and more clinically relevant [68], thereby broadening access to mental health care and improving outcomes. However, challenges remain in resource-limited settings [1]. Establishing standardized evaluation criteria is crucial for ensuring consistent effectiveness across diverse populations [26]. Additionally, integrating visual cues with textual analysis enhances the reliability of depression indicators [7].

### 6.2 Benefits of Immersive Learning Technologies

Immersive learning technologies, particularly VR, offer substantial advantages in educational contexts by creating realistic, engaging, and interactive environments that enhance learning outcomes. VR provides an immersive and relaxing experience, often more effective than traditional relaxation techniques [69], fostering experiential learning without real-world consequences and allowing for

9

personalized educational experiences [13]. The Virtual Reality for Enhancing Social Skills (VRESS) system demonstrates VR's capacity for high ecological validity and user engagement, making it a valuable tool for enhancing social skills in adults with Autism Spectrum Disorder (ASD) [70], highlighting its broad applicability in addressing varied educational needs and promoting cognitive and social skill development.

As illustrated in Figure 6, the hierarchical structure of immersive learning technologies underscores the central role of VR in education, the integration of multimodal data, and the enrichment of clinical contexts. This visual representation showcases the potential of these technologies to enhance educational outcomes and address diverse learning needs. Immersive technologies excel in integrating multiple modalities, such as verbal and non-verbal signals, to enhance mental health assessments. The fusion of audio and video data through novel methods captures emotional cues more accurately, improving diagnostic precision. This multimodal approach is essential for developing comprehensive educational tools that meet the complex needs of learners by incorporating diverse data types—visual, textual, and interaction data—into tailored interventions [37, 7, 32]. Moreover, immersive technologies facilitate the generation of demographic-sensitive mental health data through large language models (LLMs), aiding in bias detection and ensuring equitable educational interventions [71], crucial for creating responsive learning environments that address diverse student backgrounds.

The DTD Feature Span Extraction Model exemplifies the effectiveness of utilizing rich contextual information in clinical narratives, often overlooked by traditional structured data approaches [72]. This underscores the potential of immersive technologies to enrich educational content by incorporating complex, real-world contexts into the learning experience. Integrating immersive learning technologies, particularly VR, in educational settings enhances student engagement, diagnostic accuracy, and transformative learning experiences. VR facilitates interactive and experiential learning, beneficial in fields like healthcare and teacher education, aiding skill acquisition and retention. It addresses challenges associated with traditional learning methods, offering innovative solutions to overcome limitations like costly field trips or synchronous online learning formats. As research continues to validate VR's pedagogical effectiveness, its potential to revolutionize educational practices becomes clear, paving the way for more equitable and inclusive learning environments [1, 26, 2]. As these technologies evolve, their integration into educational practices is likely to expand, creating new opportunities for innovation and improvement across various educational contexts.



Figure 6: This figure illustrates the hierarchical structure of immersive learning technologies, emphasizing VR's role in education, the integration of multimodal data, and the enrichment of clinical contexts, showcasing their potential to enhance educational outcomes and address diverse learning needs.

## 7 Educational Technology and Mental Health Interventions

### 7.1 Innovative Technologies for Mental Health Services

Recent technological advancements have revolutionized mental health service delivery by integrating diverse data sources and analytical techniques. The fusion of graph-based features with audio and text analyses has significantly enhanced depression detection accuracy, underscoring the efficacy of hybrid architectures in mental health assessments [73]. This approach emphasizes the importance of combining multiple data modalities for improved diagnostic precision.

Open-source toolkits, such as the Language-Based Mental Health Assessment (LBMHA) pipeline, enable researchers to extract mental health insights from language data, facilitating the exploration of language patterns linked to mental health conditions and informing early detection strategies [74]. The use of self-attention mechanisms in assessments, particularly through integrating question-wise video recordings with Self-Depression Scale (SDS) evaluations, enhances diagnostic accuracy by prioritizing relevant information and reducing redundancy [75].

Deep knowledge infusion techniques, exemplified by Knowledge-Infused Neural Networks (KiNN), offer superior performance in depression detection while providing meaningful user-level explanations, crucial for fostering trust in AI-driven assessments and ensuring ethical clinical integration [41]. Social network data also serves as a valuable resource for early detection, utilizing interaction patterns to identify warning signs and enabling timely interventions [76].

Advanced neuroimaging techniques, such as real-time functional MRI combined with EEG neurofeedback (rtfMRI-EEG-nf), enhance therapeutic interventions by improving emotion regulation and providing insights into neural mechanisms associated with mental health conditions [77, 7]. High-quality datasets for preemptive detection in social media contribute significantly to developing robust detection models [7]. Mobile applications, like TempPNet, illustrate practical applications by alerting healthcare providers to early signs of depression, facilitating proactive interventions [8].

Establishing benchmarks for evaluating AI-based models in depression screening using speech data provides a standardized framework for assessing model effectiveness across interaction scenarios, emphasizing the significance of speech features in accurately identifying depression severity [37, 78, 4]. AI-powered Virtual Mental Health Assistants (VMHAs) enhance diagnostic processes by offering personalized support, improving the overall effectiveness of interventions [27].

Collectively, these technological advancements transform mental health services by integrating diverse data sources, enhancing diagnostic accuracy through multimodal frameworks, and providing real-time monitoring that facilitates timely and personalized support, ultimately fostering improved health outcomes and enabling early interventions [79, 6, 7, 29].

Figure 7 illustrates the categorization of innovative technologies in mental health services, focusing on data integration methods, multimodal frameworks, and AI application tools. Each category highlights specific approaches and tools that contribute to improved diagnostic accuracy and personalized support in mental health services.



Figure 7: This figure illustrates the categorization of innovative technologies in mental health services, focusing on data integration methods, multimodal frameworks, and AI application tools. Each category highlights specific approaches and tools that contribute to improved diagnostic accuracy and personalized support in mental health services.

## 7.2 Technological Tools for Depression Detection

The development of technological tools for depression detection has significantly advanced the identification and management of mental health disorders through innovative data-driven approaches. Emerging technologies, such as wireless EEG caps and mobile applications, provide continuous, non-intrusive monitoring of psychological states, facilitating real-time depression risk assessment through user-generated content [30? ]. Table 1 provides a comprehensive summary of the technological

11

| Method Name | Data Modalities | Technological Integration | Analytical Methods |
|---|---|---|---|
| FMRIO[52] | Facial Micro-expressions | Mobile Devices | Deep Learning Architectures |
| TDCN[80] | Audio, Visual | - | Deep Learning Architectures |
| MOGAM[81] | Visual, Metadata | Graph Attention Model | Cross-attention Mechanism |
| POST[41] | - | - | Large Language Model |
| MFCC-RNN[20] | Audio Features | Mobile Applications | Deep Learning Architectures |
| PHQ9-DD[34] | Social Media Data | Phq9 Questionnaire | Symptom Detection Models |
| BiLSTM[28] | Text Data | - | Bilstm Networks |

Table 1: This table presents an overview of various technological methods employed in depression detection, highlighting the data modalities, technological integration, and analytical methods utilized by each approach. The methods range from the use of facial micro-expressions and audio features to social media data and text, showcasing the diversity in data collection and processing techniques. The table underscores the integration of advanced technologies such as deep learning architectures and graph attention models in enhancing the accuracy and efficacy of mental health assessments.

methods and analytical frameworks used for depression detection, illustrating the integration of diverse data modalities and cutting-edge technologies in this field.

The integration of multimodal datasets, including audio, visual, and text data, captures various behavioral cues related to depression, offering a comprehensive analytical framework [11]. The combination of audio, video, and text transcripts from clinical interviews, such as those in the DAIC-WOZ dataset, underscores technological advancements in diagnosing mental disorders. Deep learning architectures have proven effective in identifying complex patterns in audiovisual data, improving automatic depression estimation and showcasing the potential for effective multi-modal analysis in clinical settings.

Facial micro-expression recognition has emerged as a powerful diagnostic tool for concealed depression, emphasizing the effectiveness of recognizing specific regions of interest (ROIs) while ensuring privacy and enabling self-diagnosis [52]. The utilization of 2D facial landmarks and head-pose features further enhances these tools' capabilities, offering a non-invasive and cost-effective approach to mental health assessment [80].

In social media analysis, innovative approaches treat depression identification as a text-classification problem, focusing on tweet content rather than behavioral patterns, providing significant advantages over traditional diagnostic methods, including reduced costs and expedited identification of at-risk individuals. The application of multimodal object-oriented graph attention models (MOGAM) in detecting depression symptoms in vlogs exemplifies these tools' potential for early detection [81].

Moreover, integrating real-time tracking technologies enhances the relevance and effectiveness of diagnostic dialogues, offering a more interactive and responsive approach to mental health care [41]. Despite these advancements, challenges remain, such as the limited size of existing Speech Depression Recognition datasets, which restricts the training of robust models and can lead to inaccurate assessments [20]. Symptom detection models based on the PHQ9 questionnaire have been employed to enhance the generalizability of depression detection methods in social media contexts [34]. The effectiveness of the BiLSTM method, characterized by its ability to mitigate the vanishing gradient problem and capture long-term dependencies through bidirectional processing, further contributes to the accuracy of depression detection models [**?** ].

# 8 Conclusion

## 8.1 Future Directions and Research Implications

Advancing the integration of cutting-edge technologies in mental health and educational domains presents numerous opportunities for future research. A key focus should be on broadening the demographic representation in research samples to include diverse and intersectional identities, which will facilitate the creation of inclusive virtual human designs. This inclusivity is crucial for ensuring that VR and educational technologies are effective across varied populations. Enhancing emotion detection models by incorporating additional modalities such as video can improve the precision of depression diagnostics, thereby refining intervention strategies and influencing educational policy.

Further exploration into knowledge-based systems and emerging machine learning trends can enhance mental health assessments. Conducting rigorous experimental studies with larger cohorts that utilize

immersive VR technologies and advanced AI systems will bolster interactive learning outcomes. These studies should extend to wider populations and explore applications in other healthcare training scenarios, providing valuable insights into the efficacy of these technologies. Emphasis should also be placed on enhancing model robustness and applicability across diverse groups, which holds significant policy implications.

Research should also delve into optimizing event-based task designs and understanding the long-term effects of VR on memory across diverse populations to maximize educational benefits. Expanding frameworks like ProKnow to address a wider array of mental health conditions can significantly impact educational practices. Additionally, understanding client preferences in therapy technology use, enhancing engagement methods, and balancing online and face-to-face interactions remain pivotal areas for investigation.

Exploring the versatility of the Multimodal Feature Fusion (MMFF) method across diagnostic applications beyond depression is essential. Further research into the long-term impacts of VR interventions and their applicability in various crisis management scenarios is warranted. Moreover, integrating VR therapy into standard mental health treatment protocols requires further exploration.

Finally, research should aim to include larger sample sizes, additional digital indicators, and consider the cultural contexts of social media usage to better understand their effects on adolescent well-being. These efforts will ensure the effectiveness and accessibility of advanced technologies, maximizing their impact on mental health interventions and educational practices. Investigating the scalability of platforms like StreamBED, multisensory interactions in VR training, and their applicability across citizen science projects will further enhance their utility. Prioritizing the development of VR infrastructure in education, creating culturally relevant content, and innovative training programs for educators will optimize the educational benefits of VR technologies.

# References

[1] Matthew Nyaaba, Bismark Nyaaba Akanzire, and Macharious Nabang. Virtual reality in teacher education: Insights from pre-service teachers in resource-limited regions, 2024.

[2] Monther M Elaish, Elaheh Yadegaridehkordi, and Yuh-Shan Ho. Publication performance and trends in virtual reality research in education fields: a bibliometric analysis. *Multimedia Tools and Applications*, pages 1–28, 2024.

[3] Francisco Javier Rocha Estrada, Jessica Alejandra Ruiz-Ramírez, Carlos Enrique George-Reyes, and Leonardo David Glasserman-Morales. Evaluation of a virtual campus adapted to web-based virtual reality spaces: Assessments of teachers and students. In *Frontiers in Education*, volume 7, page 918125. Frontiers Media SA, 2022.

[4] Yuezhou Zhang, Amos A Folarin, Judith Dineley, Pauline Conde, Valeria de Angel, Shaoxiong Sun, Yatharth Ranjan, Zulqarnain Rashid, Callum Stewart, Petroula Laiou, Heet Sankesara, Linglong Qian, Faith Matcham, Katie M White, Carolin Oetzmann, Femke Lamers, Sara Siddi, Sara Simblett, Björn W. Schuller, Srinivasan Vairavan, Til Wykes, Josep Maria Haro, Brenda WJH Penninx, Vaibhav A Narayan, Matthew Hotopf, Richard JB Dobson, Nicholas Cummins, and RADAR-CNS consortium. Identifying depression-related topics in smartphone-collected free-response speech recordings using an automatic speech recognition system and a deep learning topic model, 2023.

[5] Wenli Zhang, Jiaheng Xie, Zhu Zhang, and Xiang Liu. Depression detection using digital traces on social media: A knowledge-aware deep learning approach, 2023.

[6] Loris Belcastro, Riccardo Cantini, Fabrizio Marozzo, Domenico Talia, and Paolo Trunfio. Detecting mental disorder on social media: a chatgpt-augmented explainable approach, 2024.

[7] Amir Hossein Yazdavar, Mohammad Saeid Mahdavinejad, Goonmeet Bajaj, William Romine, Amirhassan Monadjemi, Krishnaprasad Thirunarayan, Amit Sheth, and Jyotishman Pathak. Fusing visual, textual and connectivity clues for studying mental health, 2019.

[8] Wei Qin, Zetong Chen, Lei Wang, Yunshi Lan, Weijieying Ren, and Richang Hong. Read, diagnose and chat: Towards explainable and interactive llms-augmented depression detection in social media, 2023.

[9] Ping-Cheng Wei, Kunyu Peng, Alina Roitberg, Kailun Yang, Jiaming Zhang, and Rainer Stiefelhagen. Multi-modal depression estimation based on sub-attentional fusion, 2022.

[10] Jinghui Qin, Changsong Liu, Tianchi Tang, Dahuang Liu, Minghao Wang, Qianying Huang, and Rumin Zhang. Mental-perceiver: Audio-textual multi-modal learning for estimating mental disorders, 2025.

[11] Giuliano Lorenzoni, Cristina Tavares, Nathalia Nascimento, Paulo Alencar, and Donald Cowan. Assessing ml classification algorithms and nlp techniques for depression detection: An experimental case study, 2024.

[12] Zengsong Huang, Deok-Hwan Choi, Bingsen Lai, Zhicheng Lu, and Haijun Tian. Metaverse-based virtual reality experience and endurance performance in sports economy: Mediating role of mental health and performance anxiety. *Frontiers in public health*, 10:991489, 2022.

[13] Linda Graf, Philipp Sykownik, Gertraud Gradl-Dietsch, and Maic Masuch. Towards believable and educational conversations with virtual patients. *Frontiers in Virtual Reality*, 5:1377210, 2024.

[14] Mahsa Nasri, Mehmet Kosa, Leanne Chukoskie, Mohsen Moghaddam, and Casper Harteveld. Exploring eye tracking to detect cognitive load in complex virtual reality training, 2024.

[15] Tiasa Singha Roy, Priyam Basu, Aman Priyanshu, and Rakshit Naidu. Interpretability of fine-grained classification of sadness and depression, 2022.

14

[16] Shaoxiong Sun, Amos A. Folarin, Yuezhou Zhang, Nicholas Cummins, Rafael Garcia-Dias, Callum Stewart, Yatharth Ranjan, Zulqarnain Rashid, Pauline Conde, Petroula Laiou, Heet Sankesara, Faith Matcham, Daniel Leightley, Katie M. White, Carolin Oetzmann, Alina Ivan, Femke Lamers, Sara Siddi, Sara Simblett, Raluca Nica, Aki Rintala, David C. Mohr, Inez Myin-Germeys, Til Wykes, Josep Maria Haro, Brenda W. J. H. Penninx, Srinivasan Vairavan, Vaibhav A. Narayan, Peter Annas, Matthew Hotopf, and Richard J. B. Dobson. Challenges in using mhealth data from smartphones and wearable devices to predict depression symptom severity: Retrospective analysis, 2023.

[17] Mohammad Waqas, Y Pawankumar Gururaj, V D Shanmukha Mitra, Sai Anirudh Karri, Raghu Reddy, and Syed Azeemuddin. Using virtual reality for detection and intervention of depression – a systematic literature review, 2024.

[18] Baihan Lin, Guillermo Cecchi, and Djallel Bouneffouf. Psychotherapy ai companion with reinforcement learning recommendations and interpretable policy dynamics, 2023.

[19] Virginia Morini, Salvatore Citraro, Elena Sajno, Maria Sansoni, Giuseppe Riva, Massimo Stella, and Giulio Rossetti. Who can help me? reconstructing users' psychological journeys in depression-related social media interactions, 2023.

[20] Emna Rejaibi, Ali Komaty, Fabrice Meriaudeau, Said Agrebi, and Alice Othmani. Mfcc-based recurrent neural network for automatic clinical depression recognition and assessment from speech, 2020.

[21] Oguzhan Atabek. Challenges in integrating technology into education, 2019.

[22] M. Neidhardt, S. Gerlach F. N. Schmidt, I. A. K. Fiedler, S. Grube, B. Busse, and A. Schlaefer. Vr-based body tracking to stimulate musculoskeletal training, 2023.

[23] Son Doan, Amanda Ritchart, Nicholas Perry, Juan D Chaparro, and Mike Conway. How do you relax when you're stressed? a content analysis and infodemiology study of stress-related tweets, 2019.

[24] Yiping Ma, Shiyu Hu, Xuchen Li, Yipei Wang, Shiqing Liu, and Kang Hao Cheong. Students rather than experts: A new ai for education pipeline to model more human-like and personalised early adolescences, 2024.

[25] Takaaki Fujita. Revitalizing education through ict: a short overview of japan's current landscape, 2023.

[26] Chaitanya Kumar Javvaji, Harshitha Reddy, Jayant D Vagha, Amar Taksande, Anirudh Kommareddy, Naramreddy sudheesh Reddy, and Anirudh Kommareddy Jr. Immersive innovations: exploring the diverse applications of virtual reality (vr) in healthcare. *Cureus*, 16(3), 2024.

[27] Raúl Arrabales. Perla: A conversational agent for depression screening in digital ecosystems. design, implementation and validation, 2021.

[28] Kuncahyo Setyo Nugroho, Ismail Akbar, Affi Nizar Suksmawati, and Istiadi. Deteksi depresi dan kecemasan pengguna twitter menggunakan bidirectional lstm, 2023.

[29] Yichun Li, Shuanglin Li, and Syed Mohsen Naqvi. A novel audio-visual information fusion system for mental disorders detection, 2024.

[30] Shubham Dham, Anirudh Sharma, and Abhinav Dhall. Depression scale recognition from audio, visual and text analysis, 2017.

[31] Feng Liu et al. Positive psychological intervention mechanism of vr technology in public health emergencies in universities. *International Journal of Frontiers in Sociology*, 3(6), 2021.

[32] Christopher M. Ormerod, Milan Patel, and Harry Wang. Using language models to detect alarming student responses, 2023.

[33] Milena Cukic Radenkovic. Machine learning approaches in detecting the depression from resting-state electroencephalogram (eeg): A review study, 2019.

[34] Thong Nguyen, Andrew Yates, Ayah Zirikly, Bart Desmet, and Arman Cohan. Improving the generalizability of depression detection by leveraging clinical questionnaires, 2022.

[35] Yongquan Hu, Shuning Zhang, Ting Dang, Hong Jia, Flora D. Salim, Wen Hu, and Aaron J. Quigley. Exploring large-scale language models to evaluate eeg-based multimodal data for mental health, 2024.

[36] Azadeh Akbari. A resilient ict4d approach to eco countries' education response during covid-19 pandemic, 2021.

[37] Sarthak Harne, Monjoy Narayan Choudhury, Madhav Rao, TK Srikanth, Seema Mehrotra, Apoorva Vashisht, Aarushi Basu, and Manjit Sodhi. Case: Efficient curricular data pre-training for building assistive psychology expert models, 2024.

[38] Kaushik Roy, Yuxin Zi, Manas Gaur, Jinendra Malekar, Qi Zhang, Vignesh Narayanan, and Amit Sheth. Process knowledge-infused learning for clinician-friendly explanations, 2023.

[39] Runa Bhaumik and Jonathan Stange. Using random effects machine learning algorithms to identify vulnerability to depression, 2023.

[40] Lang He, Mingyue Niu, Prayag Tiwari, Pekka Marttinen, Rui Su, Jiewei Jiang, Chenguang Guo, Hongyu Wang, Songtao Ding, Zhongmin Wang, Wei Dang, and Xiaoying Pan. Deep learning for depression recognition with audiovisual cues: A review, 2021.

[41] Yiyang Gu, Yougen Zhou, Qin Chen, Ningning Zhou, Jie Zhou, Aimin Zhou, and Liang He. Enhancing depression-diagnosis-oriented chat with psychological state tracking, 2024.

[42] Maryam Shahabikargar. Towards knowledge-based mining of mental disorder patterns from textual data, 2022.

[43] Wanqing Xie, Lizhong Liang, Yao Lu, Chen Wang, Jihong Shen, Hui Luo, and Xiaofeng Liu. Interpreting depression from question-wise long-term video recording of sds evaluation, 2021.

[44] Muskan Garg, Manas Gaur, Raxit Goswami, and Sunghwan Sohn. Lost: A mental health dataset of low self-esteem in reddit posts, 2023.

[45] Alina Striner and Jennifer Preece. Streambed: Training citizen scientists to make qualitative judgments using embodied virtual reality training, 2018.

[46] Elysia Shi, Adithri Manda, London Chowdhury, Runeema Arun, Kevin Zhu, and Michael Lam. Enhancing depression diagnosis with chain-of-thought prompting, 2024.

[47] Zhiyuan Zhou, Jilong Liu, Sanwang Wang, Shijie Hao, Yanrong Guo, and Richang Hong. Intermind: A doctor-patient-family interactive depression assessment system empowered by large language models, 2024.

[48] Eliseo Bao, Anxo Pérez, and Javier Parapar. Explainable depression symptom detection in social media, 2024.

[49] Danish Muzafar, Furqan Yaqub Khan, and Mubashir Qayoom. Machine learning algorithms for depression detection and their comparison, 2023.

[50] Moin Nadeem. Identifying depression on twitter, 2016.

[51] Jiageng Wu, Xian Wu, Yining Hua, Shixu Lin, Yefeng Zheng, and Jie Yang. Exploring social media for early detection of depression in covid-19 patients, 2023.

[52] Xiaohui Chen and Tie Luo. Catching elusive depression via facial micro-expression recognition, 2023.

[53] Balazs Lengyel, Gergo Toth, Nicholas A. Christakis, and Aniko Biro. Antidepressant use and spatial social capital, 2023.

[54] Sibo Yang, Lin Lin, and Xue Zhang. Adjustment method of college students' mental health based on data analysis under the background of positive psychology. *Frontiers in Psychology*, 13:921621, 2022.

[55] Hannah R. Lawrence, Renee A. Schneider, Susan B. Rubin, Maja J. Mataric, Daniel J. McDuff, and Megan Jones Bell. The opportunities and risks of large language models in mental health, 2024.

[56] Constantino Álvarez Casado, Manuel Lage Cañellas, and Miguel Bordallo López. Depression recognition using remote photoplethysmography from facial videos, 2022.

[57] Shweta Yadav, Jainish Chauhan, Joy Prakash Sain, Krishnaprasad Thirunarayan, Amit Sheth, and Jeremiah Schumm. Identifying depressive symptoms from tweets: Figurative language enabled multitask learning framework, 2020.

[58] Ana-Maria Bucur, Andreea-Codrina Moldovan, Krutika Parvatikar, Marcos Zampieri, Ashiqur R. KhudaBukhsh, and Liviu P. Dinu. On the state of nlp approaches to modeling depression in social media: A post-covid-19 outlook, 2024.

[59] Indigo J. D. Orton. Vision based body gesture meta features for affective computing, 2020.

[60] Jingjing Yang, Haifeng Lu, Chengming Li, Xiping Hu, and Bin Hu. Data augmentation for depression detection using skeleton-based gait information, 2022.

[61] Junwei Kuang, Jiaheng Xie, and Zhijun Yan. What symptoms and how long? an interpretable ai approach for depression detection in social media, 2023.

[62] Yanrong Guo, Chenyang Zhu, Shijie Hao, and Richang Hong. A topic-attentive transformer-based model for multimodal depression detection, 2022.

[63] Muhammad Osama Nusrat, Waseem Shahzad, and Saad Ahmed Jamal. Multi class depression detection through tweets using artificial intelligence, 2024.

[64] Sadia Saeed, Khan Bahadar Khan, Muhammad Abul Hassan, Abdul Qayyum, and Saba Salahuddin. Review on the role of virtual reality in reducing mental health diseases specifically stress, anxiety, and depression, 2024.

[65] Wanqing Xie, Lizhong Liang, Yao Lu, Hui Luo, and Xiaofeng Liu. Deep 3d-cnn for depression diagnosis with facial video recording of self-rating depression scale questionnaire, 2021.

[66] Kunyao Lan, Bingrui Jin, Zichen Zhu, Siyuan Chen, Shu Zhang, Kenny Q. Zhu, and Mengyue Wu. Depression diagnosis dialogue simulation: Self-improving psychiatrist with tertiary memory, 2024.

[67] David Coyle and Gavin Doherty. Supporting therapeutic relationships and communication about mental health, 2013.

[68] Kaushik Roy, Manas Gaur, Misagh Soltani, Vipula Rawte, Ashwin Kalyan, and Amit Sheth. Proknow: Process knowledge for safety constrained and explainable question generation for mental health diagnostic assistance, 2023.

[69] James Lewis and Benedikte Rorstad. Immersive vr as a tool to enhance relaxation for undergraduate students with the aim of reducing anxiety - a pilot study, 2019.

[70] Panagiotis Kourtesis, Evangelia-Chrysanthi Kouklari, Petros Roussos, Vasileios Mantas, Katerina Papanikolaou, Christos Skaloumbakas, and Artemios Pehlivanidis. Virtual reality training of social skills in autism spectrum disorder: An examination of acceptability, usability, user experience, social skills, and executive functions, 2023.

[71] Shinka Mori, Oana Ignat, Andrew Lee, and Rada Mihalcea. Towards algorithmic fidelity: Mental health representation across demographics in synthetic vs. human-generated data, 2024.

[72] Isabelle Lorge, Dan W. Joyce, Niall Taylor, Alejo Nevado-Holgado, Andrea Cipriani, and Andrey Kormilitzin. Detecting the clinical features of difficult-to-treat depression using synthetic data from large language models, 2024.

[73] Jiaqi Xu, Siyang Song, Keerthy Kusumam, Hatice Gunes, and Michel Valstar. Two-stage temporal modelling framework for video-based depression recognition using graph representation, 2021.

[74] Ziyi Chen, Ren Yang, Sunyang Fu, Nansu Zong, Hongfang Liu, and Ming Huang. Detecting reddit users with depression using a hybrid neural network sbert-cnn, 2024.

[75] Jiaxin Ye, Junping Zhang, and Hongming Shan. Depmamba: Progressive fusion mamba for multimodal depression detection, 2024.

[76] Xiaohang Xu, Hao Peng, Lichao Sun, Md Zakirul Alam Bhuiyan, Lianzhong Liu, and Lifang He. Fedmood: Federated learning on mobile health data for mood detection, 2021.

[77] Yan Shi, Yao Tian, Chengwei Tong, Chunyan Zhu, Qianqian Li, Mengzhu Zhang, Wei Zhao, Yong Liao, and Pengyuan Zhou. Detect depression from social networks with sentiment knowledge sharing, 2023.

[78] Yangbin Chen, Chenyang Xu, Chunfeng Liang, Yanbao Tao, and Chuan Shi. Speech-based clinical depression screening: An empirical study, 2024.

[79] Anja Thieme. Understanding the information needs and practices of human supporters of an online mental health intervention to inform machine learning applications, 2021.

[80] Yanrong Guo, Chenyang Zhu, Shijie Hao, and Richang Hong. Automatic depression detection via learning and fusing features from visual cues, 2022.

[81] Junyeop Cha, Seoyun Kim, Dongjae Kim, and Eunil Park. Mogam: A multimodal object-oriented graph attention model for depression detection, 2024.

18

**Disclaimer:**

SurveyX is an AI-powered system designed to automate the generation of surveys. While it aims to produce high-quality, coherent, and comprehensive surveys with accurate citations, the final output is derived from the AI's synthesis of pre-processed materials, which may contain limitations or inaccuracies. As such, the generated content should not be used for academic publication or formal submissions and must be independently reviewed and verified. The developers of SurveyX do not assume responsibility for any errors or consequences arising from the use of the generated surveys.