

Program x4toc5

Translation of experimental data from the EXFOR format to the computation format C5

by Viktor Zerkin

> Created: 1 June 2024 Last modified: 13 June 2024

PROGRAM x4toc5

(Version 2024-06-10)

Translation of experimental data from the EXFOR format to the computation format C5

Introduction

The x4toc5 program is designed to translate experimental data from the EXFOR format (which allows different units and flexible data order and therefore requires a lot of text analysis from a user's program) to a computation format with fixed units and numerical data columns (which is easy to read and interpret by user programs). Format C5 is built on the same basic concept as computational format C4 provided by the program X4TOC4¹², using the same data columns (1-132), EXFOR reaction data classification via MF.MT providing compatibility with ENDF³ data, etc. Program x4toc5 is written on java and provides important extensions of functionality and output data in C5 format: meta data, additional data columns, extended EXFOR data coverage, interpretation of uncertainties, various data recalculations, output options, etc.

# begin> #meta-data #	C5	
#meta-data C4 line: data values in fixed columns C4 line C4 line #meta-data	C4	C5 uncertainties columns
		C5 uncertainties columns
C4 line C4 line C4 line	C4	
#meta-data # <end></end>		

¹ Dermott E. Cullen and Andrej Trkov, Program X4TOC4, report IAEA-NDS-80, https://nds.iaea.org/publications/iaea-nds/iaea-nds-0080.pdf

² See also: EXFOR Formats Description for Uses, edited by Otto Schwerer, IAEA-NDS, https://www-nds.iaea.org/nrdc/nrdc_doc/iaea-nds-0206-200806.pdf#page=52

³ ENDF-6 Formats Manual, edited by D. A. Brown, 2023, NNDC, BNL, USA, https://www.nndc.bnl.gov/endfdocs/ENDF-102-2023.pdf

C5: extensions and compatibility versus C4

Initially, program x4toc5 was created in order to provide two extensions: statistical and systematical uncertainties (in new data columns) and some "meta-data" from EXFOR, like Reaction, Method, Version, Title, Reference, etc. (new lines in the text starting with symbol #). Core structure of data line was preserved from C4 in order to provide backward compatibility for existing end-user's software.

Later, functionality of x4toc5 was extended to generate correlation matrices on the basis of EXFOR uncertainties, recalculate data for inverse reactions, etc. C5 format was extended accordingly, but until now x4toc5 has an option (flag "-c4") to generate C4 formatted output.

Converting C5 file to C4 can also be done with simple Linux command:

\$ grep -v "^#" file.c5 | cut -b-131 >file.c4

Dictionaries

Program x4toc5 is built on general-purpose EXFOR Java package "zvv.x4" and uses EXFOR-CINDA Dictionaries (DICT_ARC_NEW.* files). In order to provide compatibility in data meaning and definitions with ENDF and X4TOC4, x4toc5 uses Dictionary EXFOR14A.DAT from X4TOC4 and extended table {EXFOR:SF*} \(\Limin \) ENDF:MF.MT.LR created by V.Pronyaev (2007). For the cases when search in both dictionaries failed, but measured quantity can be identified on the basis of EXFOR Dictionaries, x4toc5 can generate data with known MF and MT=0 (this feature can be deactivated by using flag "-nomt0").


C5 file structure

Logically, C5 consists of Datasets. Dataset is identified by <Subentry+Pointer> presenting data-table for single Reaction-code. All information taken from Entry and Subentry is nested into Dataset. In other words, there is no nesting level for Entry and Subentry - all information is repeated in each Dataset.

Structure of EXFOR file (simplified): [ENTRY: [SUBENT: [Pointer-Reaction: data-table]]].

Structure of C4 file: [SUBENT: [data-line]].

Structure of C5 file: [Datasets: [#meta-data], [data-line]].



C5 file is text file containing Begin-line, one or many Datasets (block of lines) and End-line.

- Begin-line contains "#Format-ID", date and time of file creation, and database time stamp.
- Dataset starts with "#DATASET" line, following with meta-data lines starting with "#", list of data-lines and ends with "#/DATASET" line. Optionally, file can contain covariance data block (running x4toc5 with flag "-c5m").
- End-line contains "#/Format-ID" and few numbers summary of content.

```
#C5M.2.3
                 20240610
                             132247
                                          20240529
#DATASET
                 23114002
                            20130924
                            20130924
#SUBENT
                 23114002
#ENTRY
                 23114
                             20170322
#ENTKY
             High resolution measurements of the 241Am(n,2n) C.Sage, V.Semkova, O.Bouland, P.Dessagne, A.Fernandez,
#AUTHORS
#AUTHOR1
               C.Sage+
           2010
ACTIV,GSPEC
95-AM-241(N,2N)95-AM-240,,SIG
#YEAR
#METHOD
#REACTION
. . . . Data-lines . . . .
. . . . . . . . . . . . .
#/C5DATA
                 23114002
#/DATASET
 . . . . . . . . . . .
 . . . Datasets . . .
#/C5M.2.3
```

Example of Dataset in C5M format (SUBENT 23114002)

```
#DATASET
                23114002
                           20130924
#SUBENT
                23114002
                           20130924
#ENTRY
                23114
                            20170322
#TITLE
                High resolution measurements of the 241\text{Am}(n,2n)
                 reaction cross section
                C.Sage, V.Semkova, O.Bouland, P.Dessagne, A.Fernandez,
#AUTHORS
                 F. Gunsing, C. Naestren, G. Noguere, H. Ottmar,
                 A.J.M. Plompen, P. Romain, G. Rudolf, J. Somers, F. Wastin
#AUTHOR1
                C.Sage+
                2010
#YEAR
#X4REF1
                J, PR/C, 81, 064604, 2010
#REFERENCE1
                Jour: Physical Review, Part C, Nuclear Physics, Vol.81, p.064604 (2010)
#DATE
                20130924
#INSTITUTE
                2FR SAC, 2ZZZGEL, 2FR CAD, 2FR STR, 3BULBLA, 1USALAS, 2ZZZITU, 2FR BRC
#METHOD
                ACTIV, GSPEC
#REACTION
                95-AM-241 (N, 2N) 95-AM-240, ,SIG
#C4Reaction
                (N,2N), SIG
#ReactionType
                CS
#MF
                3
#MT
                16
#PROJ
                1
#TARG
                95241
#TARGET
                95241
                                 [ ]
                                                 95-AM-241
                                                                  [ ]
#REAC1
                N, 2N
#PRODUCT
                95-AM-240
                (N,2N), SIG
#C4ReaCode
                Cross section
#Quantity
#DataUnits0
                В
#DataUnits
                ?
#D4REAC
                R0#
#ReaCombi
                а
#C4FOUND
                1
#C4BEGIN
                     1 95241 3 16 A 1
#DATA-HDR
                DATA
#VarFamily
                [0 2
#xVariables
                1
                Y = Y(X1)
#ReacRatio
                false
#vReacs
                1
#C5EXT1
                132
                             (4F9.0)
                                         dSys,dStat,dOther,dTot //Absolute fully correlated, uncerrelated, partially
correlated and total uncertainties
#C5EXT2
                168
                             (5F9.0)
                                         dSys,dStat,dOther,dTot,dData //Relative uncertainties (dData/Data) in per-cents
#C5DATA
```

```
#C.M.Flag
#Headers
                                            dEN
                                                                dData
                                   ΕN
                                                      Data
#Units
                                             ΕV
                             Data dData Cos/LO/ZP dCos/LO/AP LVL/HL dLVL/HL 178 Refer (YY)
#Proj Targ M MF MT PXC Energy dEnergy
                                                                                 EntrySubP dSys dStat dOther dTot
                                                                                                                dSys% dStat% dOther% dTot% dData%
--><---><---><----><----><---->
  1 95241 3 16 A 8340000.0 150000.0.09680001 0.006292
                                                                               (10)23114 2 0.00324680.0049368 0.001862 0.006292 3.35
                                                                 C.Sage,
                                                                                                                      5.10
                                                                                                                             1.92
                                                                                                                                   6.50
                                                                                                                                         6.50
  1 95241 3 16 A 9150000.0 150000.0 0.16290.0092853
                                                                               (10)23114 2 0.00535340.00671850.00313340.0092853 3.29
                                                                                                                                  5.70
                                                                                                                                         5.70
                                                                 C.Sage,
                                                                                                                      4.12
                                                                                                                            1.92
  1 95241 3 16 A 1.333E7 150000.0
                            0.24180.0111228
                                                                               (10) 23114 2 0.00787240.00655540.00393620.0111228 3.26
                                                                                                                                  4.60
                                                                                                                                         4.60
                                                                 C.Sage.
                                                                                                                      2.71
                                                                                                                            1.63
  1 95241 3 16 A 1.61E7 150000.0
                            0.15240.0070104
                                                                 C.Sage.
                                                                               (10) 23114 2 0.00500840.00357730.00308210.0070104 3.29
                                                                                                                      2.35
                                                                                                                            2.02
                                                                                                                                  4.60
                                                                                                                                         4.60
                            0.11610.0051084
                                                                                                                                  4.40
  1 95241 3 16 A 1.716E7 30000.0
                                                                 C.Sage.
                                                                               (10)23114 2 0.0038154 0.002125 0.0023480.0051084 3.29
                                                                                                                      1.83
                                                                                                                            2.02
                                                                                                                                         4.40
  1 95241 3 16 A 1.79E7 100000.0 0.10570.0046508
                                                                 C.Sage,
                                                                               (10)23114 2 0.0034945 0.0015960.00234690.0046508 3.31
                                                                                                                      1.51
                                                                                                                            2.22
  1 95241 3 16 A 1.936E7 150000.0 0.0895 0.007339
                                                                 C.Sage,
                                                                               (10)23114 2 .002941270.00602980.0027875 0.007339 3.29
                                                                                                                      6.74
                                                                                                                            3.11
                                                                                                                                  8.20
                                                                                                                                         8.20
  1 95241 3 16 A 1.995E7 70000.0
                            0.10210.0059218
                                                                               (10)23114 2 0.0033553 0.0022670.00419730.0059218 3.29
                                                                                                                      2.22
                                                                                                                                         5.80
                                                                 C.Sage,
                                                                                                                            4.11
                                                                                                                                  5.80
  1 95241 3 16 A 2.061E7 40000.0.077900010.0068552
                                                                 C.Sage,
                                                                               (10)23114 2 0.00256010.00473980.00421310.0068552 3.29
                                                                                                                                  8.80
#/C5DATA
                   0
#COVARIANCE
                   2
                                      Generated
#COMMENT
                 Default2. EXFOR software ver.2020-09-24, by V.Zerkin@iaea.org (IAEA-NDS)
#+
                 1) If only total uncertainties are given, assume uncertainties: statistical/systematic=50/50.
#+
                 2) Statistical uncertainties are added to covariance matrix as uncorrelated components
                 3) If Other uncertainties are not given (ALGORITHM=2): split total systematic uncertainties: fully/partially
correcated=50/50 (LERC/MERC)
                    else (ALGORITHM=3): assume total systematic uncertainties fully correlated (LERC), Other - partially correcated
(MERC)
                 4) LERC-correlated uncertainties are added to covariance matrix as fully correlated
                 5) MERC-correlated uncertainties are added as partially correlated using parameters:
#ALGORITHM
                                           100.
                                                       100.
                                                                    100.
                                                                                              8340000.0
                                                                                                           2.061E7
                                                                                                                        0.5
                             Groupping
                                          Stat.SERC
                                                       Sys.LERC
                                                                    Other.MERC Log/Lin
                                                                                              En-Min
                                                                                                           En-Max
                                                                                                                        Length
                Type
                1
#COVARDATA
#EnMin(eV) EnMax(eV)
                            Data(b)
                                           Std.dev.(%) Correlations(%)
#-----><---->< line length: unlimited....
8340000.
                                                           100
              8340000.
                            0.0968
                                           6.4
9150000.
             9150000.
                            0.1629
                                           5.61
                                                           40 100
1.333E7
             1.333E7
                            0.2418
                                           4.54
                                                           40 46 100
1.61E7
             1.61E7
                            0.1524
                                           4.52
                                                           38 43 61 100
1.716E7
             1.716E7
                            0.1161
                                           4.27
                                                           40 45 62 74 100
1.79E7
             1.79E7
                            0.1057
                                           4.26
                                                           41 45 60 73 81 100
1.936E7
              1.936E7
                            0.0895
                                           8.12
                                                           21 24 29 38 43 47 100
1.995E7
             1.995E7
                            0.1021
                                           5.71
                                                           30 34 41 54 63 70 48 100
2.061E7
                            0.0779
                                           8.78
                                                           20 22 27 35 42 47 34 61 100
              2.061E7
#/COVARDATA
#/COVARIANCE
#/DATASET
                   23114002
```

```
C5 extension.
Columns 1-131 are the same as in C4:
                                                                          C5 indicates center-of-mass flag for every data pair in
         1-5 Proj
                    Projectile ZA (e.g. for neutron=1, proton=1001)
                                                                          C5 line "#C.M.Flag" and C4 flag C in 22<sup>nd</sup> column
                    Target ZA (e.g. for 26-Fe-56=26056)
        6-11 Targ
                                                                                     C.M.Flag
                                                                                                                        E2
                                                                            Datasets
                                                                                                           Data
                                                                                                                 Cos
          12 M
                    Target metastable state (e.g. 26-FE-56m=M)
                                                                             113,539
                                                                                      0000
        3-15 MF
                    MF (ENDF conventions, plus additions)
                                                                                      0001
                                                                                               Ι
                                                                                123
                                                                                                                       C.M.
                    MT (ENDF conventions, plus additions)
       16-19 MT
                                                                                      0010
                                                                              6,444
                                                                                               Е
                                                                                                                 C.M.
          20 P
                    Product metastable state (e.g. 26-FE-56M=M)
                                                                                      0011
                                                                                 38
                                                                                               Μ
                                                                                                                 C.M.
                                                                                                                       C.M.
          21 X
                    EXFOR status
                                                                                947
                                                                                      0100
                                                                                               C
                                                                                                           C.M.
                                                                                      0101
                                                                                666
                                                                                               K
                                                                                                           C.M.
                                                                                                                       C.M.
          22 C
                    Center-of-mass flag (C=center-of-mass, blank=lab)
                                                                              15,653
                                                                                      0110
                                                                                               G
                                                                                                           C.M.
                                                                                                                 C.M.
      23-94
                    8 data fields (each in Fortran E9.3 format)
                                                                                286
                                                                                      0111
                                                                                               0
                                                                                                                 C.M.
                                                                                                           C.M.
                                                                                                                       C.M.
   1) 23-31 Energy Projectile incident energy
                                                                               1.811
                                                                                      1000
                                                                                                В
                                                                                                    C.M.
   2) 32-40 dEnergy Projectile incident energy uncertainty
                                                                                105
                                                                                      1010
                                                                                                F
                                                                                                    C.M.
                                                                                                                 C.M.
   3) 41-49 Data Data, e.g. cross section, angular distribution, etc.
                                                                                195
                                                                                      1100
                                                                                               D
                                                                                                    C.M.
                                                                                                           C.M.
   4) 50-58 dData Data uncertainty
                                                                                159
                                                                                      1101
                                                                                               \mathbf{L}
                                                                                                    C.M.
                                                                                                           C.M.
                                                                                                                       C.M.
                                                                                      1110
                                                                                               Η
                                                                                                    C.M.
                                                                                                           C.M.
                                                                                438
                                                                                                                 C.M.
   5) 59-67 Cos
                    Cosine or legendre order
                                                                             140,404 total
   6) 68-76 dCos Cosine uncertainty
                                                                          #Datasets: number of Datasets with the Flag in C5 file
   7) 77-85 Lvl
                    Identified by columns 95-97 (e.g. level E, half-life)
                                                                          generated from EXFOR-2024-05-29 (MT=0 excluded)
                   Identified by columns 95-97 (e.g. level E, uncertainty)
   8) 86-94 dLvl
      95-97 I78
                    Identification of data fields 7 and 8 (LVL=level energy, LVN=level number, HL=half-life,
                    E2=energy of outgoing particle, EXC=excitation energy, QVL=Q value, TMS=sample temperature,
                    THS= sample thickness, etc.)
     98-122 Refer Reference (first author and year)
    123-127 Entry EXFOR Entry (accession number)
    128-130 Sub
                    Subent (sub-accession number)
                    Pointer (multi-dimension table flag)
        131 P
#Proj Targ M MF MT PXC Energy dEnergy
                                           Data dData Cos/LO/ZP dCos/LO/AP LVL/HL dLVL/HL I78 Refer (YY)
                                                                                                                      EntrySubP
3 16 A 8340000.0 150000.0.09680001 0.006292
                                                                                                                   (10) 23114
                                                                                              C.Sage,
    1 95241
             3 16 A 9150000.0 150000.0
                                          0.16290.0092853
                                                                                                                   (10) 23114 2
                                                                                              C.Sage,
             3 16 A 1.333E7 150000.0
    1 95241
                                          0.24180.0111228
                                                                                              C.Sage,
                                                                                                                   (10)23114
    1 95241
             3 16 A
                       1.61E7 150000.0
                                          0.15240.0070104
                                                                                              C.Sage,
                                                                                                                   (10) 23114 2
    1 95241
             3 16 A
                      1.716E7 30000.0
                                          0.11610.0051084
                                                                                              C.Sage,
                                                                                                                   (10)23114
    1 95241
             3 16 A
                       1.79E7 100000.0
                                          0.10570.0046508
                                                                                              C.Sage,
                                                                                                                   (10) 23114 2
    1 95241
             3 16 A
                      1.936E7 150000.0
                                          0.0895 0.007339
                                                                                              C.Sage,
                                                                                                                   (10)23114
    1 95241
             3 16 A
                      1.995E7 70000.0
```

2

C.Sage,

C.Sage,

(10) 23114 2

(10) 23114 2

0.10210.0059218

2.061E7 40000.0.077900010.0068552

1 95241

3 16 A

Columns 132-212 contain detailed information about uncertainties:

```
132-140 dSys
                     fully correlated uncertainties (abs.)
141-149 dStat
                     uncorrelated uncertainties (abs.)
                     partially correlated uncertainties (abs.)
150-158 dOther
159-167 dTot
                     total uncertainties (abs.)
168-176 dSys%
                     fully correlated uncertainties (%)
                     uncorrelated uncertainties (%)
177-185 dStat%
                     partially correlated uncertainties (%)
186-194 dOther%
195-203 dTot%
                     total uncertainties (%)
204-212 dData%
                     data uncertainties (%)
```

Example: EXFOR 23114002.x4

```
ERR-ANALYS (ERR-T,,,P) Total uncertainty
           (MONIT-ERR,,,P) 27Al(n,a) standard x-section (1.6-5.4%)
           (ERR-1,,,U) Counting of 240Am activity
                                                          (1.4-6.3\%)
           (ERR-2,,,U) Counting of 24Na activity
                                                          (0.7-2.0\%)
           (ERR-3,,,F) Intensity of 240Am gamma line
                                                              (1.2%)
           (ERR-4,,,U) Number of 27Al in sample
                                                              (0.1%)
           (ERR-5,,,P) Number of 241Am in sample
                                                              (0.3%)
           (ERR-6,,,F) 24Na/240Am efficiency ratio
                                                              (3.0%)
           (ERR-7,,,F) Correction for decay of 240Am
                                                          (0.4-0.9\%)
           (ERR-8,,,U) Correction for secondary neutron
                                                             (<1.4%)
```

Example: 23114002.c5, columns 132-221

dSys	dStat	dOther	dTot	dSys%	dStat%	dOther%	dTot%	dData%
<>	<>	<>	<>	<>	·<>	<>	<>	<>
0.0032468	0.0049368	0.001862	0.006292	3.35	5.10	1.92	6.50	6.50
0.0053534	0.0067185	0.0031334	0.0092853	3.29	4.12	1.92	5.70	5.70
0.0078724	0.0065554	0.0039362	0.0111228	3.26	2.71	1.63	4.60	4.60
0.0050084	0.0035773	0.0030821	0.0070104	3.29	2.35	2.02	4.60	4.60
0.0038154	0.002125	0.002348	0.0051084	3.29	1.83	2.02	4.40	4.40
0.0034945	0.001596	0.0023469	0.0046508	3.31	1.51	2.22	4.40	4.40
.00294127	0.0060298	0.0027875	0.007339	3.29	6.74	3.11	8.20	8.20
0.0033553	0.002267	0.0041973	0.0059218	3.29	2.22	4.11	5.80	5.80
0.0025601	0.0047398	0.0042131	0.0068552	3.29	6.08	5.41	8.80	8.80

Program x4toc5

Translation of experimental data from the EXFOR format to the computation format C5

User's Guide

by Viktor Zerkin

> Created: 1 June 2024 Last modified: 13 June 2024

System environment and requirements

- 1) Operating systems: Windows, Linux, MacOS
- 2) JDK/JRE version-1.5 and higher (Java Development Kit/Java Runtime Environment)
- 3) Disk space ~100 MiB

Package distribution

The package distribution includes

- 1. Source codes in Java
- 2. Make files (bat and bash) for Windows/Linux/MacOS
- 3. Dictionaries in the format DICT ARC NEW
- 4. Test EXFOR files
- 5. Test scripts (bat and sh)
- 6. Plotting examples (Python + Plotly + scripts to run)
- 7. Test-results for checking/comparison by end-user

```
x4toc5
      help.txt
      LICENSE.TXT
      make1.bat
      make1.sh
      README.md
      README.md
   +---bin
          x4toc5.jar
   +---doc
          x4toc5.pdf
   +---src
         *.java
       | package-info.java
      +---x4dict
               DICT ARC.TOP
               DICT ARC NEW.*
   +---tests
           *.x4
          c5file.py
          c5line.py
          c5plot1sig.py
           c5subr.py
           levels.zip
           plot1.bat
           plot1.sh
           test1.bat
          test1.sh
          x4toc5.jar
   +---tests-result
          *.c5
           *.c5m
           *.html
           *.png
           test1.tto
           . . . .
```

1. Preparation steps

1.1. Install Java

```
Example for Linux-Ubuntu:
$ sudo apt-get install openjdk-8-jdk
-or-
$ sudo apt-get install default-jdk
```

1.2. Check and install Python3 and Plotly (optional)

```
Example for Linux-Ubuntu:
$ python3 --version
$ sudo apt-get install python3-pip
$ pip3 install plotly
```

1.3. Download and check package

Example for Linux-Ubuntu:

```
$ cd ~/x4toc5
$ du -hc --time --max-depth=1
   1008K   2024-06-10  11:40  ./bin
   83M    2024-06-10  11:58  ./tests-result
   5.6M   2024-06-10  12:25  ./src
   8.8M   2024-06-10  11:47  ./tests
   99M   2024-06-10  12:25  .
   99M   2024-06-10  12:25  total
```

1.4. Prepare RIPL-Levels for tests (optional, to be used with flag "-mt51")

```
Example for Linux-Ubuntu:
$ cd tests
```

\$ unzip levels.zip

1.5. Recompile source codes and prepare new JAR archive (optional)

```
Linux/MacOS:
$ bash make1.sh
Windows:
$ make1.bat
```

2. Run program

The code and Dictionaries are distributed as source and binary (JAR archive) files ready to run in any Java Virtual Machine. The program can run from JAR file or compiled and run from class files:

```
$ java -jar x4toc5.jar myexfor.x4
$ javac -d . *.java
$ java zvv.x4.x4toc5 myexfor.x4
```

2.1. Display help (running x4toc5 without input file)

```
$ java -jar x4toc5.jar
Translate EXFOR to C5 computational format
Program x4toc5, ver. 2024-06-10
V.Zerkin, IAEA, Vienna, 2010-2024
Run: $ java [flags] x4toc5 file.x4 [options]
Options:
  -o:file
              output file, default: file.x4.c5
  -dict:dir
              directory with EXFOR Dictionaries, default: -dict:x4dict/
  -dlvl:dir
              directory with levels,
                                                default: -dlvl:levels/
  -split:dir output C5 file for every Entry to a file in directory:
                 1/123/12345.c5
  -c5
              output format: C5 (default)
  -c5m
              output format: C5M (C5+correlation matrix)
  -c4
              output format: C4
              recalculate data to inverse reactions, e.g.:
                 6-C-13(A,N)8-O-16,,SIG --> 8-O-16(N,A)6-C-13,,SIG
                 2-HE-4(P,D)2-HE-3,,DA --> 2-HE-3(D,P)2-HE-4,,DA
              inverse data for the reactions listed in the file
  -i:file
              convert EN-CM, ANG-CM, DATA-CM from C.M. to Lab. (MF4 only)
  -cm2lab
  -norr
              do not convert DATA: Rutherford-Ratio to B/SR
  -noge
              do not replace Q-Value by E-Level for partial XS
  -mt51
              replace MT by MT+iLevel (for MT:51,601,651,701,751,801)
  -nomt0
              do not process Datasets with unknown MT
              sort data by independent variables (EN, AN, E2)
  -sort
             print this text
  -h[elp]
              show process
  -ps
              set debug mode
  -debug
Java flags:
  -Xmx<size> set maximum Java heap size
  -cp <paths> list of directories, JAR archives to search for class files
  -jar <path> file with binaries (archive of classes - compiled java codes)
Examples:
  $ java x4toc5 myfile.x4
  $ java x4toc5 x4.x4 -dict:x4dict/
  $ java -Xmx400M -jar x4toc5.jar x4.x4 -i -o:x4.x4.c5i
```

3. Run tests

3.1. Tests

- 1) Display help-info
- 2) Convert x4 to c5 with default options
- 3) Convert x4 to c5, split output by Entry
- 4) Convert x4 to c4
- 5) Inverse reaction data
- 6) Generate correlation matrix
- 7) Replace MT by MT+iLevel from RIPL-Levels for partial reactions
- 8) Keep Q-Value, i.e. do not replace by Energy-Level
- 9) Inverse reaction data for selected reaction
- 10) Convert C.M. to Lab system
- 11) Plotting Cross Sections

3.2.a) Linux/MacOS

```
$ cd ~/x4toc5/tests
$ bash test1.sh
... Confirm next test: Press <ENTER> ...
$ bash plot1.sh
... opens window in your Web-Browser ...
```

3.2.b) MS-Windows

```
Press <Win/R>, type cmd ..., press <ENTER>. You should get Terminal-window.
```

```
$ cd C:\x4toc5\tests
$ test1.bat
...Confirm next test: Press <ENTER> ...
$ plot1.bat
...opens window in your Web-Browser ...
```

3.3. Test results

Running test script, user should get new files in the "tests" directory with extensions .c5*.

Examples of output if provided in the directory "tests-result" for comparison and checking.

File *test1.tto* contains terminal output which shows what user should normally see on the terminal when test script is running correctly.

3.4. Plot results

If you have Python3 and Plotly installed, program *c5plot1sig.py* will open two tabs in your browser – see Fig.1, 2.




Fig.1. Data for reaction: 13-AL-27(N,A)11-NA-24,,SIG




Fig.2. Data for reaction: 8-O-16(N,A)6-C-13,,SIG and inverted 6-C-13(A,N)8-O-16,,SIG