(CL2005) Database Systems Lab Lab 12 Task MongoDB


1:


test> use P200086_4A switched to db P200086_4A P200086_4A>

2:

```
P200086_4A> db.createCollection("cities") { ok: 1 }
P200086_4A> db.createCollection("moviepeople_1000") { ok: 1 }
```

3:





4(2)

4(3)

```
P200086_4A> db.cities.updateMany( { country: "PK", "location.latitude": { $eq: 73.2122 } },{ $set:{ "p
opulation": "55000" }})
 acknowledged: true,
 insertedId: null,
 matchedCount: 1,
 modifiedCount: 1,
 upsertedCount: 0
P200086 4A>
P200086_4A>
P200086_4A>
P200086 4A>
P200086_4A> db.cities.find( { country: "PK", "location.latitude": { $eq: 73.2122 } })
    _id: ObjectId("628020d37c12a0493c61757b"),
    name: 'Malakwal City',
   country: 'PK',
timezone: 'Asia/Karachi',
    population: '55000',
    location: { longitude: 32.55492, latitude: 73.2122 }
```

6:

```
P200086_4A> db.cities.deleteMany(
... {
.... timezone:"Asia/Karachi",
.... country:"PK",
.... }
....)
{ acknowledged: true, deletedCount: 424 }
P200086_4A>
```

