


apexvarsity

 Follow



How to Change the Default ORDS Landing Page in Oracle APEX?

Quick ORDS Hack



Arun Mohan

Sep 23, 2025 •  2 min read

Table of contents

Before

After

Assumptions



The One-Liner Solution

Breaking Down the Path


Example

Why This Works

Quick Tips

References

Ever hit your domain and land on the default ORDS page instead of your APEX app? Here's a simple hack to fix that without touching your load balancer or proxy configs.



#oracleapex #ords #oracle #developertips #maathra #orclapex | Arun Mohan


How to Change the Default ORDS Landing Page in Oracle APEX? - Quick ORD...

www.linkedin.com

Before

[misdemo.maathradev.com](#)


[misdemo.maathradev.com](#)



After

[misdemo.maathradev.com](#) redirects to

[misdemo.maathradev.com/ords/r/mtc/demo/login](#) (APEX app landing page)





Assumptions

- ORDS is installed as a service on Oracle Linux (You can run in standalone mode also)
- ORDS is already configured and running
- Oracle APEX application is available and accessible
- You are using customer managed ORDS

The One-Liner Solution

COPY

```
ords config set misc.defaultPage r/mtc/demo/login
```

That's it. Restart ORDS and you're done.

Breaking Down the Path

The format is: `r/{workspace}/{app_alias}/{page_alias}`

- **mtc** = your workspace name
- **demo** = your application alias
- **login** = your landing page alias

Example

Let's say you want users to land directly on your sales dashboard:

COPY

```
sudo systemctl stop ords
sudo -iu oracle
ords config set misc.defaultPage r/sales/crm/dashboard
```

```
exit
```

```
sudo systemctl
```



Now when someone visits `yourdomain.com`, they go straight to your dashboard instead of the default ORDS page.

Why This Works

ORDS has a built-in configuration parameter `misc.defaultPage` that most people don't know about. Instead of setting up redirect rules elsewhere, you're just telling ORDS where to send users by default.

Quick Tips

- Make sure your page alias exists and is published
- Test in dev first
- You need to restart ORDS for changes to take effect

That's the hack. Simple, clean, and no infrastructure changes needed.

References

- <https://docs.oracle.com/en/database/oracle/oracle-rest-data-services/25.2/ordig/about-REST-configuration-files.html#GUID-006F916B-8594-4A78-B500-BB85F35C12A0>