
SENDGRID INTEGRATION WITH PYTHON CODE

Team ID	PNT2022TMID08239
Project Name	PERSONAL EXPENSE TRACKER
	APPLICATION

CREATING API KEYS



Config.ini

Sendmail.py

```
d Get Started
                sendmail.py X
🕏 sendmail.py > ...
     import configparser
      ssl._create_default_https_context = ssl._create_unverified_context
      from sendgrid import SendGridAPIClient
     from sendgrid.helpers.mail import Mail
      config = configParser()
      config.read("config.ini")
      def sendMailUsingSendGrid(API,from_email,to_emails,subject,html_content):
           if API!=None and from_email!=None and len(to_emails)>0:
              message = Mail(from_email, to_emails, subject, html_content)
                   sg = SendGridAPIClient(API)
                   response = sg.send(message)
                   print(response.status code)
                   print(response.body)
                  print(response.headers)
                  print(e.message)
      try:
          settings = config["SETTINGS"]
          settings = {}
          API = settings.get("APIKEY",None)
          from_email = settings.get("FROM",None)
to_emails = settings.get("TO","")
           subject = "Sample test message"
          html_content = "Message successfully sent through python sendgrid"
           sendMailUsingSendGrid(API,from_email,to_emails,subject,html_content)
```

Running the python file through terminal

```
PROBLEMS
          OUTPUT
                                   TERMINAL
                                              JUPYTER
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.
Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows
PS C:\Users\mahal\OneDrive\Desktop\bode> python sendmail.py
202
Server: mahal
Date: Sat, 12 Nov 2022 18:57:52 GMT
Content-Length: 0
Connection: close
X-Message-Id: HGEZFkgARU2yEtwrg9DZ4w
Access-Control-Allow-Origin: https://sendgrid.api-docs.io
Access-Control-Allow-Methods: POST
Access-Control-Allow-Headers: Authorization, Content-Type, On-behalf-of, x-sg -elas-acl
Access-Control-Max-Age: 600
X-No-CORS-Reason: https://sendgrid.com/docs/Classroom/Basics/API/cors.html
Strict-Transport-Security: max-age=600; includeSubDomains
PS C:\Users\mahal\OneDrive\Desktop\bode> [
```

Mail received

