

ASSIGNMENT-3

Assignment Date	11 NOVEMBER 2022
Student Name	Ms. ROHINI S
Student Roll Number	AC19UIT040
Maximum Marks	2 Marks

SIGNIN.HTML

```
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.1/dist/css/bootstrap.min.css"
>
  <script
src="https://cdn.jsdelivr.net/npm/jquery@3.6.0/dist/jquery.slim.min.js"></scri
pt>
  <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js"></s
cript>
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.1/dist/js/bootstrap.bundle.min
.js"></script>
<style>
body {font-family: Arial, Helvetica, sans-serif;
  background: #8e9eab; /* fallback for old browsers */
background: -webkit-linear-gradient(to right, #eef2f3, #8e9eab); /* Chrome
10-25, Safari 5.1-6 */
background: linear-gradient(to right, #eef2f3, #8e9eab); /* W3C, IE 10+/ Edge,
Firefox 16+, Chrome 26+, Opera 12+, Safari 7+ */}
form {
  background-color: #eef2f3;
  box-shadow: rgba(0, 0, 0, 0.24) 0px 3px 8px;
  border-radius: 10px;
}
h2{
  text-align: center;
```

```
    margin-top: 20px;
    font-size: 40px;
    font-weight: bolder;
}
input[type=text], input[type=password] {
    width: 100%;
    padding: 12px 20px;
    margin: 8px 0;
    display: inline-block;
    border: 1px solid #ccc;
    box-sizing: border-box;
    border: none;
    outline: none;
    border-radius: 30px;
    padding: 20px;
    margin-bottom: 25px;
}
label{
    font-size: 25px;
    padding: 10px;
}
#signin {
    padding: 10px 18px;

    border: none;
    cursor: pointer;
    width: 50%;
    border-radius: 20px;
    margin-bottom: 20px;
}

a{
    margin: 20px;
}

.container {
    padding: 20px;
}

#form-box{
    padding: 50px 200px;
}
.btns{
    text-align: center;
}

</style>
```

```

</head>
<body>
  <nav class="navbar navbar-expand-md bg-dark navbar-dark " >
    <a class="navbar-brand" href="#">INVENTORY</a>

    <!-- Toggler/collapsible Button -->
    <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#collapsibleNavbar">
      <span class="navbar-toggler-icon"></span>
    </button>

    <!-- Navbar links -->
    <div class="collapse navbar-collapse" id="collapsibleNavbar">
      <ul class="navbar-nav ">
        <li class="nav-item">
          <a class="nav-link" href="/home">Home</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="/about">About</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="/signin">Sign In/Up</a>
        </li>
      </ul>

    </div>
  </nav>
  <h2>Sign-in Form</h2>
  <div class="container" id="form-box">
    <form action="/action_page.php" method="post">

      <div class="container">
        <label for="uname"><b>Username</b></label>
        <input type="text" placeholder="Enter Username" name="uname" required>

        <label for="psw"><b>Password</b></label>
        <input type="password" placeholder="Enter Password" name="psw" required>
        <div class="btns">
          <button class="btn btn-primary" id="signin"
type="submit">Signin</button>
          <p>Don't have an account?</p>
          <a href="/signup" id="signup" role="button">Signup</a>

        </div>
      </div>

    </form>

```

```
</div>
</body>
</html>
```

INDEX.HTML

```
<!DOCTYPE html>
<head>
<title>Home Page</title>
<link rel="stylesheet" type="text/css" href="style.css">
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.1/dist/css/bootstrap.min.css"
>
  <script
src="https://cdn.jsdelivr.net/npm/jquery@3.6.0/dist/jquery.slim.min.js"></scri
pt>
  <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js"></s
cript>
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.1/dist/js/bootstrap.bundle.min
.js"></script>
<style>
  *{
    margin: 0;
    box-sizing: border-box;
  }
  body {
    font-family: Arial, Helvetica, sans-serif;
    margin: 0;
    background: #8e9eab; /* fallback for old browsers */
    background: -webkit-linear-gradient(to right, #eef2f3, #8e9eab); /* Chrome
10-25, Safari 5.1-6 */
    background: linear-gradient(to right, #eef2f3, #8e9eab); /* W3C, IE 10+/ Edge,
Firefox 16+, Chrome 26+, Opera 12+, Safari 7+ */
```

```

}

#header {

    text-align: center;

}

.header h1 {
    font-size: 50px;
}

#box{
    padding: 80px 100px;
    border: none;
    outline: none;
    width: 100%;
    background-color: #eef2f3;
    box-shadow: rgba(0, 0, 0, 0.24) 0px 3px 8px;

}

#btn{
    padding: 15px 40px;
    border: 5px solid rgb(177, 177, 177);
    font-size: 20px;
    border-radius: 10px;
    margin-left: 500px;}

a{
    margin: 20px;
}

</style>
</head>
<body>
    <nav class="navbar navbar-expand-md bg-dark navbar-dark " >
        <a class="navbar-brand" href="#">INVENTORY</a>

        <!-- Toggler/collapsible Button -->
        <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#collapsibleNavbar">
            <span class="navbar-toggler-icon"></span>
        </button>

        <!-- Navbar links -->
        <div class="collapse navbar-collapse" id="collapsibleNavbar">
            <ul class="navbar-nav ">
                <li class="nav-item">
                    <a class="nav-link" href="/home">Home</a>
                </li>

```

```

        <li class="nav-item">
            <a class="nav-link" href="/about">About</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="/signin">Sign In/Up</a>
        </li>
    </ul>
</div>
</nav>
<div class="container-fluid" id="header">

    <div class="container-fluid" id="box">
        <h1>Welcome to the Home Page!</h1>
    </div>
</div>
</body>
</html>

```

SIGNUP.HTML

```

<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.1/dist/css/bootstrap.min.css"
>
    <script
src="https://cdn.jsdelivr.net/npm/jquery@3.6.0/dist/jquery.slim.min.js"></scri
pt>
    <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js"></s
cript>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.1/dist/js/bootstrap.bundle.min
.js"></script>
<style>
body {font-family: Arial, Helvetica, sans-serif;
    background: #8e9eab; /* fallback for old browsers */
background: -webkit-linear-gradient(to right, #eef2f3, #8e9eab); /* Chrome
10-25, Safari 5.1-6 */
background: linear-gradient(to right, #eef2f3, #8e9eab); /* W3C, IE 10+/ Edge,
Firefox 16+, Chrome 26+, Opera 12+, Safari 7+ */}
form {
    background-color: #eef2f3;
    box-shadow: rgba(0, 0, 0, 0.24) 0px 3px 8px;
    border-radius: 10px;
}
h2{

```

```

    text-align: center;
    margin-top: 20px;
    font-size: 40px;
    font-weight: bolder;
}
input[type=text], input[type=password] , input[type=email]{
    width: 100%;
    padding: 12px 20px;
    margin: 8px 0;
    display: inline-block;
    border: 1px solid #ccc;
    box-sizing: border-box;
    border: none;
    outline: none;
    border-radius: 30px;
    padding: 20px;
    margin-bottom: 25px;
}
label{
    font-size: 25px;
    padding: 10px;
}
#signin {
    padding: 10px 18px;

    border: none;
    cursor: pointer;
    width: 50%;
    border-radius: 20px;
    margin-bottom: 20px;
}

a{
    margin: 20px;
}

.container {
    padding: 20px;
}

#form-box{
    padding: 50px 200px;
}
.btns{
    text-align: center;
}

```

```

</style>
</head>
<body>
  <nav class="navbar navbar-expand-md bg-dark navbar-dark " >
    <a class="navbar-brand" href="#">INVENTORY</a>

    <!-- Toggler/collapsible Button -->
    <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#collapsibleNavbar">
      <span class="navbar-toggler-icon"></span>
    </button>

    <!-- Navbar links -->
    <div class="collapse navbar-collapse" id="collapsibleNavbar">
      <ul class="navbar-nav ">
        <li class="nav-item">
          <a class="nav-link" href="/home">Home</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="/about">About</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="/signin">Sign In/Up</a>
        </li>
      </ul>

    </div>
  </nav>
  <h2>Sign-up Form</h2>
  <div class="container" id="form-box">
    <form action="/action_page.php" method="post">

    <div class="container">
      <label for="uname"><b>Username</b></label>
      <input type="text" placeholder="Enter Username" name="uname" required>

      <label for="mail"><b>Email</b></label>
      <input type="email" placeholder="Enter email" name="mail" required>

      <label for="psw"><b>Password</b></label>
      <input type="password" placeholder="Enter Password" name="psw" required>
      <div class="btns">
        <button class="btn btn-primary" id="signin"
type="submit">Signup</button>
        <p>Already have an account!</p>
        <a href="/signin" id="signup" role="button">Signin</a>

```



```
</div>
</div>

</form>
</div>
</body>
</html>
```

SIGNUP1.HTML

```
.modal {
  display: none; /* Hidden by default */
  position: fixed; /* Stay in place */
  z-index: 1; /* Sit on top */
  left: 0;
  top: 0;
  width: 100%; /* Full width */
  height: 100%; /* Full height */
  overflow: auto; /* Enable scroll if needed */

  padding-top: 10px;
}

/* Modal Content/Box */
.modal-content {
  background-color: #fefefe;
  margin: 5px auto; /* 15% from the top and centered */
  border: 1px solid #888;
  width: 80%; /* Could be more or less, depending on screen size */
}

/* The Close Button */
.close {
  /* Position it in the top right corner outside of the modal */
  position: absolute;
  right: 25px;
  top: 0;
  color: rgb(240, 232, 232);
}
```

```

    font-size: 35px;
    font-weight: bold;
}

/* Close button on hover */
.close:hover,
.close:focus {
    color: red;
    cursor: pointer;
}

/* Add Zoom Animation */
.animate {
    -webkit-animation: animatezoom 0.6s;
    animation: animatezoom 0.6s
}

@-webkit-keyframes animatezoom {
    from {-webkit-transform: scale(0)}
    to {-webkit-transform: scale(1)}
}

@keyframes animatezoom {
    from {transform: scale(0)}
    to {transform: scale(1)}
}

/* button{
padding: 18px 60px;
margin: 5px;
font-size: medium;
font-weight: bold;
border: none;
background: linear-gradient(90deg,#11998e,#38ef7d,#11998e);
border-style:double ;
border-radius: 15px;
} */

```

ABOUT .HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.1/dist/css/bootstrap.min.css"
>
  <script
src="https://cdn.jsdelivr.net/npm/jquery@3.6.0/dist/jquery.slim.min.js"></scri
pt>
  <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js"></s
cript>
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.1/dist/js/bootstrap.bundle.min
.js"></script>
  <title>ABOUT</title>
  <style>
    *{
      margin:0px;
      box-sizing: border-box;
    }
    body{
      font-family: Arial, Helvetica, sans-serif;
      margin: 0;
```

```

        background: #8e9eab; /* fallback for old browsers */
        background: -webkit-linear-gradient(to right, #eef2f3, #8e9eab); /*
Chrome 10-25, Safari 5.1-6 */
        background: linear-gradient(to right, #eef2f3, #8e9eab); /* W3C, IE 10+/
Edge, Firefox 16+, Chrome 26+, Opera 12+, Safari 7+ */

```

```

    }
    #about{
        margin-top: 50px;
    }
    h1{
        font-size: 60px;
    }
    p{
        font-size: 20px;
    }
    #cards{
        padding: 30px
    }
    .column{
        padding: 30px;
    }
    .card{
        border: none;
        box-shadow: rgba(0, 0, 0, 0.24) 0px 3px 8px;
    }
    button{
        margin-left: 100px;
        margin-top: 50px;
    }
    #home-btn{
        margin-top: 50px;
        margin-left: 100px;
        padding: 10px 30px;
        font-size: 30px;
    }
</style>
</head>
<body>

```

```

    <a href="/home" class="btn btn-dark stretched-link" id="home-btn">Home</a>
<div class="container-fluid" id="about">
    <h1>ABOUT US </h1>
    <p>Who are we and what we do.</p>
    <p>Resize the browser window to see that this page is responsive by the
way.</p>
</div>

```



```

        <a href="#" class="btn btn-primary stretched-link">See Profile</a>
    </div>
</div>
</div>

<div class="column">
    <div class="card" style="width:400px">
        
        <div class="card-body">
            <h4 class="card-title">Vaishnavi.A</h4>
            <h5 class="title">Team Member 3</h5><br>
            <p class="card-text">Software Engineer.<br>Manages storage and
data.</p><br>
            <p>vaishnavi@example.com</p><br>
            <a href="#" class="btn btn-primary stretched-link">See Profile</a>
        </div>
    </div>
</div>
<div class="column">
    <div class="card" style="width:400px">
        
        <div class="card-body">
            <h4 class="card-title">Giftlin priyanka.R</h4>
            <h5 class="title">Team Member 4</h5><br>
            <p class="card-text">Software Engineer.<br>Does back end
tasks.<br></p><br>
            <p>giflin@example.com</p><br>
            <a href="#" class="btn btn-primary stretched-link">See Profile</a>
        </div>
    </div>
</div>
</div>
</body>
</html>

```

STYLE.CSS

```
.modal {
  display: none; /* Hidden by default */
  position: fixed; /* Stay in place */
  z-index: 1; /* Sit on top */
  left: 0;
  top: 0;
  width: 100%; /* Full width */
  height: 100%; /* Full height */
  overflow: auto; /* Enable scroll if needed */

  padding-top: 10px;
}

/* Modal Content/Box */
.modal-content {
  background-color: #fefefe;
  margin: 5px auto; /* 15% from the top and centered */
  border: 1px solid #888;
  width: 80%; /* Could be more or less, depending on screen size */
}

/* The Close Button */
.close {
  /* Position it in the top right corner outside of the modal */
  position: absolute;
  right: 25px;
  top: 0;
```

```

    color: rgb(240, 232, 232);
    font-size: 35px;
    font-weight: bold;
}

/* Close button on hover */
.close:hover,
.close:focus {
    color: red;
    cursor: pointer;
}

/* Add Zoom Animation */
.animate {
    -webkit-animation: animatezoom 0.6s;
    animation: animatezoom 0.6s
}

@-webkit-keyframes animatezoom {
    from {-webkit-transform: scale(0)}
    to {-webkit-transform: scale(1)}
}

@keyframes animatezoom {
    from {transform: scale(0)}
    to {transform: scale(1)}
}

/* button{
    padding: 18px 60px;
    margin: 5px;
    font-size: medium;
    font-weight: bold;
    border: none;
    background: linear-gradient(90deg,#11998e,#38ef7d,#11998e);
    border-style:double ;
    border-radius: 15px;
} */

```