

ASSIGNMENT-3

Assignment Date	11 NOVEMBER 2022
Student Name	Vaishnavi A
Student Roll Number	AC19UIT049
Maximum Marks	2 Marks

SIGNIN.HTML

```
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.1/dist/css/bootstrap.min.css"
> <script
src="https://cdn.jsdelivr.net/npm/jquery@3.6.0/dist/jquery.slim.min.js"></scri
pt> <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js"></s
cript> <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.1/dist/js/bootstrap.bundle.min
.js"></script> <style>
body {font-family: Arial, Helvetica, sans-serif;
background: #8e9eab; /* fallback for old browsers */
background: -webkit-linear-gradient(to right, #eef2f3, #8e9eab); /* Chrome
10-25, Safari 5.1-6 */
background: linear-gradient(to right, #eef2f3, #8e9eab); /* W3C, IE 10+/ Edge,
Firefox 16+, Chrome 26+, Opera 12+, Safari 7+ */} form {
  background-color: #eef2f3;  box-shadow:
  rgba(0, 0, 0, 0.24) 0px 3px 8px;  border-
  radius: 10px;
} h2{  text-align:
center;  margin-top:
20px;  font-size:
40px;  font-weight:
bolder;
} input[type=text], input[type=password]
{  width: 100%;  padding: 12px 20px;
margin: 8px 0;  display: inline-block;
border: 1px solid #ccc;  box-sizing:
```

```

border-box; border: none; outline:
none; border-radius: 30px; padding:
20px; margin-bottom: 25px;
} label{ font-size:
25px; padding:
10px; } #signin {
padding: 10px 18px;
border: none;
cursor: pointer;
width: 50%; border-
radius: 20px;
margin-bottom: 20px;
}

a{ margin:
20px;
}

.container {
padding: 20px;
}
#form-box{ padding:
50px 200px;
} .btns{ text-
align: center;
}

</style>
</head>
<body>
<nav class="navbar navbar-expand-md bg-dark navbar-dark " >
  <a class="navbar-brand" href="#">INVENTORY</a>

  <!-- Toggler/collapsible Button -->
  <button class="navbar-toggler" type="button" data-toggle="collapse"
datatarget="#collapsibleNavbar">
    <span class="navbar-toggler-icon"></span>
  </button>

  <!-- Navbar links -->
  <div class="collapse navbar-collapse" id="collapsibleNavbar">
    <ul class="navbar-nav ">
      <li class="nav-item">
        <a class="nav-link" href="/home">Home</a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="/about">About</a>
      </li>
    </ul>
  </div>
</nav>

```

```

        <li class="nav-item">
            <a class="nav-link" href="/signin">Sign In/Up</a>
        </li>
    </ul>

</div>
</nav>
<h2>Sign-in Form</h2>
<div class="container" id="form-box">
<form action="/action_page.php" method="post">

    <div class="container">
        <label for="uname"><b>Username</b></label>
        <input type="text" placeholder="Enter Username" name="uname" required>
        <label for="psw"><b>Password</b></label>
        <input type="password" placeholder="Enter Password" name="psw" required>
    <div class="btns">
        <button class="btn btn-primary" id="signin"
type="submit">Signin</button>
        <p>Don't have an account?</p>
        <a href="/signup" id="signup" role="button">Signup</a>

    </div>
</div>

</form>
</div>
</body>
</html>

```

INDEX.HTML

```
<!DOCTYPE html>
```

```

<head>
<title>Home Page</title>
<link rel="stylesheet" type="text/css" href="style.css">
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.1/dist/css/bootstrap.min.css"
> <script
src="https://cdn.jsdelivr.net/npm/jquery@3.6.0/dist/jquery.slim.min.js"></scri
pt> <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js"></s
cript> <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.1/dist/js/bootstrap.bundle.min
.js"></script>
<style>   *{
margin: 0;
    box-sizing: border-box;
    } body
{
    font-family: Arial, Helvetica, sans-serif; margin: 0; background:
#8e9eab; /* fallback for old browsers */ background: -webkit-linear-
gradient(to right, #eef2f3, #8e9eab); /* Chrome
10-25, Safari 5.1-6 */
background: linear-gradient(to right, #eef2f3, #8e9eab); /* W3C, IE 10+/ Edge,
Firefox 16+, Chrome 26+, Opera 12+, Safari 7+ */
}

#header {    text-
align: center;

}
.header h1 {    font-
size: 50px;
}
#box{    padding: 80px 100px; border: none;
outline: none; width: 100%; background-
color: #eef2f3; box-shadow: rgba(0, 0, 0,
0.24) 0px 3px 8px;

} #btn{    padding: 15px 40px; border:
5px solid rgb(177, 177, 177); font-
size: 20px; border-radius: 10px;
margin-left: 500px;} a{
    margin: 20px;
}
</style>
</head>
<body>
    <nav class="navbar navbar-expand-md bg-dark navbar-dark " >
        <a class="navbar-brand" href="#">INVENTORY</a>

```

```

    <!-- Toggler/collapsible Button -->
    <button class="navbar-toggler" type="button" data-toggle="collapse"
datatarget="#collapsibleNavbar">
        <span class="navbar-toggler-icon"></span>
    </button>

    <!-- Navbar links -->
    <div class="collapse navbar-collapse" id="collapsibleNavbar">
        <ul class="navbar-nav ">
            <li class="nav-item">
                <a class="nav-link" href="/home">Home</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="/about">About</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="/signin">Sign In/Up</a>
            </li>
        </ul>
    </div>
</nav>
<div class="container-fluid" id="header">

    <div class="container-fluid" id="box">
        <h1>Welcome to the Home Page!</h1>
    </div>
</div>
</body>
</html>

```

SIGNUP.HTML

```

<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.1/dist/css/bootstrap.min.css"
> <script
src="https://cdn.jsdelivr.net/npm/jquery@3.6.0/dist/jquery.slim.min.js"></scri
pt> <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js"></s
cript> <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.1/dist/js/bootstrap.bundle.min
.js"></script> <style>
body {font-family: Arial, Helvetica, sans-serif; background: #8e9eab; /*
fallback for old browsers */ background: -webkit-linear-gradient(to right,
#eef2f3, #8e9eab); /* Chrome
10-25, Safari 5.1-6 */

```

```

background: linear-gradient(to right, #eef2f3, #8e9eab); /* W3C, IE 10+/ Edge,
Firefox 16+, Chrome 26+, Opera 12+, Safari 7+ */} form { background-color:
#eef2f3; box-shadow: rgba(0, 0, 0, 0.24) 0px 3px 8px; border-radius: 10px;
} h2{
text-
align
:
cente
r;
margin-top: 20px;
font-size: 40px;
font-weight: bolder;
} input[type=text], input[type=password] ,
input[type=email]{ width: 100%; padding: 12px 20px;
margin: 8px 0; display: inline-block; border: 1px solid
#ccc; box-sizing: border-box; border: none; outline:
none; border-radius: 30px; padding: 20px; margin-
bottom: 25px;
} label{ font-
size: 25px;
padding: 10px;
} #signin {
padding: 10px 18px;
border: none;
cursor: pointer;
width: 50%; border-
radius: 20px;
margin-bottom: 20px;
}

a{ margin:
20px;
}

.container {
padding: 20px;
}
#form-box{ padding:
50px 200px;
} .btns{
text-align: center;
}

</style>
</head>
<body>
<nav class="navbar navbar-expand-md bg-dark navbar-dark " >
<a class="navbar-brand" href="#">INVENTORY</a>

```

```

    <!-- Toggler/collapsible Button -->
    <button class="navbar-toggler" type="button" data-toggle="collapse"
datatarget="#collapsibleNavbar">
        <span class="navbar-toggler-icon"></span>
    </button>

    <!-- Navbar links -->
    <div class="collapse navbar-collapse" id="collapsibleNavbar">
        <ul class="navbar-nav ">
            <li class="nav-item">
                <a class="nav-link" href="/home">Home</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="/about">About</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="/signin">Sign In/Up</a>
            </li>
        </ul>

    </div>
</nav>
<h2>Sign-up Form</h2>
<div class="container" id="form-box">
<form action="/action_page.php" method="post">

    <div class="container">
        <label for="uname"><b>Username</b></label>
        <input type="text" placeholder="Enter Username" name="uname" required>
        <label for="mail"><b>Email</b></label>
        <input type="email" placeholder="Enter email" name="mail" required>

        <label for="psw"><b>Password</b></label>
        <input type="password" placeholder="Enter Password" name="psw" required>
    <div class="btns">
        <button class="btn btn-primary" id="signin"
type="submit">Signup</button>
        <p>Already have an account!</p>
        <a href="/signin" id="signup" role="button">Signin</a>

    </div>
</div>

</form>
</div>
</body>

```

</html>

SIGNUP1.HTML

```
.modal {  display: none; /* Hidden by
default */  position: fixed; /* Stay in
place */  z-index: 1; /* Sit on top */
left: 0;  top: 0;  width: 100%; /*
Full width */  height: 100%; /* Full
height */
    overflow: auto; /* Enable scroll if needed */
    padding-top:
10px;
}

/* Modal Content/Box */ .modal-
content {  background-color:
#fefefe;
    margin: 5px auto; /* 15% from the top and centered */  border:
1px solid #888;  width: 80%; /* Could be more or less, depending
on screen size */
}

/* The Close Button */
.close {
    /* Position it in the top right corner outside of the modal */
position: absolute;  right: 25px;  top: 0;  color: rgb(240,
232, 232);
    font-size: 35px; font-weight:
    bold;
}

/* Close button on hover */
.close:hover,
.close:focus {
color: red;  cursor:
pointer;
}

/* Add Zoom Animation */
```



```
.animate {
  -webkit-animation: animatezoom 0.6s;
  animation: animatezoom 0.6s
}

@-webkit-keyframes animatezoom {
  from {-webkit-transform: scale(0)}
  to {-webkit-transform: scale(1)}
}

@keyframes animatezoom {
  from {transform: scale(0)}
  to {transform: scale(1)}
}

/* button{ padding: 18px 60px; margin: 5px; font-size:
medium; font-weight: bold; border: none; background:
linear-gradient(90deg,#11998e,#38ef7d,#11998e); border-
style:double ; border-radius: 15px;
} */
```

ABOUT.HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.1/dist/css/bootstrap.min.css"
> <script
src="https://cdn.jsdelivr.net/npm/jquery@3.6.0/dist/jquery.slim.min.js"></scri
pt> <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js"></s
cript> <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.1/dist/js/bootstrap.bundle.min
.js"></script>
  <title>ABOUT</title>
  <style>    *{
margin:0px;
      box-sizing: border-box;
    }    body{      font-family: Arial,
Helvetica, sans-serif;      margin: 0;
      background: #8e9eab; /* fallback for old browsers */
      background: -webkit-linear-gradient(to right, #eef2f3, #8e9eab); /*
Chrome 10-25, Safari 5.1-6 */
      background: linear-gradient(to right, #eef2f3, #8e9eab); /* W3C, IE 10+/
Edge, Firefox 16+, Chrome 26+, Opera 12+, Safari 7+ */

    }
#about{
  margin-top: 50px;
}    h1{
font-size: 60px;
}    p{
font-size: 20px;
}    #cards{
padding: 30px
}    .column{
padding: 30px;
}    .card{      border: none;      box-
shadow: rgba(0, 0, 0, 0.24) 0px 3px 8px;
}    button{
margin-left: 100px;
margin-top: 50px;
}    #home-btn{
margin-top: 50px;
margin-left: 100px;
```

```

padding:10px 30px;
font-size: 30px;
}
</style>
</head>
<body>

    <a href="/home" class="btn btn-dark stretched-link" id="home-btn">Home</a>
<div class="container-fluid" id="about">
    <h1>ABOUT US </h1>
    <p>Who are we and what we do.</p>
    <p>Resize the browser window to see that this page is responsive by the
way.</p> </div>
    <h2 style="text-align:center">Our Team</h2>
    <div class="container-fluid" id="cards">
    <div class="row">
        <div class="column">
            <div class="card" style="width:400px;">
                

                <div class="card-body">
                    <h4 class="card-title">Rohini.S</h4>
                    <h5 class="title">Team Leader</h5><br>
                    <p class="card-text">Software Engineer<br>Assigns tasks to members
and manages the server.<br></p><br>
                    <p>rohini28@example.com</p><br>
                    <a href="#" class="btn btn-primary stretched-link">See Profile</a>
                </div>
            </div>
        </div>
        <div class="column">
            <div class="card" style="width:400px">
                
                <div class="card-body">
                    <h4 class="card-title">Divya.R</h4>
                    <h5 class="title">Team Member 1</h5><br>
                    <p class="card-text">Software Engineer<br>Does front end
tasks.<br></p><br>
                    <p>divya1521@example.com</p><br>
                    <a href="#" class="btn btn-primary stretched-link">See Profile</a>
                </div>
            </div>
        </div>
    </div>
    </div>

```



```
</body>
</html>
```

STYLE.CSS

```
.modal {  display: none; /* Hidden by
default */  position: fixed; /* Stay in
place */  z-index: 1; /* Sit on top */
left: 0;  top: 0;  width: 100%; /*
Full width */  height: 100%; /* Full
height */
    overflow: auto; /* Enable scroll if needed */
    padding-top:
10px;
}

/* Modal Content/Box */ .modal-content {  background-
color: #fefefe;  margin: 5px auto; /* 15% from the top
and centered */  border: 1px solid #888;
    width: 80%; /* Could be more or less, depending on screen size */
}
```

```

/* The Close Button */
.close {
    /* Position it in the top right corner outside of the modal */
    position: absolute; right: 25px; top: 0;
    color: rgb(240, 232, 232); font-size:
    35px;
    font-weight: bold;
}

/* Close button on hover */
.close:hover,
.close:focus {
    color: red; cursor:
    pointer;
}

/* Add Zoom Animation */
.animate {
    -webkit-animation: animatezoom 0.6s;
    animation: animatezoom 0.6s
}

@-webkit-keyframes animatezoom {
    from {-webkit-transform: scale(0)}
    to {-webkit-transform: scale(1)}
}

@keyframes animatezoom {
    from {transform: scale(0)}
    to {transform: scale(1)}
}

/* button{
padding: 18px 60px;
margin: 5px; font-
size: medium; font-
weight: bold;
border: none;
background: linear-gradient(90deg,#11998e,#38ef7d,#11998e);
border-style:double ; border-radius: 15px;
} */

```