PROJECT BASED EXPERIENTIAL LEARNING PROGRAM (NALAIYA THIRAN)

FERTILIZER RECOMMENDATION FOR DISEASE PREDICTION

Submitted by

GIRIHARAN R (111719106042)
GURUPRASAD A K (111719106046)
HARESH R (111719106048)
HARIPRASATH P (111719106050)

Team Id: PNT2022TMID16002

DEPARTMENT OF ELECTRONICS AND COMMUNICATION ENGINEERING

R.M.K. ENGINEERING COLLEGE

(An Autonomous Institution)

R.S.M. Nagar, Kavaraipettai-601206

ANNA UNIVERSITY: CHENNAI 600 025



NOVEMBER 2022



TABLE OF CONTENTS

1. INTRODUCTION

- 1.1 Project Overview
- 1.2 Purpose

2. LITERATURE SURVEY

- 2.1 Existing problem
- 2.2 References
- 2.3 Problem Statement Definition

3. IDEATION & PROPOSED SOLUTION

- 3.1 Empathy Map Canvas
- 3.2 Ideation & Brainstorming
- 3.3 Proposed Solution
- 3.4 Problem Solution fit

4. REQUIREMENT ANALYSIS

- 4.1 Functional requirement
- 4.2 Non-Functional requirements

5. PROJECT DESIGN

- 5.1 Data Flow Diagrams
- 5.2 Solution & Technical Architecture
- 5.3 User Stories

6. PROJECT PLANNING & SCHEDULING

- 6.1 Sprint Planning & Estimation
- 6.2 Sprint Delivery Schedule
- 6.3 Reports from JIRA

7. CODING & SOLUTIONING (Explain the features added in the project along

with code)

- 7.1 Feature 1
- 7.2 Feature 2
- 7.3 Database Schema (if Applicable)

8. TESTING

- 8.1 Test Cases
- 8.2 User Acceptance Testing

9. RESULTS

9.1 Performance Metrics

10.ADVANTAGES & DISADVANTAGES 11.CONCLUSION 12.FUTURE SCOPE 13.APPENDIX

Source Code

GitHub & Project Demo Link

1. INTRODUCTION

profit

1.1 PROJECT OVERVIEW

Fertilizer Recommendation system for disease Prediction is a simple ML and DL based website which recommends the best crop to grow, fertilizers to use and the diseases caught by your crops. PROBLEM STATEMENT In India, the agriculture industry is extremely vital and crucial for economic and social development and jobs. In India, the agricultural sectorprovides a living for almost 48% of the population. As per the 2019-2020 economic survey, an Indian farmer's median wage in 16 states is Rupees 2500. Most of the Indian population depends on agriculture for their livelihood. Agriculture gives an opportunity of employment to the village people to develop a country like India on large scale and give a push in the economic sector. The majority of farmers face the problem of planting an inappropriate crop for their land based on a conventional or nonscientific approach. This is achallenging task for a country like India, where agriculture feeds approximately 42% of the population. And the outcomes for the farmer of choosing the wrongcrop for land is moving

Modern Technology is enhancing and optimizing the performance of the Artificial Intelligences (AI) Model based crop yield disease prediction system and is helpful forfarmers to prevent the crop from various disease that can identify the disease within a process of capturing the Image at the plant and Machine Learning

towards metro city for livelihoods, suicide, quitting the agriculture

and give land on lease to industrialist or use for the non-agriculture

purpose. The outcome of wrong crop selection is less yield and less

Algorithm will give affected Disease Name. In this Project Milestone will be given the Best Solution for the farmer using the completely friendly and simple user interface using a web application to fetch the solution by own.

In addition to this, the process we planned is to add a valid module which is fertilizer recommendation for a specific disease. It can give both artificial fertilizer and natural fertilizer in suggestion.

1.2 PURPOSE

Agriculture is the most important sector in today's life. Most plants are affected by a wide variety of bacterial and fungal diseases. Diseases on plants placed a major constraint on the production and a major threat to food security. Hence, early and accurate identification of plant diseases is essential to ensure high quantity and best quality. In recent years, the number of diseases on plants and the degree of harm caused has increased due to the variation in pathogen varieties, changes in cultivation methods, and inadequate plant protection techniques

2. LITERATURE SURVEY

Sr.no	Name of researcher, Year of Publication	Paper title	Methodology Adopted / Modules Used	Observations Noted
1	Prof. Rakesh	Agriculture	1.Subscription	1. Android
	Shirsath, 2017	decision support	based system	app with a
		system using	2. ANN	login module
		data mining	3. Android	2. Previously
			application	planted crops
			4. Personalized	known to
			content	system
2	Ji-chun Zhao,			3. User
	Jian-xin Guo,			feedback
	2018	Big Data		mechanism
		Analysis	1.Inference	
		Technology	engine	


		Application in	2.Domain	4.
		Agricultural	expertise	Maintenance
				of crop.
3		Decision System	engineering	1
	Miftahul		4.Knowledge	
	Jannat		acquisition	1. Large
	Mokarrama,		module	database of
	2017		5.Knowledge	crops
			base for	2. Processed
			recommendation	using Hadoop
		RSF: A	system	3. Professional
4		Recommendation		knowledge
		System for	1.Location	4. Past
		Farmers	Detection	experiences
	S.Pudumalar,		2.Data analysis	5. Feature
	E.Ramanujam,		and storage	selection using
	2016		3.Similar	HDFS
			location	6. Future
			detection	Scope: Using
5			4.	Hadoop with
			Recommendation	Artificial
		Crop	generation	Neural
		Recommendation	module.	Networks.
	Yogesh	System for		
	Gandge,	Precision		1.
	Sandhya,	Agriculture		Physiographic,
	2017		1. Random tree	thermal, crop
			2. CHAID	growing
			3. KNN	period, crop
			4. Naïve Bayes	production
			5. WEKA tool	rate
				2. Seasonal
		A Study on		crop database
		Various Data		2. Similar
		Mining	1. Attribute	location
		Techniques for	selection	detection
		Crop Yield		
		Prediction		

2. Multiple	3. Generating
Linear	the set of
Regression	crops
3. Decision Tree	4. Similarity
using ID3	between the
4. SVM	crops planted
5. Neural	in a region
Networks	
6. C4.5	1. Pre-
	processing of
	data
	2. Handling
	missing and
	out-of-range
	values
	3. Feature
	extraction
	4. Ensemble
	model to get
	higher
	accuracy
	5. Rule
	generation
	Benerans
	1. Selection of
	agricultural
	field
	2. Selection of
	crop
	previously
	planted
	3. Input from
	user
	4. Preprocess
	5. Attribute
	Selection
<u> </u>	Beleetion

3. IDEATION & PROPOSED SOLUTION

3.1 EMPATHY MAP

An empathy map is used to gain deeper insights on the customer's interaction with the system. It gives an idea on what the user feels and experiences while using the system, what fears the user has respective to the system, etc. It also specifies how supportive the system environment is and what the users are likely to hear from the people around them regarding the usage of the system



3.2 IDEATION AND BRAIN STORMING

Ideation and Brainstorming are performed to generate ideas and solutions.Brainstorming is a group activity unlike ideation.



Brainstorm solo

Have each participant begin in the "solo brainstorm space" by silently brainstorming ideas and placing them into the template. This "silent-storming" avoids group-think and creates an inclusive environment for introverts and extroverts alike. Set a time limit. Encourage people to go for quantity.

10 minutes

GuruPrasad

Hariprasath

Giriharan

Haresh

Clear idea about disease prediction

Using optimized code to avoid complexity

The preprocessing of images must be appropriate even for unclear images

Data collected from the farmers by our application must maintain a particular database for that account

Machine learning models for processing the images

The prediction made by the Al model should meet the required criteria

The application
developed
should not only help
the
farmers but
also the students
persuing agriculture
degree

Flash,tenserflow, keras,numpy all the other libraries must be installed using pip command

CNN,deep learning must be the important concepts

User friendly application

Ferilizer
recommended must
be according to the
nutrents data
collected from the
plants

Fertilzer
recommended not
only make them
nutrient rich but
also more
resistant towards
the upcoming
disease



Brainstorm as a group

Have everyone move their ideas into the "group sharing space" within the template and have the team silently read through them. As a team, sort and group them by thematic topics or similarities. Discuss and answer any questions that arise. Encourage "Yes, and..." and build on the ideas of other people along the way.



15 minutes

Farmers should not suffer by losing profit because of damaged crops UI/UX
developed
must fit all
type of
environments

Application developed must be easily accessible by the farmers

Processing involves the removal of unwanted data

3.3 PROPOSED SOLUTION

The solution to the problem is Machine learning utilizing CNN, which is one of the applications of Artificial Intelligence, is being used to implement the proposed system. Crop recommendation is going to recommend you the best crop you can grow in your land as per the soil nutrition value and along with as per the climate in that region. And recommending the best fertilizer for every particular crop is also a challenging task.

One of the most important issues is when a plant gets caught by heterogeneous diseases that effect on less amount of agriculture production and compromises with quality as well. To overcome all these issues this recommendation has been proposed.

Nowadays a lot of research and work is being implemented in the smart and modern agriculture domain. Crop recommendation is characterized by a soil

3.4 PROBLEM SOLUTION FIT

Farmer's are the first customers to utilise this application. Farmer;s can efficiently use this	6. CUSTOMER RESTRICTIONS DET, DEVICES CL Availability of Good quality cameras and good network in order to process the images and suggest the fertilizer with minimum latency.	5. AVAILABLE SOLUTIONS PLUSES & MINUSES AS People can identify the status of the crop by looking into the condition of the leaf.		
2. PROBLEMS / PAINS + ITS FREQUENCY The job to be done is to recommend the farmers on what disease the crop is affected by and what type of fertilizer is to be used to eliminate that disease.	9. PROBLEM ROOT / CAUSE The different diseases will gradually destroy the crop and will hamper the yield of the crop and the quality of crop and the insects on the plants will affect the plants.	7. BEHAVIOR + ITS INTENSITY Directly: Farmers can easily identify the diseas that the crop is affected by, and the farmer need not require any extra knowledge to identify the type of disease.		
Overseeing their crops being affected by these diseases and incurring huge loss in the quantity and quantity.	10. YOUR SOLUTION Our application will process the image and will compare with the image database to give the type of disease the plant is affected by and also recommends the fertilizer to the farmers to use.	8. CHANNELS of BEHAVIOR ONLINE Online: Basic knowledge on the types of crops diseases and fertilizers. OFFLINE Offline: People trying to identify the disease by the quality of the leaf.		

4. REQUIREMENT ANALYSIS

4.1 FUNCTIONAL REQUIREMENTS:

Following are the functional requirements of the proposed solution

FR No.	Functional Requirement	Sub Requirement (Story /
	(Epic)	Sub-Task)
FR-1	User Registration	Registration through Form
FR-2	User Confirmation	Confirmation via Email
FR-3	User Profile	Filling the profile page after
		logging in
FR-4	Uploading Dataset (Leaf)	Images of the leaves are to
		be uploaded
FR-5	Requesting solution	Uploaded images is
		compared with the pre-
		defined Model and solution
		is generated
FR-6	Downloading Solution	The Solution in pdf format
		which contains the
		recommendations of
		fertilizers and the possible
		diseases.

Non-functional Requirements:


Following are the non-functional requirements of the proposed solution.

FR No.	Non-Functional	Description		
	Requirement			
NFR-1	Description	The system allows the user to perform the tasks easily and efficiently and effectively.		
NFR-2	Security	Assuring all data inside the system or its part will be protected against malware attacks or unauthorized access.		


5. PROJECT DESIGN

5.1 DATAFLOW DIAGRAM

A data flow diagram or DFD(s) maps out the flow of information for any process or system. DFDs help you better understand process or system operation to discover potential problems, improve efficiency, and develop better processes.




5. SOLUTION ARCHITECTURE
Solution architecture is the process of developing solutions based on
predefined processes, guidelines and best practices with the objective that
the developed solution fits within the enterprise architecture in terms of
information architecture, system portfolios, integration requirements, etc
Page 15 of 108
5



5.2 TECHNICAL ARCHITECTURE

Technical architecture involves the development of a technical blueprint regarding the arrangement, interaction, and

interdependence of all elements so that system-relevant requirements are met.



5.3 USER STORIES

Our project was given out to several customers for experimentation and testing. They had given us satisfactory and valuable feedback in great detail on its range of use, accuracy, simplicity in handling, etc. It was tested and analysed on exhaustive number of leaf types and was proved to be effective in achieving what it was

developed for – to predict the disease way before it becomes severe. The data garnered indicating various characteristics of the studied specimen using image processing and related techniques had helped them to develop a clear picture of its transformation when diseased.

It had a well-developed interface, although, complicated in its operation on the inside, very simple on the outside. Translation of all its comprehensive measurements to a inclusive output is highly needed and it surely does fulfil it.

User StoriesUse the below template to list all the user stories for the product.

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer(Mobile user)	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	I can access my account / dashboard	High	Sprint-1
Trader	Confirmation	USN-2	As a user, I will receive confirmation email once I have registered for the application	I can receive confirmation email & click confirm	High	Sprint-1
Farmer	Signing up	USN-3	As a user, I can register for the application through Facebook	I can register & access the dashboard with Facebook Login	Low	rJIRA-2
Customer (Web user)	Registration	USN-4	As a web user, I can register for the application through Gmail	I can register for the application through gmail	Medium	Sprint-1
Administrator	Login	USN-5	As a administrator, I can log into the application by entering email & password	I can log into the application using mail & password	High	Sprint-3

6. PROJECT PLANNING & SCHEDULING

6.1 SPRINT PLANNING AND ESTIMATION

Sprint1

In this module we have done the dataset collection for vegetable and fruit disease prediction along with some image processing files in it

Sprint2

In this module we have developed the model for fruit and vegetable disease prediction with some CNN model and transfer learning and also we did the testing for both the models

Sprint3

In this module we have developed and designed our web application with front end as with HTML and backend with python scripts along with recommendation models trained with IBM

Sprint4

This is the final module for our project which contains the trained model for fruit and vegetable disease prediction

6.2 SPRINT DELIVERY SCHEDULE

The delivery plan of project deliverables is a strategic element for every project manager. The goal of every project is, in fact, to produce a result that serves a specific purpose. By the word "purpose ", we mean the most disparate goals: a software program, a chair, a building, a translation and the sort.

In Project Spirit Delivery, planning is one of the vital process of completing the project and show casing the time line of the project planning. This delivery plan helps us to understand the process and work


flow of the project being done by every team mate.

Every Single Module is assigned to the team mates to show case their work and contribution indeveloping the project.

6.3 REPORTS FROM JIRA

Backlog:

A backlog is a list of issues that's related to the project and the functions of the system. It makes it simple to make, store, managea variety of problems including the ones the team is working on.





Python – app.py:

```
import os

import numpy as

np import pandas as

pd

from tensorflow.keras.models import load_model

# from tensorflow.keras.preprocessing import

imagefrom werkzeug.utils import secure_filename

from flask import Flask, render_template,

requestapp = Flask(_name__)
```

```
@app.route('/')
def home():
    return render_template('home.html')
#prediction page
@app.route('/prediction')
def prediction():
    return render_template('predict.html')
@app.route('/predict',methods=['POST'])
def predict():
    if request.method == 'POST':
        # Get the file from post request
        f = request.files['image']
        # Save the file to ./uploads
        basepath = os.path.dirname(_file_)
        file path = os.path.join(
            basepath, 'uploads', secure_filename(f.filename))
        f.save(file path)
        img = image.load_img(file_path, target_size=(128, 128))
        x = image.img to array(img)
        x = np.expand_dims(x, axis=0)
        plant=request.form['plant']
        print(plant)
        if(plant=="vegetable"):
            preds = model.predict(x)
            preds=np.argmax(preds)
            print(preds)
            df=pd.read excel('precautions - veg.xlsx')
            print(df.iloc[preds]['caution'])
        else:
            preds = model1.predict(x)
            preds=np.argmax(preds)
            df=pd.read_excel('precautions - fruits.xlsx')
            print(df.iloc[preds]['caution'])
        return df.iloc[preds]['caution']
if_name_== "_main_":
    app.run(debug=False)
```

Feature 1:

home.html:

```
<!DOCTYPE html>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title> Plant Disease Prediction</title>
  <link href='https://fonts.googleapis.com/css?family=Pacifico' rel='stylesheet'</pre>
type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Arimo' rel='stylesheet'</pre>
type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Hind:300' rel='stylesheet'</pre>
type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Open+Sans+Condensed:300'</pre>
rel='stylesheet' type='text/css'>
<link rel="stylesheet" href="{{ url_for('static', filename='css/style.css') }}">
<link href='https://fonts.googleapis.com/css?family=Merriweather'</pre>
rel='stylesheet'>
<link href='https://fonts.googleapis.com/css?family=Josefin Sans'</pre>
rel='stylesheet'>
<link href='https://fonts.googleapis.com/css?family=Montserrat' rel='stylesheet'>
<script type="text/javascript" src="https://gc.kis.v2.scr.kaspersky-</pre>
labs.com/FD126C42-EBFA-4E12-B309-
BB3FDD723AC1/main.js?attr=AMFGethlf4Q6r2IdpTrTqcDQGNLDU5Cbc3diYnUdLkg5mQrVB td220
HUAsBJSd0oo80R0zM3rIPeFWfnEY4XCxQu4K0xMSqlshEoIB0zvYw0SsMYpyUv4fnvKEjmJoj Y6cI4ov
-6AMOkz3Sh3epkfq0gltfnAPvvQBRdXqRmdqePVjlvvqL28ONZCiS0Qr5t0XGxJ0bSiWVT-
rH3cqaKCk05eP1Dx04mieTcjsA_TtFLx15PUu0ed6soaj-F006-
1d40QxbJYBXUBefiUhzmOYCpsGIs10yQvA0huo8AUYwYB72dvs07U3O2hq8BmYBv98h13sSo8iXKxyKx4
FUsOMkixjxYP6hu0wwi7yv1E2rei3GHtPl5YwHkWioQIPqvAmrlmaPtFZmF-
jE4_UUCi9IEKws8IduDiqQIFkxfO3YT_sUC9gWmxKSpGbiebwCgV-
wvdGEnbUxY18p9Db6jC6FVKRhqdMBianq63qv-
zZRMZbEpjzQT0DQAH3Yho4o4A00FIW2004q8Q80xt2kV928P_nBgS9H0gHI5EZxenbjfqANTs1rh8GGhB
d7RJaE8-
2AaqT6zbLf2tILJ8j4fk3bV1qsdw0fPmp6foJbDu4343XH36a0VGHsMLeVqcc30PSsE1pJbGE4_C_ExQd
0 uRSA40mRjnFwHdLo9SJc1qghyc5YGQil utG48olMy9cC6z-iyKg1EeLKB43u-
q4SlUimRnuUsZW7drNWaijSfJPDmkm7lUJ0POwQXPfnLa2_spc3FisWCOZ7dFuIgDciIu0yF8rio2X0Pz
6pZkGQW4Fwl6vWKrLplmHagJElKXg58YSWwAT2DILilBjuSPiTwCHR9Ya_mAXW4C03v7xzJlaSK9jneEC
qctvKnH3RFgDS8ocfDcY651XNRkq6v1hrcdv5sM2ek4Kjq40FgX-wijr-0JdpSDpZlbIK00sPb4-
u1B8c7MaCqBcbJAhfmg4utLU67fn5GLoCX_-5TAWV0ID-_sC1Vs9glWRPkKmmktJMbVy98XqC5-
DhtE3yd5I9ZM1SEH1gGYLlRjxwzPjWwHE-YH1Nx9lm-
Esq27TK7M86uT8iAe7LgtviO2YsCB0buShHWmjh3RzwMGqNqeymFSxPRK sDmTFoVjcaYpGa0kaMwhmmF
```

```
9AtPwGmFaGglv3rryVg0X0bGoXRetnrPpDG7jUoq5zQuXQSedBf9hmNwEqWsSZtI4zNTxjiEkxU0djhPX
qByZbnelp 3z6pqqniLzqj9jzAkvX6wD0W7ZycfDzOt-
zNgTxWdtf41P6ZjVu8EWSf65Wqgen5jD4IPXgXGtxkjrSbrqiX-
NxxxfKVJU0o0cE00F6n3DWD0BMWS8UG0Q08gZZeXCfpuTIGYTD6okyD91kLk5AmhaNTJVKjkHO-
dHZqMHxikVhdK6C2PIfg4lEY0yuE3Fjj_5NNX5ZalIpOl3LN6YQ8Jqis_UmC_OXmjW2F5Y4p8VRRKc1HW
2DFaUxBrEgfSwe keyaofodrjde pfPuDQDryEgGy9DNIhpGUV bQJ8jlPxRL7WSpmPU7-
IZ1mVN onhqq2oI-WTl7ep-8w0GsJH3OhSRyyJC0XC9xtetqVjIHzcbKYFsxOaXT-
LLe7U9oHaXHzjDK3hn-ZNFYwzV_aoq8180eb" charset="UTF-8"></script><style>
.header {
      top:0;
      margin:0px;
      left: 0px;
     right: 0px;
      position: fixed;
      background-color: #28272c;
      color: white;
      box-shadow: 0px 8px 4px grey;
      overflow: hidden;
      padding-left:20px;
      font-family: 'Josefin Sans';
      font-size: 2vw;
     width: 100%;
     height:8%;
     text-align: center;
    .topnav {
  overflow: hidden;
  background-color: #333;
.topnav-right a {
 float: left;
 color: #f2f2f2;
 text-align: center;
  padding: 14px 16px;
 text-decoration: none;
  font-size: 18px;
.topnav-right a:hover {
 background-color: #ddd;
  color: black;
.topnav-right a.active {
```

```
background-color: #565961;
  color: white;
.topnav-right {
  float: right;
  padding-right:100px;
body {
  background-color:#ffffff;
  background-repeat: no-repeat;
  background-size:cover;
  background-position: 0px 0px;
  .button {
  background-color: #28272c;
  border: none;
  color: white;
  padding: 15px 32px;
  text-align: center;
  text-decoration: none;
  display: inline-block;
  font-size: 16px;
  border-radius: 12px;
.button:hover {
  box-shadow: 0 12px 16px 0 rgba(0,0,0,0.24), 0 17px 50px 0 rgba(0,0,0,0.19);
form {border: 3px solid #f1f1f1; margin-left:400px;margin-right:400px;}
input[type=text], input[type=password] {
  width: 100%;
  padding: 12px 20px;
  display: inline-block;
  margin-bottom:18px;
  border: 1px solid #ccc;
  box-sizing: border-box;
button {
  background-color: #28272c;
  color: white;
  padding: 14px 20px;
```

```
margin-bottom:8px;
  border: none;
  cursor: pointer;
  width: 15%;
  border-radius:4px;
button:hover {
  opacity: 0.8;
.cancelbtn {
  width: auto;
  padding: 10px 18px;
  background-color: #f44336;
.imgcontainer {
  text-align: center;
  margin: 24px 0 12px 0;
img.avatar {
  width: 30%;
  border-radius: 50%;
.container {
  padding: 16px;
span.psw {
  float: right;
  padding-top: 16px;
/* Change styles for span and cancel button on extra small screens */
@media screen and (max-width: 300px) {
  span.psw {
     display: block;
     float: none;
  .cancelbtn {
     width: 100%;
```

```
.home{
  margin:80px;
 width: 84%;
 height: 500px;
  padding-top:10px;
  padding-left: 30px;
.login{
  margin:80px;
  box-sizing: content-box;
 width: 84%;
 height: 420px;
 padding: 30px;
  border: 10px solid blue;
.left,.right{
 box-sizing: content-box;
height: 400px;
margin:20px;
 border: 10px solid blue;
.mySlides {display: none;}
img {vertical-align: middle;}
/* Slideshow container */
.slideshow-container {
 max-width: 1000px;
 position: relative;
 margin: auto;
/* Caption text */
.text {
 color: #f2f2f2;
  font-size: 15px;
  padding: 8px 12px;
  position: absolute;
 bottom: 8px;
 width: 100%;
 text-align: center;
```

```
/* The dots/bullets/indicators */
.dot {
  height: 15px;
  width: 15px;
  margin: 0 2px;
  background-color: #bbb;
  border-radius: 50%;
  display: inline-block;
  transition: background-color 0.6s ease;
.active {
  background-color: #717171;
/* Fading animation */
.fade {
  -webkit-animation-name: fade;
  -webkit-animation-duration: 1.5s;
  animation-name: fade;
  animation-duration: 1.5s;
@-webkit-keyframes fade {
  from {opacity: .4}
  to {opacity: 1}
@keyframes fade {
  from {opacity: .4}
  to {opacity: 1}
/* On smaller screens, decrease text size */
@media only screen and (max-width: 300px) {
  .text {font-size: 11px}
</style>
</head>
<body style="font-family:'Times New Roman', Times, serif;background-</pre>
color:#C2C5A8;">
<div class="header">
```

```
<div style="width:50%;float:left;font-size:2vw;text-align:left;color:white;</pre>
padding-top:1%">Plant Disease Prediction</div>
  <div class="topnav-right"style="padding-top:0.5%;">
    <a class="active" href="{{ url_for('home')}}">Home</a>
    <a href="{{ url for('prediction')}}">Predict</a>
  </div>
</div>
<div style="background-color:#fffffff;">
<div style="width:60%;float:left;">
<div style="font-size:50px;font-family:Montserrat;padding-left:20px;text-</pre>
align:center;padding-top:10%;">
<b>Detect if your plant<br> is infected!!</b></div><br>
<div style="font-size:20px;font-family:Montserrat;padding-left:70px;padding-</pre>
right:30px;text-align:justify;">Agriculture is one of the major sectors worls
wide. Over the years it has developed and the use of new technologies and
equipment replaced almost all the traditional methods of farming. The plant
diseases effect the production. Identification of diseases and taking necessary
precautions is all done through naked eye, which requires labour and laboratries.
This application helps farmers in detecting the diseases by observing the spots
on the leaves, which inturn saves effort and labor costs.</div><br><br>>
</div>
</div>
<div style="width:40%;float:right;"><br><br>
<img src="{{url for('static',filename='images/12456.png')}}" style="max-</pre>
height:100%;max-width:100%;">
</div>
</div>
<div class="home">
<br>
</div>
<script>
var slideIndex = 0;
showSlides();
function showSlides() {
  var i;
  var slides = document.getElementsByClassName("mySlides");
  var dots = document.getElementsByClassName("dot");
```

```
for (i = 0; i < slides.length; i++) {
    slides[i].style.display = "none";
}
slideIndex++;

if (slideIndex > slides.length) {slideIndex = 1}
for (i = 0; i < dots.length; i++) {
    dots[i].className = dots[i].className.replace(" active", "");
}
slides[slideIndex-1].style.display = "block";</pre>
```

Feature 2:

Predict.html:


```
<!DOCTYPE html>
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title> Plant Disease Prediction</title>
  <link href='https://fonts.googleapis.com/css?family=Pacifico' rel='stylesheet'</pre>
type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Arimo' rel='stylesheet'</pre>
type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Hind:300' rel='stylesheet'</pre>
type='text/css'>
<link href="https://cdn.bootcss.com/bootstrap/4.0.0/css/bootstrap.min.css"</pre>
rel="stylesheet">
    <script type="text/javascript" src="https://gc.kis.v2.scr.kaspersky-</pre>
labs.com/FD126C42-EBFA-4E12-B309-
BB3FDD723AC1/main.js?attr=3wvf44XdejigWHFj22ANQmgfA-L5oa67wZhZwPtEITSot6t8o-
DPZwNcHRFhpa2tgGpDJGis4-1IHYyxyIAN2GE0-kSZKkCLRkbKttCLVN9mKhGFVtGJ3auoiiByn_jJ-
mA447x4TmdjGgz8XvMdLSPF4Gu5xwt0joGxWDXu0EF18Sa5usZGgj4TdDiTfDHpElX3P1eH-
lsevFhUJQEZe3981VXjRKYRn2FrxsYwXGSMBn0sRR9IYup35XYNQkvA6DLQV1lwLc4XuAo0BlJYAfI75R
405LwTWuT-uaft0DEQeuV_f3rKvkrcBkalcpWnyXVLeLyjMz5CqpZ1aSCy1MgVAzWxGb-
GX3eQb0F5qOksANddV vhz1Ai4RgptuAfB8mVyuz0nWZzpmwam34lc4NL4tfyWGncKz2taMyGfsK4Mrn0
zfPlY9 n9FP0lMlAX0I08TfbVp4B1vbwnA-
```

```
RVJq8mxoTjgMgqhKhp6NQY 8gZULkbqqA0pqUMvfL3 fZC1PFipLNjCyCGe9YOaU9L7QF4CXeKsRhJXmI
898FhpxB1oI7z0xvndsDLPRsqbNuse eGL9tz0Te5HLGhtoXSn508pHC99 XHYofrlismcByzZlmVqVkC
NfmbnMjaD9IQf6xAACyjkQ927AOvyDVCZKr-
tV6wRZyv z7Z1J9AG7SGSLoB34AkMytkYXvpgGn21pGFNhv13YSmyKYc2XJs89zHbp5fSyXsfasogSEYL
bpxCmuvzZKO4haaqouKDcLwBGMFp Br095f-
AlhhWOdPDx1ezvTMx1NgS4Q0970mbyQCqHUFWWZLYNgjQ8zpfdBXB17L v lfmrUWhUiUVc9tRcJy-
lpchFJe8Gz7TUOKCRDjbIWtiqXryDeENrJgQ31laXp-
VVYp0I1L55pek2fgk50CGNzVges5oG4PpMyCIXtJpv32E5r1PTktG4hD8eXmYQECVU1HvSmEiKvuY6T6i
9wdpqg AnycRzUXmYdahFT3W7zToIn2RXzNfdOU0zbYBvtJ70TpR4PjfU751J0FsnphDuCnero3UY0ak7
vYvGYD9YV2md5v-3AmP-eOor2m55JZRH Hxpn28x-nDNCOHqVBC6leYuYFBVV vL51-
E8n92uWUqwMEzdZPZtAyRaCfz3D2Y0IYn-
ZrnfNTg2M zVJePmUu1xdjYh7d1dx7nwclm7wJrBPb3JnX2kvEGYs9SM17MlwzoY1VJq4UzJ2D6oEvhQw
HvG4e1etlS6iLWzhy8RVMfBlTa4DPD0HmTlHhsKbn0UaMyFFCppe79rtIVRctcomnVmQysUwU0hjzlAq3
0-hXJCTqdCWJe2xnxjAuUHVqHSiHiZllZaoOWNCV5Ypx eqzn-KyZS3u-
2 hGLHHNA2AVBWn hF3Gz16dw6zA4QSmWZSfDUcNObLJGOSTaDS3Z8jPTloYPFmu8oES6TL1dL1EK5Yhc
SGaX4iv6o95drsZGb6bBcWgT7sNFHW6dVE9wdjoDFuBergPIAm0sKaZQ2Ex6j150WCbE6UaPg-
VNfziA2FEPpJaI9hEPI2gdaSuHqovlEOt5mjuFBBOxpK0t8kOZRtsVzqUuJw3VcLjaP6SfG_KZfgX_g8T
Ps6CcFh1LRz63oXMQFPW6AA7eudWfygndazedq5B-
6DqSkOT04GTUJNqLcElg6KEEWqxd88BzoQoK28jrAf-xWHNIZv5HmQQYEnyX0U cW8HX-
hde54TuY fY3e5QYu4be-JxTkA4JxWLEagSa7-zs" charset="UTF-8"></script><script
src="https://cdn.bootcss.com/popper.js/1.12.9/umd/popper.min.js"></script>
    <script src="https://cdn.bootcss.com/jquery/3.3.1/jquery.min.js"></script>
src="https://cdn.bootcss.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
<link href='https://fonts.googleapis.com/css?family=Open+Sans+Condensed:300'</pre>
rel='stylesheet' type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Merriweather'</pre>
rel='stylesheet'>
<link href='https://fonts.googleapis.com/css?family=Josefin Sans'</pre>
rel='stylesheet'>
<link href='https://fonts.googleapis.com/css?family=Montserrat' rel='stylesheet'>
<link href="{{ url_for('static', filename='css/final.css') }}" rel="stylesheet">
<style>
.header {
            top:0;
            margin:0px;
            left: 0px;
            right: 0px;
            position: fixed;
            background-color: #28272c;
            color: white;
            box-shadow: 0px 8px 4px grey;
            overflow: hidden;
            padding-left:20px;
            font-family: 'Josefin Sans';
```

```
font-size: 2vw;
            width: 100%;
            height:8%;
            text-align: center;
        .topnav {
  overflow: hidden;
  background-color: #333;
.topnav-right a {
  float: left;
  color: #f2f2f2;
  text-align: center;
  padding: 14px 16px;
  text-decoration: none;
  font-size: 18px;
.topnav-right a:hover {
  background-color: #ddd;
  color: black;
.topnav-right a.active {
  background-color: #565961;
  color: white;
.topnav-right {
  float: right;
  padding-right:100px;
.login{
margin-top:-70px;
body {
  background-color:#ffffff;
  background-repeat: no-repeat;
  background-size:cover;
  background-position: 0px 0px;
 login{
```

```
margin-top:100px;
.container {
 margin-top:40px;
  padding: 16px;
select {
   width: 100%;
   margin-bottom: 10px;
    background: rgba(255,255,255,255);
    border: none;
   outline: none;
    padding: 10px;
    font-size: 13px;
    color: #000000;
    text-shadow: 1px 1px 1px rgba(0,0,0,0.3);
    border: 1px solid rgba(0,0,0,0.3);
    border-radius: 4px;
    box-shadow: inset 0 -5px 45px rgba(100,100,100,0.2), 0 1px 1px
rgba(255,255,255,0.2);
    -webkit-transition: box-shadow .5s ease;
    -moz-transition: box-shadow .5s ease;
   -o-transition: box-shadow .5s ease;
    -ms-transition: box-shadow .5s ease;
    transition: box-shadow .5s ease;
</style>
</head>
<body style="font-family:Montserrat;overflow:scroll;">
<div class="header">
<div style="width:50%;float:left;font-size:2vw;text-align:left;color:white;</pre>
padding-top:1%">Plant Disease Prediction</div>
  <div class="topnav-right" style="padding-top:0.5%;">
  </div>
</div>
<div class="container">
        <div id="content" style="margin-top:2em">
        <div class="container">
```

```
<div class="row">
            <div class="col-sm-6 bd" >
              <br>
                <img src="{{url_for('static',filename='images/789.jpg')}}"</pre>
style="height:450px;width:550px"class="img-rounded" alt="Gesture">
            <div class="col-sm-6">
                <div>
                    <h4>Drop in the image to get the prediction </h4>
            <form action = "" id="upload-file" method="post"</pre>
enctype="multipart/form-data">
                <select name="plant">
                       <option value="select" selected>Select plant type</option>
                       <option value="fruit">Fruit</option>
                       <option value="vegetable">Vegetable</option>
        </select><br>
                <label for="imageUpload" class="upload-label" style="background:</pre>
#28272c;">
                    Choose...
                </label>
                <input type="file" name="image" id="imageUpload" accept=".png,</pre>
.jpg, .jpeg">
            </form>
            <div class="image-section" style="display:none;">
                <div class="img-preview">
                    <div id="imagePreview">
                    </div>
                </div>
                <div>
                     <button type="button" class="btn btn-info btn-lg " id="btn-</pre>
predict" style="background: #28272c;">Predict!</button>
                </div>
            </div>
            <div class="loader" style="display:none;"></div>
                <span id="result" style="font-size:17px; "> </span>
            </h3>
```



```
</div>
</div>
</div>
</div>
</div>
</div>
```

final.css:

```
.img-preview {
    width: 256px;
    height: 256px;
    position: relative;
    border: 5px solid #F8F8F8;
    box-shadow: 0px 2px 4px 0px rgba(0, 0, 0, 0.1);
    margin-top: 1em;
    margin-bottom: 1em;
.img-preview>div {
    width: 100%;
    height: 100%;
    background-size: 256px 256px;
    background-repeat: no-repeat;
    background-position: center;
input[type="file"] {
```

```
transition: all .4s;
  cursor: pointer;

}

.upload-label:hover{
  background: #C2C5A8;
  color: #39D2B4;

}

.loader {

  border: 8px solid #f3f3f3; /* Light grey */
  border-top: 8px solid #28272c; /* Blue */
  border-radius: 50%;

  width: 50px;
  height: 50px;
```


main.js:


```
$("#imageUpload").change(function () {
    $('.image-section').show();
    $('#btn-predict').show();
    $('#result').text('');
    $('#result').hide();
    readURL(this);
});
// Predict
$('#btn-predict').click(function () {
    var form_data = new FormData($('#upload-file')[0]);
    // Show loading animation
    $(this).hide();
    $('.loader').show();
    // Make prediction by calling api /predict
    $.ajax({
        type: 'POST',
        url: '/predict',
        data: form_data,
        contentType: false,
        cache: false,
        processData: false,
        async: true,
        success: function (data) {
            // Get and display the result
            $('.loader').hide();
            $('#result').fadeIn(600);
            $('#result').text('Prediction: '+data);
            console.log('Success!');
        },
   });
});
```


1. TESTING


1.1 Test Cases

Test cases are a set of actions performed on a system to determine if it satisfies software requirements and functionscorrectly as it claimed to perform.









User Acceptance Testing

Before deploying the software application to a production environment the end user or client performs a type of testing known as user acceptance testing, or UAT to ensure whether the software functionalities serve the purpose of development.

Acceptance Testing UAT Execution & Report Submission

Date	17 November 2022
Team ID	PNT2022TMID15637
Project Name	Fertilisers recommendation System for disease prediction
Maximum Marks	4 Marks

1. Purpose of Document

The purpose of this document is to briefly explain the test coverage and open issues of the Fertilizers recommendation system for disease prediction project at the time of the release to User Acceptance Testing (UAT).

2. Defect Analysis

This report shows the number of resolved or closed bugs at each severity level, and how they were resolved

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
Leaf spots	10	4	2	3	19
Mosaic leaf pattern	9	6	3	6	24
Blights	4	5	2	1	12
Yellow leaves	11	4	3	20	38
Fruit rots	3	2	1	0	6
Misshapen leaves	2	7	0	1	10
Fruit spots	5	4	1	1	11
Totals	44	31	13	32	120

3. Test Case Analysis

This report shows the number of test cases that have passed, failed, and untested

Section	Total Cases	Not Tested	Fail	Pass
Leaf spots	18	0	0	18
Fruit spots	5	0	0	5
Mosaic leaf pattern	43	0	0	43
Blights	2	0	0	2
Misshapen leaves	25	0	0	25
Yellow leaves	7	0	0	7
Fruit rots	9	0	0	9

2. RESULTS

Performance Metrics

metrics are a baseline for performance tests. Monitoring the correct parameters will help you detect areas that require increased attention and find ways to improve them.

Project Development Phase Model Performance Test

Date	10 November 2022
Team ID	PNT2022TMID15637
Project Name	Project - Fertilizers Recommendation System For Disease Prediction
Maximum Marks	10 Marks

Model Performance Testing:

S.No.	Parameter	Values	Screenshot
1.	Model Summary	Total params: 45,221,754 Trainable params: 45,221,754 Non trainable params: 0	The state of the s
2.	Accuracy	Training Accuracy – 97.55 Validation Accuracy – 96.45	The first term of the control of the

3. ADVANTAGES & DISADVANTAGES

Advantages:

- Early detection of plant diseases.
- Proper fertilizer recommendation to prevent or cure the plant infection or disease.
- No need to consult any specialists.
- Fully automated system.

Disadvantages:

- Requires training the system with large dataset.
- Works only on the pretrained diseases.
- When a plant is infected with multiple diseases the system may not predict all the diseases due to the mixed symptoms.
- Requires a good device connected to the internet.

4. CONCLUSION

Hence a system that takes in images as user input, analyses those for certain symptoms and identifies the disease, recommends the fertilizer to counter the deficiency of the nutrients is built and deployed.

5. FUTURE SCOPE

The system must be trained with numerous images of plant disease symptoms. In case of presence of multiple diseases, suitable classification must be done to predict each disease accurately and recommend separate fertilizers as a solution to each deficiency or infection.

6. APPENDIX

Source Code

AmrlmaPtFZmF-

```
Home.html:
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title> Plant Disease Prediction</title>
 <link href='https://fonts.googleapis.com/css?family=Pacifico' rel='stylesheet'</pre>
 type='text/css'>
k href='https://fonts.googleapis.com/css?family=Arimo' rel='stylesheet'
type='text/css'>
k href='https://fonts.googleapis.com/css?family=Hind:300' rel='stylesheet'
type='text/css'>
link
href='https://fonts.googleapis.com/css?family=Open+Sans+Condens
ed:300' rel='stylesheet'type='text/css'>
<link rel="stylesheet" href="{{ url_for('static', filename='css/style.css') }}">
<link href='https://fonts.googleapis.com/css?family=Merriweather'</pre>
rel='stylesheet'>
k href='https://fonts.googleapis.com/css?family=Josefin Sans'
rel='stylesheet'>
k href='https://fonts.googleapis.com/css?family=Montserrat'
rel='stylesheet'>
<script type="text/javascript" src="https://gc.kis.v2.scr.kaspersky-</pre>
labs.com/FD126C42-EBFA-4E12-B309-
BB3FDD723AC1/main.js?attr=AMFGethlf4Q6r2IdpTrTqcDQGNLDU5
Cbc3diYnUdLkg5mOrVB td
22OHUAsBJSd0oo8OR0zM3rIPeFWfnEY4XCxQu4KOxMSqlshEoIBOzvY
w0SsMYpyUv4fnvKEjm Joj_Y6cI4ov-
6AMOkz3Sh3epkfq0gltfnAPvvQBRdXqRmdqePVjlvvqL28ONZCiS0Qr
5t0XGxJ0bSiWVT-
rH3cqaKCk05eP1Dx04mieTcjsA_TtFLx15PUu0ed6soaj-FOO6-
1d4OQxbJYBXUBefiUhzmOYCpsGIs1OyQvA0huo8AUYwYB72dvs07U3
O2hq8BmYBv98h13sSo8
iXKxyKx4FUsOMkixjxYP6hu0wwi7yv1E2rei3GHtPl5YwHkWioQIPqv
```

```
jE4_UUCi9IEKws8IduDiqQIFkxfO3YT_sUC9gWmxKSpGbiebwCgV-
wvdGEnbUxY18p9Db6jC6FVKRhqdMBianq63qv-
zZRMZbEpjzQT0DQAH3Yho4o4A00FIW2004q8Q80xt2kV928P_nBg
S9HOgHI5EZxenbjfqANTs1rh8GGhBd7RJaE8-
2AaqT6zbLf2tILJ8j4fk3bV1qsdw0fPmp6foJbDu4343XH36a0VGHsML
eVqcc30PSsE1pJbGE4_C_E
xQd0_uRSA40mRjnFwHdLo9SJc1qghyc5YGQil_utG48olMy9cC6z-
iyKg1EeLKB43u-
q4SlUimRnuUsZW7drNWaijSfJPDmkm7lUJ0POwQXPfnLa2_spc3FisWC
OZ7dFuIgDciIu0yF8rio2X
0Pz6pZkGQW4Fwl6vWKrLplmHagJElKXg58YSWwAT2DILilBjuSPiTwC
HR9Ya mAXW4C03v7x
zJlaSK9jneECqctvKnH3RFgDS8ocfDcY65lXNRkq6v1hrcdv5sM2ek4K
jq4OFgX-wijr-0JdpSDpZlbIK00sPb4-
u1B8c7MaCqBcbJAhfmg4utLU67fn5GLoCX_-5TAWV0ID-
_sC1Vs9glWRPkKmmktJMbVy98XqC5-
DhtE3yd5I9ZM1SEH1gGYLlRjxwzPjWwHE-YH1Nx9lm-
Esq27TK7M86uT8iAe7LgtviO2YsCB0buShHWmjh3RzwMGqNqeymF
SxPRK_sDmTFoVjcaYpGa0
ka MwhmmF9 At PwGmFaGglv3rryVg0X0bGoXRetnrPpDG7jUoq5zQu
XQSedBf9hmNwEqWsSZtI4z
NTxjiEkxU0djhPXqByZbnelp_3z6pqqniLzqj9jzAkvX6wDOW7ZycfDz
Ot-zNgTxWdtf41P6ZjVu8EWSf65Wqgen5jD4IPXgXGtxkjrSbrqiX-
NxxxfKVJUOoOcEO0F6n3DWD0BMWS8UGOQO8gZZeXCfpuTIGYTD6
okyD91kLk5AmhaNTJV
KikHO-
dHZqMHxikVhdK6C2PIfg4lEY0yuE3Fjj_5NNX5ZalIpOl3LN6YQ8Jqis_U
mC OXmjW2F5Y4p8VR
RKc1HW2DFaUxBrEgfSwe_keyaofodrjde_pfPuDQDryEgGy9DNIhpG
UV bQJ8jlPxRL7WSpmPU7
-IZ1mVN_onhqq2oI-WTl7ep-
8w0GsJH3OhSRyyJC0XC9xtetqVjIHzcbKYFsxOaXT-
LLe7U9oHaXHzjDK3hn-ZNFYwzV_aoq8180eb"
charset="UTF-8"></script><style>
.header {
            top:0;
            margin:
            0px;
```

```
left:
                0px;
                right:
                0px;
position: fixed;
                background-color:
                #28272c; color:
                white:
                box-shadow: 0px 8px
                4px grey; overflow:
                hidden;
                padding-left:20px;
                font-family:
                'Josefin Sans'; font-
                size: 2vw;
                width:
                100%;
                height:8
                %;
                text-align: center;
         .topnav
{ overflow:
hidden;
background-
color: #333;
.topnav-
right a {
float: left;
color:
#f2f2f2;
text-align:
center;
padding: 14px
16px; text-
decoration:
none; font-size:
18px;
```

```
.topnav-right
 a:hover {
 background-
 color: #ddd;
color: black;
.topnav-right a.active
 { background-color:
#565961; color:
 white;
.topnav-
right {
 float:
right;
 padding-right:100px;
body {
 background-
 color:#ffffff;
 background-repeat:
 no-repeat;
 background-
 size:cover;
 background-position:
 0px 0px;
 .button {
 background-color:
 #28272c; border:
 none;
 color: white;
 padding: 15px
 32px; text-
 align: center;
```

```
text-decoration:
none; display:
inline-block;
 font-size:
16px; border-
radius: 12px;
.button:hover {
box-shadow: 0 12px 16px 0 rgba(0,0,0,0.24), 0 17px 50px 0 rgba(0,0,0,0.19);
form {border: 3px solid #f1f1f1; margin-left:400px;margin-right:400px;}
input[type=text],
input[type=password] {
width: 100%;
padding: 12px
20px; display:
inline-block;
margin-
bottom:18px;
border: 1px
solid #ccc; box-
sizing: border-
box;
button {
background-color:
#28272c; color:
 white:
padding: 14px
20px; margin-
bottom:8px;
 border: none;
 cursor:
 pointer;
width: 15%;
border-radius:4px;}
button:ho
 ver {
opacity:
```

```
0.8;
.cancelbt
 n {
 width:
 auto;
padding: 10px 18px;
 background-color:
 #f44336;}
.imgcontaine
r { text-
 align:
 center;
 margin: 24px 0 12px 0;}
img.avat
 ar {
 width:
 30%;
 border-radius: 50%;}
.container {
 padding:
 16px;}
span.ps
 w {
float:
 right;
 padding-top: 16px;}
/* Change styles for span and cancel button on
extra small screens */@media screen and (max-
width: 300px) {
 span.psw {
  display:
  block;
```

```
float: none;}
 .cancelbtn {
  width:
  100%;}}
.home{
   margin:80
px; width:
 84%; height:
 500px;
 padding-
 top:10px;
 padding-left: 30px;}
.login{
   margin:80px;
   box-sizing:
content-box; width:
 84%;
 height:
 420px;
 padding:
 30px;
 border: 10px solid blue;
}
.left,.right{
box-sizing:
content-box;
height: 400px;
margin:20px;
border: 10px solid blue;
.mySlides {display:
none;} img
{vertical-align:
middle;}
/* Slideshow container */
.slideshow-
container {
```

```
max-width:
 1000px;
 position:
 relative;
 margin: auto;
/* Caption text */
.text {
 color:
 #f2f2f2;
 font-size:
 15px;
 padding: 8px
 12px;
 position:
 absolute;
 bottom: 8px;
 width: 100%;
 text-align: center;
}
/* The dots/bullets/indicators */
.dot {
height:
 15px;
 width:
 15px;
 margin: 0
 2px;
 background-
 color: #bbb;
 border-radius:
 50%; display:
 inline-block; transition: background-color 0.6s ease;
```

```
}
.active {
background-color: #717171;
/* Fading animation */
.fade
 -webkit-animation-name: fade;
 -webkit-animation-
duration: 1.5s;
 animation-name: fade;
animation-duration: 1.5s;
@-webkit-
keyframes fade {
from {opacity: .4}
to {opacity: 1}
@keyframes
fade { from
{opacity: .4}
to {opacity: 1}
/* On smaller screens, decrease
text size */ @media only screen
and (max-width: 300px) {
.text {font-size: 11px}
</style>
</head>
<body style="font-family: Times New Roman', Times, serif; background-
color:#C2C5A8;">
<div class="header">
<div style="width:50%;float:left;font-size:2vw;text-</pre>
align:left;color:white; padding-top:1%">PlantDisease
```

```
Prediction</div>
 <div class="topnav-right"style="padding-top:0.5%;">
 <a class="active" href="{{ url_for('home')}}">Home</a>
 <a href="{{ url_for('prediction')}}">Predict</a>
 </div>
</div>
<div style="background-color:#fffffff;">
<div style="width:60%;float:left;">
<div style="font-size:50px;font-family:Montserrat;padding-</pre>
left:20px;text-align:center;padding-top:10%;">
<b>Detect if your plant<br/>br> is infected!!</b></div><br/>br>
<div style="font-size:20px;font-family:Montserrat;padding-</pre>
left:70px;padding-right:30px;text- align:justify;">Agriculture is one of
the major sectors worls wide. Over the years it has developed and the use
of new technologies and equipment replaced almost all the traditional
methods of farming. The plant diseases effect the production.
Identification of diseases and taking necessary precautions is all done
through naked eye, which requires labour and laboratries. This
application helps farmers in detecting the diseases by observing the spots
</div>
```

```
</div>
<div style="width:40%;float:right;"><br><br>
<img src="{{url_for('static',filename='images/12456.png')}}"</pre>
style="max-height:100%;max-width:100%;">
</div>
</div>
<div class="home">
</div>
<script>
var
slideIndex =
0:
showSlides()
function
showSlides() {
 var i;
 var slides =
document.getElementsByClassName("mySli
 des"); var dots =
document.getElementsByClassName("dot");
for (i = 0; i <
 slides.length; i++) {
 slides[i].style.display
 = "none";
 slideIndex++;
if (slideIndex > slides.length)
 { slideIndex = 1 } for (i = 0; i < 
 dots.length; i++) {
 dots[i].className = dots[i].className.replace(" active", "");
 slides[slideIndex-
 1].style.display = "block";
dots[slideIndex-1].className
 += " active";
setTimeout(showSlides, 2000); // Change image every 2 seconds
</script>
```

```
</body>
```

Predict.html:

```
<!DOCTYPE html>
<html>
<head>
 <meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title> Plant Disease Prediction</title>
<link href='https://fonts.googleapis.com/css?family=Pacifico' rel='stylesheet'</pre>
type='text/css'>
k href='https://fonts.googleapis.com/css?family=Arimo' rel='stylesheet'
type='text/css'>
k href='https://fonts.googleapis.com/css?family=Hind:300' rel='stylesheet'
type='text/css'>
k href="https://cdn.bootcss.com/bootstrap/4.0.0/css/bootstrap.min.css"
rel="stylesheet">
 <script type="text/javascript" src="https://gc.kis.v2.scr.kaspersky-</pre>
labs.com/FD126C42-EBFA- 4E12-B309-
BB3FDD723AC1/main.js?attr=3wvf44XdejigWHFj22ANQmgfA-
L5oa67wZhZwPtEITSot6t8o-DPZwNcHRFhpa2tgGpDJGis4-
1IHYyxyIAN2GE0-
kSZKkCLRkbKttCLVN9mKhGFVtGJ3auoiiByn_jJ-
mA447x4TmdjGgz8XvMdLSPF4Gu5xwt0joGxWDXuOEF18Sa5usZGg
j4TdDiTfDHpElX3P1eH-
lsevFhUJQEZe3981VXjRKYRn2FrxsYwXGSMBn0sRR9IYup35XYNQkv
```

A6DLQV11wLc4XuAo0B 1JYAfI75R4O5LwTWuT-

 $uaft 0 DE QeuV_f 3rKvkrcBkalcpWnyXVLeLyjMz 5 CqpZ 1aSCy 1 MgVAzWxGb-$

GX3eQb0F5qOksANddV_vhz1Ai4RgptuAfB8mVyuz0nWZzpmwam34l c4NL4tfyWGncKz2taMyGfs

K4Mrn0zfPlY9_n9FP0lMlAX0IQ8TfbVp4B1vbwnA-

RVJq8mxoTjgMgqhKhp6NQY_8gZULkbqqA0pqUMvfL3_fZC1PFipLNjCyCGe9YOaU9L7QF4CXe

KsRhJXmI898FhpxB1oI7z0xvndsDLPRsqbNuse_eGL9tz0Te5HLGhtoXSn5O8pHC99_XHYofrlismc

ByzZlmVqVkCNfmbnMjaD9IQf6xAACyjkQ927AOvyDVCZKr-

tV6wRZyv_z7Z1J9AG7SGSLoB34AkMytkYXvpgGn21pGFNhvl3YSmyKYc2XJs89zHbp5fSyXsfas

ogSEYLbpxCmuvzZKO4haaqouKDcLwBGMFp_Br095f-

AlhhWOdPDx1ezvTMx1NgS4QO97OmbyQCqHUFWWZLYNgjQ8zpfdBXB17L_v_lfmrUWhUiUVc9tRcJy-

lpchFJe8Gz7TUOKCRDjbIWtiqXryDeENrJgQ31laXp-

VVYpOI1L55pek2fgk5OCGNzVges5oG4PpMyCIXtJpv32E5rlPTktG4hD8eXmYQECVU1HvSmEiK

vuY6T6i9wdpqg_AnycRzUXmYdahFT3W7zToIn2RXzNfdOU0zbYBvt J70TpR4PjfU75lJ0FsnphDu Cnero3UYOak7vYvGYD9YV2md5v-

3AmP-eOor2m55JZRH_Hxpn28x- nDNCOHqVBC6leYuYFBVV_vL5l-E8n92uWUqwMEzdZPZtAyRaCfz3D2Y0IYn-

ZrnfNTg2M_zVJePmUu1xdjYh7d1dx7nwclm7wJrBPb3JnX2kvEGYs9SM17MlwzoY1VJq4UzJ2D6o

EvhQwHvG4e1etlS6iLWzhy8RVMfBlTa4DPDOHmTlHhsKbn0UaMyFFCppe79rtIVRctcomnVmQy sUwUOhjzlAq30-

hXJCTqdCWJe2xnxjAuUHVqHSiHiZllZaoOWNCV5Ypx_eqzn-KyZS3u-

 $2_hGLHHNA2AVBWn_hF3Gz16dw6zA4QSmWZSfDUcNObLJGOSTaDS3Z8jPTloYPFmu8oES6T$

L1dLlEK5YhcSGaX4iv6o95drsZGb6bBcWgT7sNFHW6dVE9wdjoDFuBer gPIAm0sKaZQ2Ex6j15O WCbE6UaPg-

VNfziA2FEPpJaI9hEPI2gdaSuHqovlEOt5mjuFBBOxpK0t8kOZRtsVzqUuJw3VcLjaP6SfG_KZfgX_

g8TPs6CcFhlLRz63oXMQFPW6AA7eudWfygndazedq5B-

6DqSkOT04GTUJNqLcElg6KEEWqxd88BzoQoK28jrAf-

xWHNIZv5HmQQYEnyX0U_cW8HX- hde54TuY_fY3e5QYu4be-

JxTkA4JxWLEagSa7-zs" charset="UTF-8"></script><script

src="https://cdn.bootcss.com/popper.js/1.12.9/umd/popper.min.js"></scri pt>

<script src="https://cdn.bootcss.com/jquery/3.3.1/jquery.min.js"></script>

```
<script
  src="https://cdn.bootcss.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
link
href='https://fonts.googleapis.com/css?family=Open+Sans+Condens
ed:300' rel='stylesheet'type='text/css'>
<link href='https://fonts.googleapis.com/css?family=Merriweather'</pre>
rel='stylesheet'>
<link href='https://fonts.googleapis.com/css?family=Josefin Sans'
rel='stylesheet'>
k href='https://fonts.googleapis.com/css?family=Montserrat'
rel='stylesheet'>
<link href="{{ url for('static', filename='css/final.css') }}" rel="stylesheet">
<style>
.header {
                top:0;
                margin:
                0px;left:
                0px;
                right:
                0px;
                position: fixed;
                background-color:
                #28272c; color:
                white:
                box-shadow: 0px 8px
                4px grey; overflow:
                hidden:
                padding-left:20px;
                font-family:
                'Josefin Sans'; font-
                size: 2vw;
                width:
                100%;
                height:8
                %;
                text-align: center;
          .topnav
 { overflow:
 hidden:
 background-
color: #333;
```

```
.topnav-
 right a {
 float: left;
 color:
 #f2f2f2;
 text-align:
 center;
 padding: 14px
 16px; text-
 decoration:
 none; font-size:
 18px;
.topnav-right
 a:hover {
 background-
 color: #ddd;
 color: black;
.topnav-right a.active
 { background-color:
 #565961; color:
 white;
.topnav-
 right {
 float:
 right;
 padding-right:100px;
.login{
margin-top:-70px;
body {
 background-
 color:#ffffff;
```

```
background-repeat:
no-repeat;
background-
 size:cover;
background-position:
0px 0px;
.login{
   margin-top:100px;
.container {
margin-
top:40px;
padding:
16px;
select {
   width: 100%;
   margin-bottom: 10px;
   background:
   rgba(255,255,255,255);
   border: none;
   outline:
   none;
   padding:
   10px; font-
   size: 13px;
   color:
   #000000;
   text-shadow: 1px 1px 1px
   rgba(0,0,0,0.3); border: 1px
   solid rgba(0,0,0,0.3);
   border-radius: 4px;
box-shadow: inset 0 -5px 45px rgba(100,100,100,0.2), 0 1px 1px rgba(255,255,255,0.2);
   -webkit-transition: box-shadow .5s ease;
```

```
-moz-transition: box-shadow .5s ease;
     -o-transition: box-shadow .5s ease;
     -ms-transition: box-
     shadow .5s ease:
     transition: box-shadow
     .5s ease;
  }
  </style>
  </héad>
  <body style="font-family:Montserrat;overflow:scroll;">
  <div class="header">
  <div style="width:50%;float:left;font-size:2vw;text-</pre>
  align:left;color:white; padding-top:1%">PlantDisease
  Prediction</div>
   <div class="topnav-right" style="padding-top:0.5%;">
   </div>
  </div>
  <div class="container">
     <div id="content" style="margin-top:2em">
           <div class="container">
             <div class="row">
                  <div class="col-sm-6 bd" >
                   <hr>>
                        src="{{url_for('static',filename='images/789.jpg')}}"
style="height:450px;width:550px"class="img-rounded"
                    alt="Gesture">
                 </div>
               <div class="col-sm-6">
                        <div>
                       <h4>Drop in the image to get the prediction </h4>
                    <form action = "" id="upload-file" method="post"</pre>
data">
                                enctype="multipart/form-
                        <select name="plant">
                               Page 64 of 108
```

```
<option value="select" selected>Select plant
                            type</option>
                            <option value="fruit">Fruit</option>
         </select><b
                            <option value="vegetable">Vegetable
         r>
                     <label for="imageUpload" class="upload-label"</pre>
#28272c
;">
                           style="background: Choose...
                     </label>
                     <input type="file" name="image" id="imageUpload"</pre>
                     accept=".png,
.jpg,
               </for
.jpeg">
               m>
               <div class="image-section" style="display:none;">
                     <div class="img-preview">
                           <div id="imagePreview">
                           </div>
                    </div>
                    <div>
```

```
<button type="button" class="btn btn-info
  btn-lg "id="btn-predict" style="background:
  #28272c;">Predict!</button>
                         </div>
                  </div>
                  <div class="loader" style="display:none;"></div>
                  < h3 >
                  <span id="result" style="font-size:17px; "> </span>
                  </h3>
          </div>
                  </div>
             </div>
            </div>
            </div>
  </div>
</body>
  <footer>
    <script src="{{ url_for('static', filename='js/main.js') }}"</pre>
    type="text/javascript"></script>
  </footer>
  </html>
  main.js:
  $(document).ready(function() {
    $('.image-section').hide();
    $('.loader').hide();
    $('#result').hide();
    // Upload Preview
    function
    readURL(input) {
     if
           (input.files
                          &&
       input.files[0])
                        { var
       reader
                          new
       FileReader();
       reader.onload
```

```
function (e) {
    $('#imagePreview').css('background-image', 'url(' + e.target.result + ')');
    $('#imagePreview').hide();
    $('#imagePreview').fadeIn(650);
}
reader.readAsDataURL(input.files[0]);
}

{("#imageUpload").change(function () {
    $('.image-section').show();
    $('#ton-predict').show();
    $('#result').text(");
    $('#result').hide();
    readURL(this);
});

// Predict
$('#btn-predict').click(function () {
    var form_data = new FormData($('#upload-file')[0]);

// Show loading animation
$(this).hide();
```

```
$('.loader').show();
   // Make prediction by calling api /predict
   $.ajax({
      type:
      'POST',
      url:
      '/predict',
      data:
      form_data,
      contentType:
      false, cache:
      false,
      processData:
      false, async:
      true,
      success: function (data) {
        // Get and display the result $('.loader').hide(); $('#result').fadeIn(600);
        $('#result').text('Predictio
        n: '+data);
        console.log('Success!');
      },
    });
  });
});
Final.css:
.img-preview
  { width:
 256px;
 height:
 256px;
 position:
 relative;
 border: 5px solid #F8F8F8;
 box-shadow: 0px 2px 4px 0px
 rgba(0, 0, 0, 0.1); margin-top:
```

```
1em;
margin-bottom: 1em;
.img-
 preview>di
 v { width:
 100%;
 height: 100%;
 background-size:
 256px 256px;
 background-repeat:
 no-repeat;
 background-position:
 center;
input[type="fi
 le"] {
 display:
 none;
.upload-label{
 display: inline-
 block; padding:
  12px 30px;
 background:
 #28272c; color:
 #fff;
 font-size:
  1em;
 transition:
 all .4s;
 cursor:
 pointer;
```

```
.upload-
 label:hover{
 background:
 #C2C5A8; color:
 #39D2B4;
.loader {
 border: 8px solid #f3f3f3; /*
 Light grey */border-top: 8px
 solid #28272c; /* Blue */
 border-radius: 50%;
 width:
 50px;
 height:
 50px;
 animation: spin 1s linear infinite;
@keyframes spin {
 0% { transform:
 rotate(0deg); } 100% {
 transform:
 rotate(360deg); }
Python – app.py:
import os
import numpy
as npimport
pandas as pd
from tensorflow.keras.models import load_model
# from
tensorflow.keras.preprocessing
import image from werkzeug.utils
import secure_filename
from flask import Flask,
```

```
render_template, request app =
Flask(_name_)
#load both the vegetable and
fruit models model =
load_model("vegetable.h5")
model1=load_model("fruit.h
5")
#home
page
@app.rout
e('/')def
home():
 return render_template('home.html')
#prediction page
@app.route('/predi
ction') def
prediction():
 return render_template('predict.html')
@app.route('/predict',method
s=['POST'])def predict():
  if request.method == 'POST':
   # Get the file from
   post requestf =
   request.files['image']
   # Save the file to ./uploads
   basepath = os.path.dirname(
   file_)file_path =
   os.path.join(
```

```
basepath, 'uploads',
   secure_filename(f.filename))
   f.save(file_path)
   img = image.load_img(file_path, target_size=(128, 128))
   \mathbf{x} =
   image.img_to_array(i
   mg) x =
   np.expand_dims(x,
   axis=0)
   plant=request.form['pl
   ant']print(plant)
   if(plant=="vegetable")
     preds
     model.predict(x)
     preds=np.argmax
     (preds)
     print(preds)
     df=pd.read_excel('precaution
                         veg.xlsx')
     print(df.iloc[preds]['caution'])
   else:
     preds = model1.predict(x)
     preds=np.argmax(preds)
     df=pd.read_excel('precautions
     - fruits.xlsx')
     print(df.iloc[preds]['caution'])
   return
df.iloc[preds]['caution']if
name == " main ":
  app.run(debug=False)
```

DEPLOYMENT MODEL CODE:

Fruit model:

ls

sample_dat

a/pwd

'/home/wsuser/work'

!pip install keras==2.7.0

!pip install tensorflow==2.5.0

Looking in indexes: https://us-

python.pkg.dev/colabwheels/public/simple/

Requirement already satisfied: keras==2.7.0 in /usr/local/lib/python3.7/dist-

packages (2.7.0)Looking in indexes: https://pypi.org/simple, https://us-

python.pkg.dev/colab wheels/public/simple/

Requirement already satisfied: tensorflow==2.5.0 in

/usr/local/lib/python3.7/dist-packages(2.5.0)

Requirement already satisfied: h5py~=3.1.0 in /usr/local/lib/python3.7/dist-

packages (fromtensorflow==2.5.0) (3.1.0)

Requirement already satisfied: protobuf>=3.9.2 in /usr/local/lib/python3.7/dist-packages

(fromtensorflow==2.5.0) (3.19.6)

Requirement already satisfied: typing-extensions~=3.7.4 in

/usr/local/lib/python3.7/dist packages(from tensorflow==2.5.0) (3.7.4.3)

Requirement already satisfied: keras-nightly~=2.5.0.dev in

/usr/local/lib/python3.7/dist packages(from tensorflow==2.5.0)

(2.5.0.dev2021032900)

Requirement already satisfied: flatbuffers~=1.12.0 in

/usr/local/lib/python3.7/dist-packages(from tensorflow==2.5.0) (1.12)

Requirement already satisfied: gast==0.4.0 in /usr/local/lib/python3.7/dist-

packages (fromtensorflow==2.5.0) (0.4.0)

Requirement already satisfied: absl-py~=0.10 in /usr/local/lib/python3.7/dist-packages (fromtensorflow==2.5.0) (0.15.0)

Requirement already satisfied: astunparse~=1.6.3 in /usr/local/lib/python3.7/dist-packages (fromtensorflow==2.5.0) (1.6.3)

Requirement already satisfied: tensorflow-estimator<2.6.0,>=2.5.0rc0 in

/usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (2.5.0)

Requirement already satisfied: tensorboard~=2.5 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0)(2.9.1)

Requirement already satisfied: opt-einsum~=3.3.0 in

/usr/local/lib/python3.7/dist-packages(from tensorflow==2.5.0) (3.3.0)

Requirement already satisfied: six~=1.15.0 in /usr/local/lib/python3.7/dist-

packages (fromtensorflow==2.5.0) (1.15.0)

Requirement already satisfied: google-pasta~=0.2 in

/usr/local/lib/python3.7/dist-packages(from tensorflow==2.5.0) (0.2.0)

Requirement already satisfied: grpcio~=1.34.0 in /usr/local/lib/python3.7/dist-packages (fromtensorflow==2.5.0) (1.34.1)

Requirement already satisfied: wrapt~=1.12.1 in /usr/local/lib/python3.7/dist-packages (fromtensorflow==2.5.0) (1.12.1)

Requirement already satisfied: termcolor~=1.1.0 in /usr/local/lib/python3.7/dist-packages (fromtensorflow==2.5.0) (1.1.0)

Requirement already satisfied: keras-preprocessing~=1.1.2 in

/usr/local/lib/python3.7/distpackages (from tensorflow==2.5.0) (1.1.2)

Requirement already satisfied: wheel~=0.35 in /usr/local/lib/python3.7/dist-

packages (fromtensorflow==2.5.0) (0.38.3)

Requirement already satisfied: numpy~=1.19.2 in /usr/local/lib/python3.7/dist-packages (fromtensorflow==2.5.0) (1.19.5)

Requirement already satisfied: cached-property in /usr/local/lib/python3.7/dist-packages (fromh5py~=3.1.0->tensorflow==2.5.0) (1.5.2)

Requirement already satisfied: google-auth<3,>=1.6.3 in

/usr/local/lib/python3.7/dist packages(from tensorboard~=2.5-

>tensorflow==2.5.0) (2.14.1)

Requirement already satisfied: tensorboard-data-server<0.7.0,>=0.6.0 in

/usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5-

```
>tensorflow==2.5.0) (0.6.1)Requirement already satisfied: tensorboard-plugin-wit>=1.6.0 in /usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5->tensorflow==2.5.0) (1.8.1)Requirement already satisfied: google-auth-oauthlib<0.5,>=0.4.1 in /usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5->tensorflow==2.5.0) (0.4.6) Requirement already satisfied: werkzeug>=1.0.1 in /usr/local/lib/python3.7/dist-packages (fromtensorboard~=2.5->tensorflow==2.5.0) (1.0.1) Requirement already satisfied: markdown>=2.6.8 in /usr/local/lib/python3.7/dist-packages(from tensorboard~=2.5->tensorflow==2.5.0) (3.4.1)
```

```
Requirement already satisfied: requests<3,>=2.21.0 in
/usr/local/lib/python3.7/dist packages(from tensorboard~=2.5-
>tensorflow==2.5.0) (2.23.0)
Requirement already satisfied: setuptools>=41.0.0 in
/usr/local/lib/python3.7/dist-packages(from tensorboard~=2.5-
>tensorflow==2.5.0) (57.4.0)
Requirement already satisfied: rsa<5,>=3.1.4 in /usr/local/lib/python3.7/dist-
packages (from google-auth<3,>=1.6.3->tensorboard~=2.5->tensorflow==2.5.0)
(4.9) Requirement already satisfied: pyasn1-modules>=0.2.1 in
/usr/local/lib/python3.7/dist packages (from google- auth<3,>=1.6.3-
>tensorboard~=2.5->tensorflow==2.5.0) (0.2.8) Requirement already satisfied:
cachetools<6.0,>=2.0.0 in /usr/local/lib/python3.7/dist packages (from google-
auth < 3, > = 1.6.3
>tensorboard~=2.5->tensorflow==2.5.0) (5.2.0) Requirement already
satisfied: requests-oauthlib>=0.7.0 in /usr/local/lib/python3.7/dist packages
(from google-auth- oauthlib<0.5,>=0.4.1->tensorboard~=2.5-
>tensorflow==2.5.0) (1.3.1)
Requirement
                                satisfied:
                   already
                                                importlib-metadata>=4.4
                                                                               in
/usr/local/lib/python3.7/dist packages(from markdown>=2.6.8->tensorboard~=2.5-
>tensorflow==2.5.0) (4.13.0) Requirement already satisfied: zipp>=0.5 in
/usr/local/lib/python3.7/dist-packages (from importlib-metadata>=4.4-
>markdown>=2.6.8-tensorboard\sim=2.5-tensorflow==2.5.0) (3.10.0)
Requirement already satisfied: pyasn1<0.5.0,>=0.4.6 in
/usr/local/lib/python3.7/dist packages(from pyasn1-modules>=0.2.1->google-
auth<3,>=1.6.3->tensorboard\sim=2.5-
>tensorflow==2.5.0) (0.4.8)
Requirement already satisfied: urllib3!=1.25.0,!=1.25.1,<1.26,>=1.21.1 in
/usr/local/lib/python3.7/dist-packages (from requests<3,>=2.21.0->tensorboard~=2.5-
>tensorflow==2.5.0) (1.24.3)
Requirement already satisfied: idna<3,>=2.5 in /usr/local/lib/python3.7/dist-
packages (from requests < 3,>=2.21.0->tensorboard ~= 2.5->tensorflow == 2.5.0)
(2.10)
Requirement already satisfied: chardet<4,>=3.0.2 in /usr/local/lib/python3.7/dist-
packages (from requests < 3,>=2.21.0->tensorboard ~= 2.5->tensorflow == 2.5.0)
(3.0.4) Requirement already satisfied: certifi>=2017.4.17 in
/usr/local/lib/python3.7/dist-packages (from
requests<3,>=2.21.0->tensorboard~=2.5->tensorflow==2.5.0) (2022.9.24)
Requirement already satisfied: oauthlib>=3.0.0 in /usr/local/lib/python3.7/dist-
packages (from requests- oauthlib>=0.7.0->google-auth-oauthlib<0.5,>=0.4.1-
>tensorboard\sim=2.5->tensorflow==2.5.0) (3.2.2)
```

Image Augmentation

```
from tensorflow.keras.preprocessing.image import ImageDataGenerator train_datagen=ImageDataGenerator(rescale=1./255,zoom_range=0.2,horizontal_flip=True,v ertical_flip=False) test_datagen=ImageDataGenerator(rescale=1./255)ls pwd /content import os, types import pandas as pd from botocore.client import Configimport ibm_boto3 def__iter_(self): return 0
```

```
# @hidden_cell
# The following code accesses a file in your IBM Cloud Object Storage. It
includes your credentials.
# You might want to remove those credentials before you share the
notebook. client 4ff9f1114db24196a9abd4f5c1f0b60a =
ibm_boto3.client(service_name='s3',
ibm_api_key_id='j4lNXssktSSxQiDx3pbNR_eFi1SMCDE6MFnBQ_
EmNCDM',
ibm auth endpoint="https://iam.cloud.ibm.com/oidc/token",
config=Config(signature_version='oauth'),
endpoint_url='https://s3.private.us.cloud-object-
storage.appdomain.cloud')
streaming_body_1 =
client_4ff9f1114db24196a9abd4f5c1f0b60a.get_object(Bucket='trainmodel-
donotdelete-pr-cbqe37eh8gzesa', Key='fruit-dataset.zip')['Body']
# Your data file was loaded into a botocore.response.StreamingBody object. #
Please read the documentation of ibm_boto3 and pandas to learn more about the
possibil ities to load the data.
# ibm_boto3 documentation: https://ibm.github.io/ibm-cos-sdk-python/ # pandas
documentation: http://pandas.pydata.org/
from io import
BytesIOimport
zipfile
unzip =
zipfile.ZipFile(BytesIO(streaming_body_1.read()),
"r")file_paths = unzip.namelist()
for path in file_paths:
unzip.extract(pat
h) pwd
'/home/wsuser/w
ork'import os
filenames = os.listdir('/home/wsuser/work/fruit-dataset/train')
x_train=train_datagen.flow_from_directory("/home/wsuser/work/fruit
dataset/train",target_size=(128,128),class_mode='categorical',batch_size=24
) Found 5384images belonging to 6 classes.
x test=test datagen.flow from directory(r"/home/wsuser/work/fruit
dataset/test",target_size=(128,128),
class mode='categorical',batch size
=24) Found 1686 images belonging
to 6 classes.x_train.class_indices
```

```
{'Apple_Black_rot': 0, 'Applehealthy': 1, 'Corn_(maize)____Northern_Leaf_Blight': 2, 'Corn_(maize)_healthy': 3, 'Peach_Bacterial_spot': 4, 'Peach_healthy': 5}

CNN

from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import

Dense,Convolution2D,MaxPooling2D,Flattenmodel=Sequential()
model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activatio
n='relu')) model.add(MaxPooling2D(pool_size=(2,2)))
model.add(Flatten(
))
model.summary()
Model:
```

"sequential_1"

```
Layer
(type)Output Shape Param #
conv2d_1 (Conv2D) (None, 126, 126, 32) 896
max_pooling2d (MaxPooling2D (None, 63, 63, 32) 0
flatten (Flatten) (None, 127008) 0
Total params: 896
Trainable params: 896
Non-trainable
params: 0
32*(3*3*3+1)
896
#Hidden Layers
model.add(Dense(300,activation='relu'))
model.add(Dense(150,activation='relu'))
Output Layers
model.add(Dense(6,activation='softmax'))
model.compile(loss='categorical_crossentropy',optimizer='adam',metrics=['accu
racy']) len(x_train)
225
1238/24
51.58333333333333
model.fit_generator(x_train,steps_per_epoch=len(x_train),validation_data=x_te
st, validatio n_steps=len(x_test), epochs=10)
/tmp/wsuser/ipykernel_164/1582812018.py:1: UserWarning:
`Model.fit_generator` is deprecated and will be removed in a future version.
Please use 'Model.fit', which supports generators.
model.fit_generator(x_train,steps_per_epoch=len(x_train),validation_data=x_test,validat
ion
_steps=len(x_test),epochs=1
0)Epoch 1/10
                                      Page 80 of 108
```

```
accuracy: 0.9422 - val loss: 0.2279 - val accuracy:
0.9217Epoch 5/10
accuracy: 0.9487 - val loss: 0.1685 - val accuracy:
0.9484Epoch 6/10
225/225 [============] - 117s 518ms/step - loss: 0.1362 -
accuracy: 0.9556 - val loss: 0.1176 - val accuracy:
0.9662Epoch 7/10
accuracy: 0.9590 - val_loss: 0.5466 - val_accuracy:
0.8387Epoch 8/10
accuracy: 0.9597 - val_loss: 0.1194 - val_accuracy:
0.9620Epoch 9/10
accuracy: 0.9616 - val loss: 0.1478 - val accuracy:
0.9508Epoch 10/10
accuracy: 0.9695 - val_loss: 0.0772 - val_accuracy: 0.9751
<keras.callbacks.History at 0x7f71e8184070>
Saving Model
1s
fruit-dataset/
model.save('fruit.
h5')
!tar -zcvf Train-model_new.tgz
fruit.h5fruit.h5
ls -1
fruit-
dataset/
fruit.h5
Train-model_new.tgz
IBM Cloud Deployment Model
!pip install watson-machine-learning-client –
upgradeCollecting watson-machine-learning-
client
```

Downloading watson_machine_learning_client-1.0.391-py3-none-any.whl (538 kB) | 538 kB 21.2 MB/s eta

0:00:01 Requirement already satisfied: tqdm in /opt/conda/envs/Python-3.9/lib/python3.9/site packages(from watson-machine-learning-client) (4.62.3) Requirement already satisfied: certifi in /opt/conda/envs/Python-3.9/lib/python3.9/site packages(from watson-machine-learning-client) (2022.9.24)

```
Requirement already satisfied: requests in /opt/conda/envs/Python-
3.9/lib/python3.9/sitepackages (from watson-machine-learning-client)
(2.26.0)
Requirement already satisfied: tabulate in /opt/conda/envs/Python-
3.9/lib/python3.9/sitepackages (from watson-machine-learning-client)
(0.8.9)
Requirement already satisfied: ibm-cos-sdk in /opt/conda/envs/Python
3.9/lib/python3.9/site- packages (from watson-machine-learning-client) (2.11.0)
Requirement already satisfied: pandasin /opt/conda/envs/Python-
3.9/lib/python3.9/site packages (from watson-machine-learning- client) (1.3.4)
Requirement already satisfied: lomond in /opt/conda/envs/Python-
3.9/lib/python3.9/sitepackages (from watson-machine-learning-client)
(0.3.3)
Requirement already satisfied: boto3 in /opt/conda/envs/Python-
3.9/lib/python3.9/site packages(from watson-machine-learning-client) (1.18.21)
Requirement already satisfied: urllib3 in /opt/conda/envs/Python-
3.9/lib/python3.9/site packages(from watson-machine-learning-client) (1.26.7)
Requirement already satisfied: jmespath<1.0.0,>=0.7.1 in
/opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from boto3->watson-
machine-learning-client) (0.10.0) Requirement already satisfied:
s3transfer<0.6.0,>=0.5.0 in /opt/conda/envs/Python 3.9/lib/python3.9/site-
packages (from boto3->watson-machine-learning-client) (0.5.0) Requirement
already satisfied: botocore<1.22.0,>=1.21.21 in /opt/conda/envs/Python
3.9/lib/python3.9/site-packages (from boto3->watson-machine-learning-client)
(1.21.41) Requirement already satisfied: python-dateutil<3.0.0,>=2.1 in
/opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from
botocore<1.22.0,>=1.21.21->boto3->watson machine-learning-client) (2.8.2)
Requirement already satisfied: six>=1.5 in /opt/conda/envs/Python-
3.9/lib/python3.9/site packages (from python-dateutil<3.0.0,>=2.1-
>botocore<1.22.0,>=1.21.21->boto3->watsonmachine-learning-client)
(1.15.0)
Requirement already satisfied: ibm-cos-sdk-core==2.11.0 in
/opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from ibm-cos-sdk-
>watson-machine-learning-client) (2.11.0) Requirement already satisfied: ibm-
cos-sdk-s3transfer==2.11.0 in /opt/conda/envs/Python 3.9/lib/python3.9/site-
packages (from ibm-cos-sdk->watson-machine-learning-client) (2.11.0)
Requirement already satisfied: charset-normalizer~=2.0.0 in
/opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from requests->watson-
machine-learning-client) (2.0.4) Requirement already satisfied: idna<4,>=2.5 in
/opt/conda/envs/Python 3.9/lib/python3.9/site- packages (from requests->watson-
```

```
machine-learning-client) (3.3) Requirement already satisfied: pytz>=2017.3 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from pandas->watson-machine-learning-client) (2021.3) Requirement already satisfied: numpy>=1.17.3 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from pandas->watson-machine-learning-client) (1.19.5) Installing collected packages: watson-machine-learning-client Successfully installed watson-machine-learning-client-1.0.391 from ibm_watson_machine_learning import APIClientwml_credentials = { "url": "https://us-south.ml.cloud.ibm.com", "apikey":"0P3XkyCFYqABnc48BNG2ReoGAJy-oDXDRuULl4Y_zFxa" } client = APIClient(wml_credentials) def guid_from_space_name(client, space_name):
```

```
space = client.spaces.get_details()
return(next(item for item in space['resources'] if
item['entity']["name"]==space_name)['metadata']['id'])
space_uid = guid_from_space_name(client,
"Trainmodel')print("Space UID = " + space_uid)
Space UID = 616c7d74-e99b-4c09-9922-27394a62c2d0
client.set.default_space(space_uid)
'SUCCESS'
client.software_specifications.list()
NAME ASSET_ID TYPE
default_py3.6 0062b8c9-8b7d-44a0-a9b9-46c416adcbd9 base kernel-spark3.2-
scala2.12 020d69ce-7ac1-5e68-ac1a-31189867356a base pytorch-onnx_1.3-py3.7-
edt 069ea134-3346- 5748-b513-49120e15d288 base scikit-learn_0.20-py3.6
09c5a1d0-9c1e-4473-a344- eb7b665ff687 base spark-mllib_3.0-scala_2.12
09f4cff0-90a7-5899-b9ed-1ef348aebdee base pytorch-onnx_rt22.1-py3.9
0b848dd4-e681-5599-be41-b5f6fccc6471 base ai-function_0.1-py3.60cdb0f1e-
5376-4f4d-92dd-da3b69aa9bda base shiny-r3.6 0e6e79df-875e-4f24-8ae9-
62dcc2148306 base
tensorflow 2.4-py3.7-horovod 1092590a-307d-563d-9b62-4eb7d64b3f22 base
pytorch_1.1- py3.6 10ac12d6-6b30-4ccd-8392-3e922c096a92 base
tensorflow 1.15-py3.6-ddl 111e41b3- de2d-5422-a4d6-bf776828c4b7 base
runtime-22.1-py3.9 12b83a17-24d8-5082-900f- 0ab31fbfd3cb base scikit-
learn_0.22-py3.6 154010fa-5b3b-4ac1-82af-4d5ee5abbc85 base default_r3.6
1b70aec3-ab34-4b87-8aa0-a4a3c8296a36 base pytorch-onnx_1.3-py3.6 1bc6029a-
cc97-56da-b8e0-39c3880dbbe7 base kernel-spark3.3-r3.6 1c9e5454-f216-59dd-
a20e- 474a5cdf5988 base pytorch-onnx_rt22.1-py3.9-edt 1d362186-7ad5-5b59-
8b6c-9d0880bde37f base tensorflow_2.1-py3.6 1eb25b84-d6ed-5dde-b6a5-
3fbdf1665666 base spark-mllib_3.2 20047f72-0a98-58c7-9ff5-a77b012eb8f5 base
tensorflow_2.4-py3.8-horovod 217c16f6-178f- 56bf-824a-b19f20564c49 base
runtime-22.1-py3.9-cuda 26215f05-08c3-5a41-a1b0- da66306ce658 base
do_py3.8 295addb5-9ef9-547e-9bf4-92ae3563e720 base autoai-ts_3.8-py3.8
2aa0c932-798f-5ae9-abd6-15e0c2402fb5 base tensorflow_1.15-py3.6 2b73a275-
7cbf-420b- a912-eae7f436e0bc base kernel-spark3.3-py3.9 2b7961e2-e3b1-5a8c-
a491-482c8368839a base pytorch_1.2-py3.6 2c8ef57d-2687-4b7d-acce-
01f94976dac1 base spark-mllib_2.3 2e51f700- bca0-4b0d-88dc-5c6791338875
base pytorch-onnx 1.1-py3.6-edt 32983cea-3f32-4400-8965- dde874a8d67e base
spark-mllib_3.0-py37 36507ebe-8770-55ba-ab2a-eafe787600e9 base spark-
mllib 2.4 390d21f8-e58b-4fac-9c55-d7ceda621326 base xgboost 0.82-py3.6
39e31acd-5f30-41dc-ae44-60233c80306e base pytorch-onnx_1.2-py3.6-edt
40589d0e-7019-4e28-8daa- fb03b6f4fe12 base default_r36py38 41c247d3-45f8-
```

5a71-b065-8580229facf0 base

autoai-ts_rt22.1-py3.9 4269d26e-07ba-5d40-8f66-2d495b0c71f7 base autoai-obm_3.0 42b92e18-d9ab-567f-988a-4240ba1ed5f7 base pmml-3.0_4.3 493bcb95-16f1-5bc5-bee8- 81b8af80e9c7 base spark-mllib_2.4-r_3.6 49403dff-92e9-4c87-a3d7-a42d0021c095 base xgboost_0.90-py3.6 4ff8d6c2-1343-4c18-85e1-689c965304d3 base pytorch-onnx_1.1-py3.6 50f95b2a-bc16-43bb-bc94-b0bed208c60b base autoai-ts_3.9-py3.8 52c57136-80fa-572e-8728-a5e7cbb42cde base spark-mllib_2.4-scala_2.11 55a70f99-7320-4be5-9fb9-9edb5a443af5 base spark-mllib_3.0 5c1b0ca2-4977-5c2e-9439-ffd44ea8ffe9 base autoai-obm_2.0 5c2e37fa-80b8-

5e77-840f-d912469614ee base spss-modeler_18.1 5c3cad7e-507f-4b2a-a9a3-ab53a21dee8b basecuda-py3.8 5d3232bf-c86b-5df4-a2cd-7bb870a1cd4e base autoai-kb_3.1-py3.7 632d4b22-10aa- 5180-88f0-f52dfb6444d7 base pytorchonnx_1.7-py3.8 634d3cdc-b562-5bf9-a2d4-

```
ea90a478456b base spark-mllib_2.3-r_3.6 6586b9e3-ccd6-4f92-900f-
0f8cb2bd6f0c base tensorflow_2.4-py3.7 65e171d7-72d1-55d9-8ebb-
f813d620c9bb base spss-modeler_18.2 687eddc9-028a-4117-b9dd-e57b36f1efa5
Note: Only first 50 records were displayed. To display more use 'limit'
parameter. software_space_uid =
client.software_specifications.get_uid_by_name("tensorflow_rt22.1-py3.9")
software spec uid
'1eb25b84-d6ed-5dde-b6a5-
3fbdf1665666'ls
fruit-dataset/ fruit.h5 Train-model_new.tgz
model details = client.repository.store model(model= 'Train-model new.tgz',
meta_props={client.repository.ModelMetaNames.NAME:"CNN",
client.repository.ModelMetaNames.TYPE:"tensorflow 2.7",
client.repository.ModelMetaNames.SOFTWARE_SPEC_UID:software_space_
uid}) model_id = client.repository.get_model_id(model_details)
model_id
'd0aeb6a2-e89c-4f8d-bf2f-
a28ca4ea3cca'ls
fruit-dataset/fruit.h5 Train-
model_new.tgzTest The Model
import numpy as np
from tensorflow.keras.models import
load model from
tensorflow.keras.preprocessing import
imagemodel=load_model('fruit.h5')
#@title
img=image.load_img(r"C:\Users\LENOVO\Desktop\fruit-dataset\fruit
dataset\test\00fca0da-2db3-481b-b98a
9b67bb7b105c RS_HL
7708.JPG",target_size=(128,128))img
img=image.load_img(r"C:\Users\LENOVO\Desktop\ibm\Dataset Plant
Disease\fruit dataset\fruit-dataset\test\Apple
                           healthy\0adc1c5b-8958-47c0-a152-f28078c214f1
                           RS_HL7825.JPG",target_size=(128,128))
img
```




x=image.img_to_array(i mg)X array([[[99., 86., 106.], [101., 88., 108.], [118., 105., 125.],

```
[ 92., 83., 102.],
[ 93., 84., 103.],
[89., 80., 99.]],
[[ 96., 83., 103.],
[87., 74., 94.],
[102., 89., 109.],
[88., 79., 98.],
[89., 80., 99.],
[83., 74., 93.]],
[[ 86., 73., 93.],
[ 88., 75., 95.],
[ 98., 85., 105.],
[107., 98., 117.],
[ 96., 87., 106.],
[ 96., 87., 106.]],
[[172., 175., 194.],
[173., 176., 195.],
[175., 178., 197.],
[179., 180., 198.],
[184., 185., 203.],
[179., 180., 198.]],
[[172., 175., 194.],
[170., 173., 192.],
[173., 176., 195.],
[178., 179., 197.],
[182., 183., 201.],
[178., 179., 197.]],
[[169., 172., 191.],
[166., 169., 188.],
[168., 171., 190.],
[187., 188., 206.],
[185., 186., 204.],
[186., 187., 205.]]], dtype=float32)
```

```
x=np.expand_dims(x,axis=0)X
array([[[[ 99., 86., 106.],
[101., 88., 108.],
[118., 105., 125.],
...,
[ 92., 83., 102.],
```

```
[ 93., 84., 103.],
[89., 80., 99.]],
[[ 96., 83., 103.],
[87., 74., 94.],
[102., 89., 109.],
[88., 79., 98.],
[89., 80., 99.],
[83., 74., 93.]],
[[ 86., 73., 93.],
[88., 75., 95.],
[ 98., 85., 105.],
[107., 98., 117.],
[ 96., 87., 106.],
[ 96., 87., 106.]],
[[172., 175., 194.],
[173., 176., 195.],
[175., 178., 197.],
...,
[179., 180., 198.],
[184., 185., 203.],
[179., 180., 198.]],
[[172., 175., 194.],
[170., 173., 192.],
[173., 176., 195.],
[178., 179., 197.],
[182., 183., 201.],
[178., 179., 197.]],
[[169., 172., 191.],
[166., 169., 188.],
[168., 171., 190.],
[187., 188., 206.],
[185., 186., 204.],
[186., 187., 205.]]]], dtype=float32)
y=np.argmax(model.predict(x),axis=1)
                                            ====] - 0s 105ms/step
```



```
'Apple healthy'
img=image.load_img(r"C:\LENOVO\Desktop\ibm\Dataset Plant
Disease \ fruit-dataset \ test \ Peach \underline{\hspace{1cm}} healthy \ 0a2ed 402-5d23-description \ and \ beautiful the latter \ beautiful the latt
4e8d-bc98-
b264aea9c3fb Rutg._HL
2471.JPG",target_size=(128,128))
x=image.img_to_array(img)
x=np.expand_dims(x,axis=0)
y=np.argmax(model.predict(x),axis=1)
index=['Apple Black_rot','Apple healthy"Peach Bacterial_spot','Peach
             healthy']index[y[0]]
1/1 [======] - 0s 26ms/step
'Peach
                    health
y'import os
from tensorflow.keras.models import
load model from
tensorflow.keras.preprocessing import
imagefrom flask import
Flask,render_template,request app=Flask(
name ) model=load model("fruit.h5")
@app.route(
'/')def
index():
 return render_template("index.html")
@app.route('/predict',methods=['GET','P
OST'])def upload():
if request.method=='POST':
 f=request.files['image']
 basepath=os.path.dirname(' file ')
 filepath=os.path.join(basepath,'uploads',f.file
 name) f.save(filepath)
 img=image.load_img(filepath,target_size=(1
 28,128))x=image.img_to_array(img)
 x=np.expand_dims(x,axis=0)
 pred=np.argmax(model.predict(x),axis=1)
 index=['Apple Black_rot','Apple healthy',
 ,'Peach Bacterial spot','Peachhealthy']
 text="The Classified Fruit disease is:"
 +str(index[pred[0]])return text
```

if__name_=='_main_':
 app.run(debug=False)

vegetable model:

ls
sample_dat
a/pwd
'/home/wsuser/work'
!pip install keras==2.7.0

!pip install tensorflow==2.5.0

Looking in indexes: https://us-

python.pkg.dev/colabwheels/public/simple/

Requirement already satisfied: keras==2.7.0 in /usr/local/lib/python3.7/dist-

packages (2.7.0)Looking in indexes: https://us-packages (2.7.0)Looking in indexes: https://pypi.org/simple (2.7.0)Looking in indexes: https://pypi.org/simple (2.7.0)Looking indexes: http

python.pkg.dev/colab wheels/public/simple/

Requirement already satisfied: tensorflow==2.5.0 in

/usr/local/lib/python3.7/dist-packages(2.5.0)

Requirement already satisfied: h5py~=3.1.0 in /usr/local/lib/python3.7/dist-

packages (fromtensorflow==2.5.0) (3.1.0)

Requirement already satisfied: protobuf>=3.9.2 in /usr/local/lib/python3.7/dist-packages

(fromtensorflow==2.5.0) (3.19.6)

Requirement already satisfied: typing-extensions~=3.7.4 in

/usr/local/lib/python3.7/dist packages(from tensorflow==2.5.0) (3.7.4.3)

Requirement already satisfied: keras-nightly~=2.5.0.dev in

/usr/local/lib/python3.7/dist packages(from tensorflow==2.5.0)

(2.5.0.dev2021032900)

Requirement already satisfied: flatbuffers~=1.12.0 in

/usr/local/lib/python3.7/dist-packages(from tensorflow==2.5.0) (1.12)

Requirement already satisfied: gast==0.4.0 in /usr/local/lib/python3.7/dist-

packages (fromtensorflow==2.5.0) (0.4.0)

Requirement already satisfied: absl-py~=0.10 in /usr/local/lib/python3.7/dist-packages (fromtensorflow==2.5.0) (0.15.0)

Requirement already satisfied: astunparse~=1.6.3 in /usr/local/lib/python3.7/dist-packages (fromtensorflow==2.5.0) (1.6.3)

Requirement already satisfied: tensorflow-estimator<2.6.0,>=2.5.0rc0 in

/usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0) (2.5.0)

Requirement already satisfied: tensorboard~=2.5 in /usr/local/lib/python3.7/dist-packages (from tensorflow==2.5.0)(2.9.1)

Requirement already satisfied: opt-einsum~=3.3.0 in

/usr/local/lib/python3.7/dist-packages(from tensorflow==2.5.0) (3.3.0)

Requirement already satisfied: six~=1.15.0 in /usr/local/lib/python3.7/dist-

packages (fromtensorflow==2.5.0) (1.15.0)

Requirement already satisfied: google-pasta~=0.2 in

/usr/local/lib/python3.7/dist-packages(from tensorflow==2.5.0) (0.2.0)

Requirement already satisfied: grpcio~=1.34.0 in /usr/local/lib/python3.7/dist-packages (fromtensorflow==2.5.0) (1.34.1)

Requirement already satisfied: wrapt~=1.12.1 in /usr/local/lib/python3.7/dist-packages (fromtensorflow==2.5.0) (1.12.1)

Requirement already satisfied: termcolor~=1.1.0 in /usr/local/lib/python3.7/dist-packages

(fromtensorflow==2.5.0) (1.1.0)

Requirement already satisfied: keras-preprocessing~=1.1.2 in

/usr/local/lib/python3.7/distpackages (from tensorflow==2.5.0) (1.1.2)

Requirement already satisfied: wheel~=0.35 in /usr/local/lib/python3.7/dist-

packages (fromtensorflow==2.5.0) (0.38.3)

Requirement already satisfied: numpy~=1.19.2 in /usr/local/lib/python3.7/dist-packages

(from tensor flow == 2.5.0) (1.19.5)

```
Requirement already satisfied: cached-property in /usr/local/lib/python3.7/dist-
packages (from 5py = 3.1.0->tensorflow = 2.5.0) (1.5.2)
Requirement already satisfied: google-auth<3,>=1.6.3 in
/usr/local/lib/python3.7/dist packages(from tensorboard~=2.5-
>tensorflow==2.5.0) (2.14.1)
Requirement already satisfied: tensorboard-data-server<0.7.0,>=0.6.0 in
/usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5-
>tensorflow==2.5.0) (0.6.1) Requirement already satisfied: tensorboard-
plugin-wit>=1.6.0 in
/usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5-
>tensorflow==2.5.0) (1.8.1) Requirement already satisfied: google-auth-
oauthlib<0.5,>=0.4.1 in
/usr/local/lib/python3.7/dist-packages (from tensorboard~=2.5-
>tensorflow==2.5.0) (0.4.6) Requirement already satisfied: werkzeug>=1.0.1 in
/usr/local/lib/python3.7/dist-packages (fromtensorboard~=2.5-
>tensorflow==2.5.0) (1.0.1)
Requirement already satisfied: markdown>=2.6.8 in
/usr/local/lib/python3.7/dist-packages(from tensorboard~=2.5-
>tensorflow==2.5.0) (3.4.1)
Requirement already satisfied: requests<3,>=2.21.0 in
/usr/local/lib/python3.7/dist packages(from tensorboard~=2.5-
>tensorflow==2.5.0) (2.23.0)
Requirement already satisfied: setuptools>=41.0.0 in
/usr/local/lib/python3.7/dist-packages(from tensorboard~=2.5-
>tensorflow==2.5.0) (57.4.0)
Requirement already satisfied: rsa<5,>=3.1.4 in /usr/local/lib/python3.7/dist-
packages (from google-auth<3,>=1.6.3->tensorboard~=2.5->tensorflow==2.5.0)
(4.9) Requirement already satisfied: pyasn1-modules>=0.2.1 in
/usr/local/lib/python3.7/dist packages (from google- auth<3,>=1.6.3-
>tensorboard~=2.5->tensorflow==2.5.0) (0.2.8) Requirement already satisfied:
cachetools<6.0,>=2.0.0 in /usr/local/lib/python3.7/dist packages (from google-
auth < 3. > = 1.6.3
>tensorboard~=2.5->tensorflow==2.5.0) (5.2.0) Requirement already
satisfied: requests-oauthlib>=0.7.0 in /usr/local/lib/python3.7/dist packages
(from google-auth- oauthlib<0.5,>=0.4.1->tensorboard~=2.5-
>tensorflow==2.5.0) (1.3.1)
Requirement
                   already
                                satisfied:
                                                importlib-metadata>=4.4
                                                                               in
/usr/local/lib/python3.7/dist packages(from markdown>=2.6.8->tensorboard~=2.5-
>tensorflow==2.5.0) (4.13.0) Requirement already satisfied: zipp>=0.5 in
/usr/local/lib/python3.7/dist-packages (from importlib-metadata>=4.4-
```

```
>markdown>=2.6.8-tensorboard\sim=2.5-tensorflow==2.5.0) (3.10.0)
Requirement already satisfied: pyasn1<0.5.0,>=0.4.6 in
/usr/local/lib/python3.7/dist packages(from pyasn1-modules>=0.2.1->google-
auth<3,>=1.6.3->tensorboard\sim=2.5-
>tensorflow==2.5.0) (0.4.8)
Requirement already satisfied: urllib3!=1.25.0,!=1.25.1,<1.26,>=1.21.1 in
/usr/local/lib/python3.7/dist-packages (from requests<3,>=2.21.0->tensorboard~=2.5-
>tensorflow==2.5.0) (1.24.3)
Requirement already satisfied: idna<3,>=2.5 in /usr/local/lib/python3.7/dist-
packages (from requests < 3,>=2.21.0->tensorboard ~= 2.5->tensorflow == 2.5.0)
(2.10)
Requirement already satisfied: chardet<4,>=3.0.2 in /usr/local/lib/python3.7/dist-
packages (from requests < 3,>=2.21.0->tensorboard ~= 2.5->tensorflow == 2.5.0)
(3.0.4) Requirement already satisfied: certifi>=2017.4.17 in
/usr/local/lib/python3.7/dist-packages (from
requests<3,>=2.21.0->tensorboard~=2.5->tensorflow==2.5.0) (2022.9.24)
Requirement already satisfied: oauthlib>=3.0.0 in /usr/local/lib/python3.7/dist-
packages (from requests- oauthlib>=0.7.0->google-auth-oauthlib<0.5,>=0.4.1-
```

>tensorboard \sim =2.5->tensorflow==2.5.0) (3.2.2)

```
Image Augmentation
from tensorflow.keras.preprocessing.image import ImageDataGenerator
train_datagen=ImageDataGenerator(rescale=1./255,zoom_range=0.2,horizontal
flip=True,v ertical flip=False)
test_datagen=ImageDataGenerator(rescale=
1./255)ls
pwd
/content
import os, types
import pandas as
pd
from botocore.client import
Configimport ibm_boto3
def iter (self):
return 0#
@hidden cell
# The following code accesses a file in your IBM Cloud Object Storage. It
includes your credentials.
# You might want to remove those credentials before you share the
notebook. client 4ff9f1114db24196a9abd4f5c1f0b60a =
ibm boto3.client(service name='s3',
ibm_api_key_id='j4lNXssktSSxQiDx3pbNR_eFi1SMCDE6MFnBQ_
EmNCDM',
ibm_auth_endpoint="https://iam.cloud.ibm.com/oidc/token",
config=Config(signature_version='oauth'),
endpoint_url='https://s3.private.us.cloud-object-
storage.appdomain.cloud')
streaming_body_1 =
client_4ff9f1114db24196a9abd4f5c1f0b60a.get_object(Bucket='trainmodel-
donotdelete-pr-cbqe37eh8gzesa', Key='vegetable-dataset.zip')['Body']
# Your data file was loaded into a botocore.response.StreamingBody object. #
Please read the documentation of ibm boto3 and pandas to learn more about the
possibil ities to load the data.
# ibm boto3 documentation: https://ibm.github.io/ibm-cos-sdk-python/ # pandas
documentation: http://pandas.pydata.org/
from io import
BytesIOimport
zipfile
unzip =
zipfile.ZipFile(BytesIO(streaming_body_1.read()),
```

"r")file_paths = unzip.namelist()
for path in file_paths:
unzip.extract(pat
h) pwd
'/home/wsuser/w
ork'import os
filenames = os.listdir('/home/wsuser/work/vegetable-dataset/train')
x_train=train_datagen.flow_from_directory("/home/wsuser/work/vegetable
dataset/train",target_size=(128,128),class_mode='categorical',batch_size=24
) Found 5384images belonging to 6 classes.
x_test=test_datagen.flow_from_directory(r"/home/wsuser/work/vegetable
dataset/test",target_size=(128,128),
class_mode='categorical',batch_size
=24) Found 1686 images belonging
to 6 classes.x_train.class_indices

```
{'Tomato___Blight': 0, 'Tomato___healthy': 1, 'Corn_(maize)___Northern_Leaf_Blight': 2,
'Corn_(maize) healthy': 3, 'Potato Blight': 4, 'Potato healthy': 5}
CNN
from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import Dense, Convolution 2D, Max Pooling 2D, Flatten
model=Sequential()
model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))
model.add(MaxPooling2D(pool_size=(2,2)))
model.add(Flatten())
model.summary()
Model: "sequential_1"
                                                                             Layer (type)
Output Shape Param #
conv2d_1 (Conv2D) (None, 126, 126, 32) 896
max_pooling2d (MaxPooling2D (None, 63, 63, 32) 0
flatten (Flatten) (None, 127008) 0
Total params: 896
Trainable params: 896
Non-trainable params: 0
32*(3*3*3+1)
896
#Hidden Layers
model.add(Dense(300,activation='relu'))
model.add(Dense(150,activation='relu'))
Output Layers
model.add(Dense(6,activation='softmax'))
model.compile(loss='categorical_crossentropy',optimizer='adam',metrics=['accuracy'])
len(x_train)
225
1238/24
51.5833333333333336
model.fit_generator(x_train,steps_per_epoch=len(x_train),validation_data=x_test,validatio
n_steps=len(x_test),epochs=10)
```

/tmp/wsuser/ipykernel_164/1582812018.py:1: UserWarning: `Model.fit_generator` is deprecated and will be removed in a future version. Please use `Model.fit`, which supports generators.

```
model.fit_generator(x_train,steps_per_epoch=len(x_train),validation_data=x_test,validation
_steps=len(x_test),epochs=10)
Epoch 1/10
accuracy: 0.8094 - val loss: 0.2273 - val accuracy: 0.9235
Epoch 2/10
accuracy: 0.9179 - val_loss: 0.2056 - val_accuracy: 0.9324
Epoch 3/10
accuracy: 0.9337 - val_loss: 0.4972 - val_accuracy: 0.8754
Epoch 4/10
accuracy: 0.9422 - val_loss: 0.2279 - val_accuracy: 0.9217
Epoch 5/10
accuracy: 0.9487 - val loss: 0.1685 - val accuracy: 0.9484
Epoch 6/10
accuracy: 0.9556 - val loss: 0.1176 - val accuracy: 0.9662
Epoch 7/10
accuracy: 0.9590 - val_loss: 0.5466 - val_accuracy: 0.8387
Epoch 8/10
accuracy: 0.9597 - val loss: 0.1194 - val accuracy: 0.9620
Epoch 9/10
accuracy: 0.9616 - val loss: 0.1478 - val accuracy: 0.9508
Epoch 10/10
accuracy: 0.9695 - val loss: 0.0772 - val accuracy: 0.9751
<keras.callbacks.History at 0x7f71e8184070>
```

Saving Model

ls
vegetable-dataset/
model.save('vegetable.h5')
!tar -zcvf Train-model_new.tgz vegetable.h5
vegetable.h5

ls -1 vegetable-dataset/ vegetable.h5 Train-model_new.tgz

IBM Cloud Deployment Model

!pip install watson-machine-learning-client —upgrade Collecting watson-machine-learning-client

Downloading watson_machine_learning_client-1.0.391-py3-none-any.whl (538 kB)

| 538 kB 21.2 MB/s eta 0:00:01

Requirement already satisfied: tqdm in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from watson-machine-learning-client) (4.62.3)

Requirement already satisfied: certifi in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from watson-machine-learning-client) (2022.9.24)

Requirement already satisfied: requests in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from watson-machine-learning-client) (2.26.0)

Requirement already satisfied: tabulate in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from watson-machine-learning-client) (0.8.9)

Requirement already satisfied: ibm-cos-sdk in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from watson-machine-learning-client) (2.11.0) Requirement already satisfied: pandas in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from watson-machine-learning-client) (1.3.4)

Requirement already satisfied: lomond in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from watson-machine-learning-client) (0.3.3)

Requirement already satisfied: boto3 in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from watson-machine-learning-client) (1.18.21)

Requirement already satisfied: urllib3 in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from watson-machine-learning-client) (1.26.7)

Requirement already satisfied: jmespath<1.0.0,>=0.7.1 in /opt/conda/envs/Python

3.9/lib/python 3.9/site-packages~(from~boto 3-> watson-machine-learning-client)~(0.10.0)

Requirement already satisfied: s3transfer<0.6.0,>=0.5.0 in /opt/conda/envs/Python

3.9/lib/python3.9/site-packages (from boto3->watson-machine-learning-client) (0.5.0)

Requirement already satisfied: botocore<1.22.0,>=1.21.21 in /opt/conda/envs/Python

3.9/lib/python3.9/site-packages (from boto3->watson-machine-learning-client) (1.21.41)

Requirement already satisfied: python-dateutil<3.0.0,>=2.1 in /opt/conda/envs/Python

3.9/lib/python3.9/site-packages (from botocore<1.22.0,>=1.21.21->boto3->watson machine-learning-client) (2.8.2)

Requirement already satisfied: six>=1.5 in /opt/conda/envs/Python-3.9/lib/python3.9/site packages (from python-dateutil<3.0.0,>=2.1->botocore<1.22.0,>=1.21.21->boto3->watson machine-learning-client) (1.15.0)

Requirement already satisfied: ibm-cos-sdk-core==2.11.0 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from ibm-cos-sdk->watson-machine-learning-client) (2.11.0) Requirement already satisfied: ibm-cos-sdk-s3transfer==2.11.0 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from ibm-cos-sdk->watson-machine-learning-client) (2.11.0)

```
Requirement already satisfied: charset-normalizer~=2.0.0 in /opt/conda/envs/Python
3.9/lib/python3.9/site-packages (from requests->watson-machine-learning-client) (2.0.4)
Requirement already satisfied: idna<4,>=2.5 in /opt/conda/envs/Python 3.9/lib/python3.9/site-
packages (from requests->watson-machine-learning-client) (3.3) Requirement already satisfied:
pytz>=2017.3 in /opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from pandas->watson-
machine-learning-client) (2021.3) Requirement already satisfied: numpy>=1.17.3 in
/opt/conda/envs/Python 3.9/lib/python3.9/site-packages (from pandas->watson-machine-
learning-client) (1.19.5) Installing collected packages: watson-machine-learning-client
Successfully installed watson-machine-learning-client-1.0.391
from ibm_watson_machine_learning import APIClient
wml_credentials = {
"url": "https://us-south.ml.cloud.ibm.com",
"apikey":"0P3XkyCFYqABnc48BNG2ReoGAJy-oDXDRuULl4Y_zFxa"
client = APIClient(wml_credentials)
def guid from space name(client, space name):
space = client.spaces.get_details()
return(next(item for item in space['resources'] if item['entity']["name"]==space_name)['m
etadata']['id'])
space_uid = guid_from_space_name(client, 'Trainmodel')
print("Space UID = " + space uid)
Space UID = 616c7d74-e99b-4c09-9922-27394a62c2d0
client.set.default_space(space_uid)
'SUCCESS'
client.software_specifications.list()
NAME ASSET ID TYPE
default_py3.6 0062b8c9-8b7d-44a0-a9b9-46c416adcbd9 base kernel-spark3.2-scala2.12
020d69ce-7ac1-5e68-ac1a-31189867356a base pytorch-onnx 1.3-py3.7-edt 069ea134-3346-
5748-b513-49120e15d288 base scikit-learn_0.20-py3.6 09c5a1d0-9c1e-4473-a344-
eb7b665ff687 base spark-mllib 3.0-scala 2.12 09f4cff0-90a7-5899-b9ed-1ef348aebdee base
pytorch-onnx rt22.1-py3.9 0b848dd4-e681-5599-be41-b5f6fccc6471 base ai-function 0.1-py3.6
0cdb0f1e-5376-4f4d-92dd-da3b69aa9bda base shiny-r3.6 0e6e79df-875e-4f24-8ae9-
62dcc2148306 base
tensorflow 2.4-py3.7-horovod 1092590a-307d-563d-9b62-4eb7d64b3f22 base pytorch 1.1-
py3.6 10ac12d6-6b30-4ccd-8392-3e922c096a92 base tensorflow_1.15-py3.6-ddl 111e41b3-
de2d-5422-a4d6-bf776828c4b7 base runtime-22.1-py3.9 12b83a17-24d8-5082-900f-
0ab31fbfd3cb base scikit-learn_0.22-py3.6 154010fa-5b3b-4ac1-82af-4d5ee5abbc85 base
default r3.6 1b70aec3-ab34-4b87-8aa0-a4a3c8296a36 base pytorch-onnx 1.3-py3.6 1bc6029a-
cc97-56da-b8e0-39c3880dbbe7 base kernel-spark3.3-r3.6 1c9e5454-f216-59dd-a20e-
474a5cdf5988 base pytorch-onnx_rt22.1-py3.9-edt 1d362186-7ad5-5b59-8b6c-9d0880bde37f
base tensorflow_2.1-py3.6 1eb25b84-d6ed-5dde-b6a5-3fbdf1665666 base spark-mllib_3.2
20047f72-0a98-58c7-9ff5-a77b012eb8f5 base tensorflow_2.4-py3.8-horovod 217c16f6-178f-
56bf-824a-b19f20564c49 base runtime-22.1-py3.9-cuda 26215f05-08c3-5a41-a1b0-
da66306ce658 base do py3.8 295addb5-9ef9-547e-9bf4-92ae3563e720 base autoai-ts 3.8-py3.8
2aa0c932-798f-5ae9-abd6-15e0c2402fb5 base tensorflow_1.15-py3.6 2b73a275-7cbf-420b-
a912-eae7f436e0bc base kernel-spark3.3-py3.9 2b7961e2-e3b1-5a8c-a491-482c8368839a base
```

```
pytorch 1.2-py3.6 2c8ef57d-2687-4b7d-acce-01f94976dac1 base spark-mllib 2.3 2e51f700-
bca0-4b0d-88dc-5c6791338875 base pytorch-onnx_1.1-py3.6-edt 32983cea-3f32-4400-8965-
dde874a8d67e base spark-mllib_3.0-py37 36507ebe-8770-55ba-ab2a-eafe787600e9 base spark-
mllib 2.4 390d21f8-e58b-4fac-9c55-d7ceda621326 base xgboost 0.82-py3.6 39e31acd-5f30-
41dc-ae44-60233c80306e base pytorch-onnx_1.2-py3.6-edt 40589d0e-7019-4e28-8daa-
fb03b6f4fe12 base default_r36py38 41c247d3-45f8-5a71-b065-8580229facf0 base
autoai-ts rt22.1-py3.9 4269d26e-07ba-5d40-8f66-2d495b0c71f7 base autoai-obm 3.0
42b92e18-d9ab-567f-988a-4240ba1ed5f7 base pmml-3.0_4.3 493bcb95-16f1-5bc5-bee8-
81b8af80e9c7 base spark-mllib 2.4-r 3.6 49403dff-92e9-4c87-a3d7-a42d0021c095 base
xgboost_0.90-py3.6 4ff8d6c2-1343-4c18-85e1-689c965304d3 base pytorch-onnx_1.1-py3.6
50f95b2a-bc16-43bb-bc94-b0bed208c60b base autoai-ts_3.9-py3.8 52c57136-80fa-572e-8728-
a5e7cbb42cde base spark-mllib_2.4-scala_2.11 55a70f99-7320-4be5-9fb9-9edb5a443af5 base
spark-mllib 3.0 5c1b0ca2-4977-5c2e-9439-ffd44ea8ffe9 base autoai-obm 2.0 5c2e37fa-80b8-
5e77-840f-d912469614ee base spss-modeler_18.1 5c3cad7e-507f-4b2a-a9a3-ab53a21dee8b base
cuda-py3.8 5d3232bf-c86b-5df4-a2cd-7bb870a1cd4e base autoai-kb_3.1-py3.7 632d4b22-10aa-
5180-88f0-f52dfb6444d7 base pytorch-onnx 1.7-py3.8 634d3cdc-b562-5bf9-a2d4-
ea90a478456b base spark-mllib_2.3-r_3.6 6586b9e3-ccd6-4f92-900f-0f8cb2bd6f0c base
tensorflow_2.4-py3.7 65e171d7-72d1-55d9-8ebb-f813d620c9bb base spss-modeler 18.2
687eddc9-028a-4117-b9dd-e57b36f1efa5 base
Note: Only first 50 records were displayed. To display more use 'limit' parameter.
software_space_uid = client.software_specifications.get_uid_by_name("tensorflow_rt22.1-
py3.9")
software_spec_uid
'1eb25b84-d6ed-5dde-b6a5-3fbdf1665666'
ls
vegetable-dataset/vegetable.h5 Train-model_new.tgz
model_details = client.repository.store_model(model= 'Train-model_new.tgz', meta_props={
client.repository.ModelMetaNames.NAME:"CNN",
client.repository.ModelMetaNames.TYPE:"tensorflow_2.7",
client.repository.ModelMetaNames.SOFTWARE SPEC UID:software space uid})
model_id = client.repository.get_model_id(model_details)
model id
'd0aeb6a2-e89c-4f8d-bf2f-a28ca4ea3cca'
vegetable-dataset/ vegetable.h5 Train-model_new.tgz
Test The Model
import numpy as np
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image
model=load model('vegetable.h5')
#@title
img=image.load img(r"C:\Users\LENOVO\Desktop\vegetable-dataset\vegetable
dataset\test\00fca0da-2db3-481b-b98a
9b67bb7b105c RS_HL 7708.JPG",target_size=(128,128))
img
```



 $img=image.load_img(r"C:\Users\LENOVO\Desktop\ibm\Dataset\ Plant\ Disease\vegetable\ dataset\vegetable-dataset\test\Tomato__healthy\Oadc1c5b-8958-47c0-a152-f28078c214f1__RS_HL\ 7825.JPG",target_size=(128,128))$

img



```
x=image.img_to_array(img)
X
array([[[ 99., 86., 106.],
[101., 88., 108.],
[118., 105., 125.],
[ 92., 83., 102.],
[ 93., 84., 103.],
[89., 80., 99.]],
[[ 96., 83., 103.],
[87., 74., 94.],
[102., 89., 109.],
[ 88., 79., 98.],
[89., 80., 99.],
[83., 74., 93.]],
[[ 86., 73., 93.],
[ 88., 75., 95.],
[ 98., 85., 105.],
```

```
[107., 98., 117.],
[ 96., 87., 106.],
[ 96., 87., 106.]],
[[172., 175., 194.],
[173., 176., 195.],
[175., 178., 197.],
[179., 180., 198.],
[184., 185., 203.],
[179., 180., 198.]],
[[172., 175., 194.],
[170., 173., 192.],
[173., 176., 195.],
[178., 179., 197.],
[182., 183., 201.],
[178., 179., 197.]],
[[169., 172., 191.],
[166., 169., 188.],
[168., 171., 190.],
[187., 188., 206.],
[185., 186., 204.],
[186., 187., 205.]]], dtype=float32) x=np.expand_dims(x,axis=0)
X
array([[[ 99., 86., 106.],
[101., 88., 108.],
[118., 105., 125.],
[ 92., 83., 102.],
[ 93., 84., 103.],
[89., 80., 99.]],
[[ 96., 83., 103.],
[87., 74., 94.],
[102., 89., 109.],
[88., 79., 98.],
[89., 80., 99.],
[ 83., 74., 93.]],
[[ 86., 73., 93.],
[ 88., 75., 95.],
[ 98., 85., 105.],
[107., 98., 117.],
```

```
[ 96., 87., 106.],
 [ 96., 87., 106.]],
 [[172., 175., 194.],
 [173., 176., 195.],
 [175., 178., 197.],
 [179., 180., 198.],
 [184., 185., 203.],
 [179., 180., 198.]],
 [[172., 175., 194.],
 [170., 173., 192.],
 [173., 176., 195.],
 [178., 179., 197.],
 [182., 183., 201.],
 [178., 179., 197.]],
 [[169., 172., 191.],
 [166., 169., 188.],
 [168., 171., 190.],
 [187., 188., 206.],
 [185., 186., 204.],
 [186., 187., 205.]]]], dtype=float32)
y=np.argmax(model.predict(x),axis=1)
1/1 [======] - 0s 105ms/step
x_train.class_indices
{'Tomato Blight': 0, 'Tomato healthy': 1, 'Corn (maize) Northern Leaf Blight': 2,
 'Corn_(maize) healthy': 3, 'Potato Blight': 4, 'Potato healthy': 5}
index = ['Tomato\_\_Blight', 'Tomato\_\_healthy', 'Corn\_(maize)\_\_Northern\_Leaf\_Blight', 'Corn\_(maize)\_\_Norther
n_(maize) healthy','Potato Blight','Potato healthy']
index[y[0]]
'Tomato healthy'
img=image.load img(r"C:\LENOVO\Desktop\ibm\Dataset Plant Disease\vegetable
dataset\vegetable-dataset\test\Potato healthy\0a2ed402-5d23-4e8d-bc98-
b264aea9c3fb Rutg. HL 2471.JPG",target size=(128,128))
x=image.img_to_array(img)
x=np.expand dims(x,axis=0)
y=np.argmax(model.predict(x),axis=1)
index=['Tomato___Blight','Tomato___healthy''Potato___Blight','Potato___healthy'] index[y[0]]
1/1 [======] - 0s 26ms/step
'Potato healthy'
import os
from tensorflow.keras.models import load model
from tensorflow.keras.preprocessing import image
from flask import Flask, render template, request
```

```
app=Flask( name )
model=load_model("vegetable.h5")
@app.route('/')
def index():
return render_template("index.html")
@app.route('/predict',methods=['GET','POST'])
def upload():
if request.method=='POST':
f=request.files['image']
basepath=os.path.dirname(' file ')
filepath=os.path.join(basepath,'uploads',f.filename)
f.save(filepath)
img=image.load_img(filepath,target_size=(128,128))
x=image.img_to_array(img)
x=np.expand_dims(x,axis=0)
pred=np.argmax(model.predict(x),axis=1)
index=['Tomato Blight','Tomato healthy', ,'Potato Blight','Potato healthy']
text="The Classified Vegetable disease is: " +str(index[pred[0]]) return text
if name ==' main ':
app.run(debug=False)
ibmapp.py
import requests
from tensorflow.keras.preprocessing import image from tensorflow.keras.models import
load model
import numpy as np
import pandas as pd
import tensorflow as tf
from flask import Flask, request, render_template, redirect, url_for import os
from werkzeug.utils import secure_filename
app = Flask(\_name\_)
#load both the vegetable and fruit models
model = load model("IBM-vegetable.h5")
model1=load_model("IBM-fruit.h5")
#home page
@app.route('/')
def home():
return render_template('home.html')
#prediction page
@app.route('/prediction')
def prediction():
return render_template('predict.html')
@app.route('/predict',methods=['POST'])
def predict():
if request.method == 'POST':
# Get the file from post request
f = request.files['image']
```

```
# Save the file to ./uploads
basepath = os.path.dirname(_file_)
file_path = os.path.join(
basepath, 'uploads', secure_filename(f.filename)) f.save(file_path)
img = image.load_img(file_path, target_size=(128, 128))
x = image.img\_to\_array(img)
x = np.expand\_dims(x, axis=0)
plant=request.form['plant']
print(plant)
if(plant=="vegetable"):
preds = model.predict(x)
preds=np.argmax(preds)
print(preds)
df=pd.read_excel('precautions - veg.xlsx') print(df.iloc[preds]['caution'])
preds = model1.predict(x)
preds=np.argmax(preds)
df=pd.read_excel('precautions - fruits.xlsx') print(df.iloc[preds]['caution']
return df.iloc[preds]['caution']
if _name_ == "_main_":
app.run(debug=False)
```

GitHub Link:

https://github.com/IBM-EPBL/IBM-Project-10087-1659091352

Project Demo Link

https://drive.google.com/file/d/1wZ2_sxbCYNoV3Qs XTqyCd7r57k99V2Eu/view?usp=sharing