#### **ASSIGNMENT - 4**

PNT2022TMID27134
SMART WASTE MANAGEMENT FOR METROPOLITANT CITIES
OMPART WHO TE MINIMARCEMENT FOR METHOD CENTRICT CITIES
AKASHT
2 Marks

#### **QUESTION:**

Write code and connections in wokwi for ultrasonic sensor. Whenever distance is less than 100 cms send "alert" to IBM cloud and display in device recent events.

## CODE:


```
#include <WiFi.h>
                                                  // library for wifi
#include < PubSubClient.h >
                                                  // library for MQTT
//---- credentials of IBM Accounts -----
#define ORG "prbgrn"
                                                // IBM organisation id
#define DEVICE_TYPE "Ultrasonic"
                                              // Device type mentioned in ibm watson iot platform
#define DEVICE_ID "Assignment"
                                                // Device ID mentioned in ibm watson iot platform
#define TOKEN "6qL3DUu-zuo8yPI7tS"
                                            // Token
#define speed 0.034
#define led 14 String
data3:
int LED = 4;
//----- customise above values -----
char server[] = ORG ".messaging.internetofthings.ibmcloud.com"; // server name
char publishTopic[] = "iot-2/evt/sreedhar/fmt/json";
                                                                // topic name and type of event perform and format in which data
to be send
char topic[] = "iot-2/cmd/led/fmt/String";
                                                            // cmd Represent type and command is test format of strings
char authMethod[] = "use-token-auth";
                                                               // authentication method char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID; //Client id
WiFiClient wifiClient:
                                                         // creating instance for wificlient
PubSubClient client(server, 1883, wifiClient);
                                                         // calling the predefined client id by passing parameter like server id,port
and wifi credential
const int trigpin=5; const
int echopin=18;
String command;
String data="";
long duration;
float dist;
void setup()
 Serial.begin(115200);
pinMode(led,
                 OUTPUT);
pinMode(trigpin, OUTPUT);
```

```
pinMode(echopin, INPUT);
wifiConnect();
mqttConnect();
void loop() { bool isNearby
= dist < 100;
 digitalWrite(led, isNearby);
 publishData();
 delay(500);
 if (!client.loop())
  mqttConnect();
                                                                   // function call to connect to ibm
             -----*/
void wifiConnect()
 Serial.print("Connecting to ");
 Serial.print("Wifi");
 WiFi.begin("Wokwi-GUEST", "", 6);
 while (WiFi.status() != WL_CONNECTED)
  delay(500);
  Serial.print(".");
 Serial.print("WiFi connected, IP address: ");
 Serial.println(WiFi.localIP());
void mqttConnect()
 if (!client.connected())
  Serial.print("Reconnecting
                                 MQTT
                                             client
                                                                ");
Serial.println(server);
  while (!client.connect(clientId, authMethod, token))
   Serial.print(".");
   delay(500);
  initManagedDevice();
  Serial.println();
}
void initManagedDevice() {
if (client.subscribe(topic))
  Serial.println("IBM subscribe to cmd OK");
else
  Serial.println("subscribe to cmd FAILED");
 }
void publishData()
 digitalWrite(trigpin,LOW);
digitalWrite(trigpin,HIGH);
delayMicroseconds(10);
digitalWrite(trigpin,LOW);
```


```
duration=pulseIn(echopin,HIGH);
dist=duration*speed/2;
if(dist<100)
  digitalWrite(LED,HIGH);
  String payload = "{\"Alert Distance\":";
  payload
                      dist;
payload += "}";
  Serial.print("\n");
  Serial.print("Sending
                                    payload:
                                                         ");
Serial.println(payload);
  if (client.publish(publishTopic, (char*) payload.c_str())) // if data is uploaded to cloud successfully,prints publish ok else prints
publish failed
   Serial.println("Publish OK");
  if(dist>100)
    digitalWrite(LED,HIGH);
String payload = "{\"Distance\":";
payload += dist;
    payload += "}";
  Serial.print("\n");
  Serial.print("Sending
                                    payload:
                                                         ");
Serial.println(payload);
  if(client.publish(publishTopic, (char*) payload.c_str()))
   Serial.println("Publish OK");
else
   digitalWrite(LED,LOW);
   Serial.println("Publish FAILED");
}
}
```

# **OUTPUT**:

Code simulation on wokwi



## Data sent to IBM Cloud with distance



<u>Link</u>: https://wokwi.com/projects/346676889639715411