Create UI To Interact with Application

Team ID	PNT2022TMID27200
Project Name	Nutrition assistant application

REGISTER:

```
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="UTF-8"/>
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>TODO-SignUp</title>
  <link rel="stylesheet" href="./style.css" />
  link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
 </head>
 <body>
  <div class="container">
   <div class="logland">
    <div class="login">
     <h3>Sign Up!</h3>
     <form class="frm">
      <div class="icon-input">
        <i class="fa fa-user" aria-hidden="true"></i>
        <input type="text" placeholder="Enter Name"/><br />
      </div>
      <div class="icon-input">
        <i class="fa fa-envelope" aria-hidden="true"></i>
        <input type="text" placeholder="Enter Email"/><br />
      </div>
      <div class="icon-input">
       <i class="fa fa-address-book-o" aria-hidden="true"></i>
       <input type="text" placeholder="Enter Phone no."/><br/>>
     </div>
      <div class="icon-input">
        <i class="fa fa-key"></i>
        <input type="text" placeholder="Enter Password"/><br/>>
```

```
</div>
<div class="icon-input">
<i class="fa fa-repeat" aria-hidden="true"></i>
<input type="text" placeholder="Re-Enter Password"/><br/>
</div>
<br/>
<br/>
</form>
</div>
</div>
</div>
</div>
</div>
</html>
```

Output:



Login:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8" />
<meta http-equiv="X-UA-Compatible" content="IE=edge" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>TODO-Login</title>
link rel="stylesheet" href="./style.css" /></ti>
```

```
k rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
 </head>
<body>
  <div class="container">
   <div class="logland">
    <div class="login">
     <h3>LOGIN</h3>
     <form class="frm">
      <div class="icon-input">
        <i class="fa fa-envelope" aria-hidden="true"></i>
        <input type="text" placeholder="Enter Email"/><br />
      </div>
      <div class="icon-input">
        <i class="fa fa-key"></i>
        <input type="text" placeholder="Enter Password"/><br/>>
      </div>
      <button>Login</button>
     </form>
    </div>
   </div>
  </div>
 </body>
</html>
```


Output:



Image Uploading Page:

```
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="UTF-8"/>
 <meta http-equiv="X-UA-Compatible" content="IE=edge" />
 <meta name="viewport" content="width=device-width, initial-scale=1.0" />
 <link rel="stylesheet" href="./style.css" />
 link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
 </head>
<body>
 <div class="container">
   <div class="logland" style="overflow:hidden">
   <div
style="width:350px;background-image:url('./my app side.jpg');background-position:right;h
eight:100%">
    </div>
    <div class="login" style="padding:0px 30px">
     <h3>Upload Image</h>
     <form class="frm">
     <br/>>
     Please Upload an image to get your
<br/>food nutrition
      <div class="icon-input">
        <input type="file" placeholder="Enter Email"/><br />
      </div>
      <button>Upload</button>
     </form>
    </div>
   </div>
 </div>
</body>
</html>
```

Output:



Style.css

 $@import\ url('https://fonts.googleap is.com/css2?family=Poppins:wght@300;400\&display=swap');$

@import url('https://fonts.googleapis.com/css2?family=Quicksand&display=swap');

```
body {
   margin: 0px 0px;
   font-family: 'Poppins', sans-serif;
}
.navbar{
   position: absolute;
   top: 40px;
   left: 0px;
   width: 100vw;
   height: 50px;
   display: flex;
   justify-content: space-between;
   align-items: center;
}
.container {
   background-color: #262a41;
```

```
width: 100vw;
 height: 100vh;
 display: flex;
justify-content: center;
 align-items: center;
.logland {
 background-color: white;
 border-radius: 10px;
 width:max-content; height:
 500px;
 display: flex;
justify-content: center;
 align-items: center;
.login,.login > form{
 display: flex;
 flex-direction: column;
 align-items: center;
justify-content: center;
.line{
 height:90%;
 width:3px;
 border-radius:0px 50% 0px 50%;
 background-color:black;
}
.dash\{
 background-color: white;
 border-radius: 10px; width:
 90%;
 height: 70%;
 display: flex;
 align-items: center;
 margin-top: 50px;
.task,.inprog{
 display: flex;
```

```
flex-direction: column;
 height: 100%;
 width: 50%;
 align-items: center;
.task,.inprog > p{
 font-size: 25px;
}
.addtask{
 padding: 10px;
 border-radius: 10px;
 margin-bottom: 20px;
justify-self: flex-end;
 width: 80%;
border: 2px solid #17b31f;
.addtask > input {
 width: 92%;
height: 30px;
 font-size: 20px;
 border: none;
 outline: none;
.addtask > button\{
 font-size: 25px;
 background-color: white;
 border: none;
 color: #E91E63;
#tasks{
height: 100%;
 width: 80%;
.eachtask,.eachtaskp{
 display: flex;
 width: 100%;
 align-items: center;
```

```
justify-content: space-between;
 border-radius: 5px;
 margin-bottom: 10px;
 background-color: #e8eaf6;
.eachtask>p,.eachtaskp >p{
 font-size: 18px;
.eachtask>p>i,.eachtaskp>p>i{
 font-size: 20px;
 margin: 0px 10px;
.eachtask>i,.eachtaskp>i{
 font-size: 30px;
 margin-right: 15px;
.eachtaskp{
 background: linear-gradient(to right,#e8eaf6 30%,#40b84686 70%);
.eachtaskp:nth-child(2){
 background: linear-gradient(to right,#e8eaf6 30%,#ff3c0088 70%);
}
.eachtaskp > button{
 cursor: pointer;
 margin-right: 15px;
 border-radius: 10px;
 padding: 5px 10px;
 border: none;
 background-color: #D9D9D9; font-
 family: 'Poppins', sans-serif;
}
h3 {
  font-size: 30px; letter-
  spacing: 1.5px;
}
.frm input{
```

```
height:30px;
  border-radius:0px 10px 10px 0px;border:2px
  solid gray;
  border-left: none;
  transition: 1s ease;
  outline:none;
  min-width:250px;
  padding-left: 10px;
.frm input[type=file]{
       border:none;
.frm>input:focus{
  border:2px solid rgb(29, 98, 247);
}
.icon-input{
  /* border:2px solid red; */
  display: flex;
  align-items: center;
  margin:10px 0px;
.icon-input>i{
 display: flex;
 align-items: center;
justify-content: center;
 min-width:30px;
 color:white;
 background-color:#262a41; border-
 radius:10px 0px 0px 10px;font-
 size:16px;
 height:36px;
input {
  font-family: 'Quicksand', sans-serif;
}
.frm button{
  margin-top: 20px;
```

```
border: none; border-
radius: 10px;padding:
5px 20px; font-size:
15px;
font-family: 'Poppins', sans-serif;
background-color: #00E676;
cursor: pointer;
}
.frm button:hover{
color: #00E676;
background-color: black;
}
```