

# IMPLEMENTING WEB APPLICATION - CREATE UI TO INTERACT WITH UI APPLICATION

Team ID	PNT2022TMID01747
Project Name	Nutrition Assistant Application

## 1.LOGIN

login.html

```
<!DOCTYPE html>

<!-- Created By CodingLab - www.codinglabweb.com -->

<html lang="en" dir="ltr">

  <head>

    <meta charset="UTF-8">

    <!--<title> Responsive Login Form | CodingLab </title>-->

    <link rel="stylesheet" href="style22.css">

    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.15.2/css/all.min.css"/>

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

  </head>

  <body>

    <div class="container">

      <form action="#">

        <div class="title">Login</div>

        <div class="input-box underline">

          <input type="text" placeholder="Enter Your Email" required>

          <div class="underline"></div>

        </div>
```

```

<div class="input-box">
  <input type="password" placeholder="Enter Your Password" required>
  <div class="underline"></div>
</div>

<div class="input-box button">
  <input type="submit" name="" value="Continue">
</div>
</form>

<div class="option">or Connect With Social Media</div>

<div class="twitter">
  <a href="#"><i class="fab fa-twitter"></i>Sign in With Twitter</a>
</div>

<div class="facebook">
  <a href="#"><i class="fab fa-facebook-f"></i>Sign in With
Facebook</a>
</div>
</div>
</body>
</html>

```

## **.style22.css**

```

@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@200;300;400;500;600;700&displa
y=swap'
);

@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@200;300;400;500;600;700&displa
y=swap'

```

```
);  
  
*{  
    margin: 0; padding: 0; box-  
sizing: border-box; font-  
family: 'Poppins', sans-serif;  
}  
  
html, body{ display: grid; height: 100vh; width: 100%;  
place-items: center; background: linear-gradient(to right,  
#99004d 0%, #ff0080 100%);  
}  
  
::selection{  
background: #ff80bf;  
  
}  
  
.container{ background: #fff; max-  
width: 350px; width: 100%; padding:  
25px 30px; border-radius: 5px; box-  
shadow: 0 10px 10px rgba(0, 0, 0, 0.15);  
}  
  
.container form .title{  
font-size: 30px; font-  
weight: 600; margin:  
20px 0 10px 0;  
position: relative;  
}
```

```
.container form .title:before{ content: "; position: absolute;
height: 4px; width: 33px; left: 0px; bottom: 3px; border-
radius: 5px; background: linear-gradient(to right, #99004d
0%, #ff0080 100%);
}
```

```
.container form .input-
box{ width: 100%;
height: 45px; margin-
top: 25px; position:
relative;
}
```

```
.container form .input-box
input{ width: 100%; height:
100%; outline: none;

font-size: 16px;
border: none;
}
```

```
.container form
.underline::before{ content: ";
position: absolute; height: 2px;
width: 100%; background:
#ccc;
left: 0;
bottom: 0;
```

```

}

.container form .underline::after{  content: ""; position:
absolute; height: 2px; width: 100%; background: linear-
gradient(to right, #99004d 0%, #ff0080 100%);

left: 0;

bottom: 0;

transform: scaleX(0);
transform-origin: left;
transition: all 0.3s
ease;
}

.container form .input-box input:focus ~ .underline::after,
.container form .input-box input:valid ~ .underline::after{
transform: scaleX(1); transform-origin: left;
}

.container form .button{
margin: 40px 0 20px 0;
}

.container .input-box input[type="submit"]{ background:
linear-gradient(to right, #99004d 0%, #ff0080 100%); font-
size: 17px; color: #fff; border-radius: 5px; cursor: pointer;
transition: all 0.3s ease;
}

```

```
.container .input-box input[type="submit"]:hover{ letter-  
spacing: 1px; background: linear-gradient(to left, #99004d  
0%, #ff0080 100%);  
}
```

```
.container  
.option{ font-  
size: 14px; text-  
align: center;  
}
```

```
.container .facebook a,  
.container .twitter a{  
display: block;  
height: 45px; width:  
100%; font-size:  
15px; text-  
decoration: none;  
padding-left: 20px;  
line-height: 45px;  
color: #fff; border-  
radius: 5px;  
transition: all 0.3s  
ease;  
}
```

```
.container .facebook
```

```
i, .container .twitter
```

```
i{ padding-right:
```

```
12px; font-size:
```

```
20px;
```

```
}
```

```
.container .twitter a{ background: linear-gradient(to right,
```

```
#00acee 0%, #1abeef 100%); margin: 20px 0 15px 0;
```

```
}
```

```
.container .twitter a:hover{ background: linear-gradient(to
```

```
left, #00acee 0%, #1abeef 100%); margin: 20px 0 15px 0;
```

```
}
```

```
.container .facebook a{ background: linear-gradient( to right,
```

```
#3b5998 0%, #476bb8 100%); margin: 20px 0 50px 0;
```

```
}
```

```
.container .facebook a:hover{ background: linear-gradient( to
```

```
left, #3b5998 0%, #476bb8 100%); margin: 20px 0 50px 0;
```

