

TEAM ID.PNT2022TMID32006

PROJECT NAME: DemandEst - AI powered Food DemandForecaster

Team Leader - SAI SIVA SANJAY R

KNNLE : 33.04800931300/0/

Save The Model

Pickle is used for serializing and de-serializing Python object structures, also called marshalling or flattening. Serialization refers to the process of converting an object in memory to a byte stream that can be stored on disk or sent over a network. Later on, this character stream can then be retrieved and de-serialized back to a Python object. Here, DT is our decision tree model saving as fdemand.pkl file. Wb is the write binary in bytes.

```
In [132]: import pickle
pickle.dump(DT,open('fdemand.pkl','wb'))
```

Team Member 1 - GANESH M

KNNLE : 33.04800931300/0/

Save The Model

Pickle is used for serializing and de-serializing Python object structures, also called marshalling or flattening. Serialization refers to the process of converting an object in memory to a byte stream that can be stored on disk or sent over a network. Later on, this character stream can then be retrieved and de-serialized back to a Python object. Here, DT is our decision tree model saving as fdemand.pkl file. Wb is the write binary in bytes.

```
In [132]: import pickle
pickle.dump(DT,open('fdemand.pkl','wb'))
```

Team Member 2 - MATHIVANAN R

KNNLE : 33.04800931300/0/

Save The Model

Pickle is used for serializing and de-serializing Python object structures, also called marshalling or flattening. Serialization refers to the process of converting an object in memory to a byte stream that can be stored on disk or sent over a network. Later on, this character stream can then be retrieved and de-serialized back to a Python object. Here, DT is our decision tree model saving as fdemand.pkl file. Wb is the write binary in bytes.

```
In [132]: import pickle
pickle.dump(DT,open('fdemand.pkl','wb'))
```

Team Member 3 - GAYATHRI K

KNNLE : 33.04800931300/0/

Save The Model

Pickle is used for serializing and de-serializing Python object structures, also called marshalling or flattening. Serialization refers to the process of converting an object in memory to a byte stream that can be stored on disk or sent over a network. Later on, this character stream can then be retrieved and de-serialized back to a Python object. Here, DT is our decision tree model saving as fdemand.pkl file. Wb is the write binary in bytes.

```
In [132]: import pickle
pickle.dump(DT,open('fdemand.pkl','wb'))
```