ASSIGNMENT-03

1.Create a Bucket in IBM object storage.

2.Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.

3.Enabling Public access

Html code:

```html
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="UTF-8" />
        <meta http-equiv="X-UA-Compatible" content="IE=edge" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0" />
        <link rel="stylesheet"
href="https://inventoymanagementsystem.s3.jp-tok.cloud-object-
storage.appdomain.cloud/style.css" />
        <title>Document</title>
    </head>
    <body>
        <div class="img-container">
        <img src="https://inventoymanagementsystem.s3.jp-tok.cloud-
object-storage.appdomain.cloud/1.jpg" alt=""/>
        <img src="https://inventoymanagementsystem.s3.jp-tok.cloud-
object-storage.appdomain.cloud/2.jpg" alt="" />
        <img src="https://inventoymanagementsystem.s3.jp-tok.cloud-
object-storage.appdomain.cloud/3.jpg" alt="" />
        <img src="https://inventoymanagementsystem.s3.jp-tok.cloud-
object-storage.appdomain.cloud/4.jpg" alt="" />
        <img src="https://inventoymanagementsystem.s3.jp-tok.cloud-
object-storage.appdomain.cloud/5.jpg "alt="" />
        </div>
    </body>
</html>
```

Output:

2.Upload a css page to the object storage and use the same page in your HTML code.

Css:

```css
.img-container {
    display: flex;
    flex-direction: row;
    gap: 2rem;
    flex-wrap: wrap;
}

.img-container img {
    width:300px;
    height: 300px;
    border-radius: 10px;
}
```

Output:

3.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-27413bf2-e2c4-4422-bb6d-

30a6b2f75a3c%3A%3Acb343695-711a-41aa-9ef0-d01b567b4f36&integrationID=bc3bbd30-2788-42fc-810f-6ee967ad6490&region=au-syd&serviceInstanceID=27413bf2-e2c4-4422-bb6d-30a6b2f75a3c

4.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Html code:

```html
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="UTF-8" />
            <meta http-equiv="X-UA-Compatible" content="IE=edge" />
            <meta name="viewport" content="width=device-width, initial-scale=1.0" />
            <link rel="stylesheet"
href="https://inventoymanagementsystem.s3.jp-tok.cloud-object-storage.appdomain.cloud/style.css" />
            <title>Document</title>
    </head>
    <body>
            <div class="img-container">
            <img src="https://inventoymanagementsystem.s3.jp-tok.cloud-object-storage.appdomain.cloud/1.jpg" alt=""/>
            <img src="https://inventoymanagementsystem.s3.jp-tok.cloud-object-storage.appdomain.cloud/2.jpg" alt="" />
            <img src="https://inventoymanagementsystem.s3.jp-tok.cloud-object-storage.appdomain.cloud/3.jpg" alt="" />
            <img src="https://inventoymanagementsystem.s3.jp-tok.cloud-object-storage.appdomain.cloud/4.jpg" alt="" />
            <img src="https://inventoymanagementsystem.s3.jp-tok.cloud-object-storage.appdomain.cloud/5.jpg "alt="" />
            </div>
        </body>
</html>

    </div>

    <script>

    window.watsonAssistantChatOptions = {

    integrationID: "bc3bbd30-2788-42fc-810f-6ee967ad6490", // The ID of this integration.

    region: "au-syd", // The region your integration is hosted in.

    serviceInstanceID: "27413bf2-e2c4-4422-bb6d-30a6b2f75a3c", // The ID of your service instance.
```

```
onLoad: function(instance) { instance.render(); }

    };

    setTimeout(function(){

    const t=document.createElement('script');

    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +

    (window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";

    document.head.appendChild(t);

    });

    </script>

    </body>

    </html>
```

Output: