Team ID: PNT2022TMID21729

Project Name: IoT Based Safety Gadget for Child Safety Monitoring and notification SPRINT 3

LOCAL FORAGE:

```
!function(a)
if("object"==typeof exports&&"undefined"!=typeof module)module.exports=a();
else if("function"==typeof define&&define.amd)define([],a);
else
var b:
b="undefined"!=typeof window?window:"undefined"!=typeof global?global:"undefined"!=typeof
self?self:this,b.localforage=a()}}(function()
return function a(b,c,d)
function e(g,h)\{if(!c[g])\{if(!b[g])\}
var i="function"==typeof require&&require;
if(!h\&\&i)return i(g,!0);if(f)return f(g,!0);
var j=new Error("Cannot find module ""+g+""");
throw j.code="MODULE_NOT_FOUND",j}var k=c[g]={exports:{}};
b[g][0].call(k.exports,function(a){
var c = b[g][1][a];
return e(c||a), k, k. exports, a, b, c, d)
return c[g].exports}
for(var f="function"==typeof require&&require,g=0;g<d.length;g++)e(d[g]);
return e
({1:[function(a,b,c){(function(a){"use strict";
function c()\{k=!0;
```

```
for(var a,b,c=l.length;c;)
for(b=1,1=[],a=-1;++a< c;)b[a]();
c=1.length k=11 function d(a) \{1!=1.push(a)||k||e()\} var
e,f=a.MutationObserver||a.WebKitMutationObserver;
if(f){var g=0,h=new f(c),i=a.document.createTextNode("");
h.observe(i,{characterData:!0}),
e=function()\{i.data=g=++g\%2\}\}
else if(a.setImmediate void ea.MessageChannel)
e="document"in all"onreadystatechange in a.document.createElement("script") function()
var b=a. document.createElement("script");
b.onreadystatechange-function()(c(),b. onreadystatechange=null,b.parentNode.removeChild
(b),b=null),a.document.documentElement.appendChild(b)}:
function() (setTimeout(c,8));
else{var j-new a.MessageChannel;
i.port1.onmessage=c,e-function(){i.port2.postMessage(0)}}var k,1-[];
b.exports-d)).call(this, "undefined"!=typeof global?global: "undefined"!=typeof self?self: "undefined"!=typeof
window?window: {})},{}],2: [function(a,b,c){"use strict";
function d()() function e(a){if("function" I-typeof a) throw new TypeError("resolver must be a function"); this.states,
this.queue=[], this.outcome vald
0,aldi(this,a)} function f(a,b,c){this.promise-a, "function"==typeof b&&(this.onFulfilled-b, this.callFulfilled-
this.otherCallFulfilled), "function"typeof c&&(this.onRejected=c,
```

INDEX:

```
<!DOCTYPE html>
<html lang="en" style="height: 100%; margin: 0;">
<head>
<meta charset="UTF-8" />
<meta name="description" content="The Home Page after Logged In" />
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>IOT Based Safety Gadget for Child Safety Monitoring and Notification</title>
<script src="./localforage.js"></script>
<script>
if (window.location.hostname !== "localhost") { if (location.protocol !== "https:") {
location.replace(
`https:${location.href.substring(location.protocol.length
)}`
async function check() {
let data = localforage.getItem("userData") if (data == null) {
window.location.href = "/login"
check()
</script>
</head>
<body
style="
height: 100%;
margin: 0;">
<div
font-weight: 300;
font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen, Ubuntu, Cantarell, 'Open Sans',
'Helvetica Neue',
sans-serif;
```

```
class="wrapper" style="
height: 90%; display: flex;
flex-direction: column; align-items: center; justify-content: center;
text-align: center; ">
<div
class="details" style="
display: flex;
flex-direction: column; align-items: center; gap: 20px;
padding: 1rem; border-radius: 5px;
box-shadow: 0 0 8px 0px #44444444;
max-width: 80%;">
<h1 class="name" style="margin: 0"></h1>
<div
class="imageContainer"
style="padding: 10px; height: 10rem; width: 10rem">
<img class="image" alt="profile picture" />
</div>
<h2 class="email" style="margin: 0"></h2>
<a style="text-decoration: none;text-align: center;font-size: 1.2rem;color: #0070f3;font-weight: 400;"
href="./dashboard">Go to Dashboard ?</a>
</div>
</div>
<script>
async function main() {
let name = document.querySelector(".name") let image = document.querySelector(".image") let email =
document.querySelector(".email")
let userData = await localforage.getItem("userData") if(userData == null) {
```

```
window.location.href = "/login"
}
name.innerHTML = `Welcome ${userData.firstName} ${userData.lastName}!` image.src = userData.profilePic
email.innerHTML = `Your email is: <a style="text-decoration: none;color: #0072B5;"
href="mailto:${userData.email}">${userData.email}</a>`
}
main()
</script>
</body>
</html>
```