

Assignment - 4

Assignment Date	9 November 2022
Student Name	Faustina Philomena Fernando
Student Roll Number	311419104021
Maximum Marks	2 Marks

Question 1:

Pull an image from docker hub and run it in docker playground.

03:57:32

CLOSE SESSION

Instances

+ ADD NEW INSTANCE

192.168.0.8
node1

cddvksm0_cddvkvm0qau000a07j5g

IP
192.168.0.8

OPEN PORT

Memory
1.24% (49.52MiB / 3.906GiB)

CPU
0.31%

SSH
ssh ip172-18-0-22-cddvksm0qau000a07j50@direct.labs.pla

DELETE

EDITOR

```
#####  
# WARNING!!!!  
# This is a sandbox environment. Using personal credentials  
# is HIGHLY discouraged. Any consequences of doing so are  
# completely the user's responsibilities.  
#  
# The PMO team.  
#####  
[node1] (local) root@192.168.0.8 ~  
$ docker pull hello-world  
Using default tag: latest  
latest: Pulling from library/hello-world  
2db29710123e: Pull complete  
Digest: sha256:e18f0a777aefabe047a671ab3ec3eed05414477c951ab1a6f352a06974245fe7  
Status: Downloaded newer image for hello-world:latest  
docker.io/library/hello-world:latest  
[node1] (local) root@192.168.0.8 ~  
$ docker run hello-world
```

Activate Windows
Go to Settings to activate Windows.

03:57:05

CLOSE SESSION

Instances

+ ADD NEW INSTANCE

192.168.0.8
node1

cddvksm0_cddvkvm0qau000a07j5g

IP
192.168.0.8

OPEN PORT

Memory
1.26% (50.45MiB / 3.906GiB)

CPU
0.39%

SSH
ssh ip172-18-0-22-cddvksm0qau000a07j50@direct.labs.pla

DELETE

EDITOR

```
2. The Docker daemon pulled the "hello-world" image from the Docker Hub.  
(amd64)  
3. The Docker daemon created a new container from that image which runs the  
executable that produces the output you are currently reading.  
4. The Docker daemon streamed that output to the Docker client, which sent it  
to your terminal.  
  
To try something more ambitious, you can run an Ubuntu container with:  
$ docker run -it ubuntu bash  
  
Share images, automate workflows, and more with a free Docker ID:  
https://hub.docker.com/  
  
For more examples and ideas, visit:  
https://docs.docker.com/get-started/  
[node1] (local) root@192.168.0.8 ~  
$
```

Activate Windows
Go to Settings to activate Windows.


Question 2:

Create a docker file for the job portal application and deploy it in Docker desktop application.

DOCKER FILE:

```
1 FROM python:3.8-buster
2
3 WORKDIR /app
4
5 COPY requirements.txt /app/
6
7 RUN pip install -r requirements.txt
8
9 COPY . /app/
10
11 RUN cp .env.dev.sample .env
12
13 EXPOSE 8000
14
15 RUN chmod +x entrypoint.sh
16
17 CMD ["sh", "entrypoint.sh"]
```

DEPLOYMENT OF JOBPORTAL APPLICATION:




The screenshot shows the Docker Desktop interface. On the left sidebar, the 'Containers' tab is selected. The main panel displays a table of containers. A toggle switch for 'Only show running containers' is present. A search bar is located at the top right of the container list. The table lists two containers: 'agitated_neumann' (status: Exited) and 'jolly_turing' (status: Running). The 'jolly_turing' container is highlighted, showing its image 'jobportalapplication:latest' and port '1234:8000'. The bottom status bar indicates system resources (RAM 3.06GB, CPU 0.57%) and connection status (Connected to Hub).

	NAME	IMAGE	STATUS	PORT(S)	STARTED	ACTIONS
<input type="checkbox"/>	agitated_neumann 918d20882039	icr.io/helloapp/ibm:latest	Exited (137)	49160:8080		
<input type="checkbox"/>	jolly_turing b62c0712bdd3	jobportalapplication:latest	Running	1234:8000	4 minutes ago	

Showing 2 items

RAM 3.06GB CPU 0.57% Connected to Hub v4.13.0


OUTPUT:




Question 3:

Create a IBM container registry and deploy hello-world app or job port app.IBM CONTAINER

REGISTRY DEPLOYMENT:



OUTPUT:



Question 4:

Create a Kubernetes cluster in IBM cloud and deploy helloworld image or jobportal image and also expose the same app to run in node port.

Creating Kubernetes cluster in IBM cloud and exposing node port:

A screenshot of the IBM Cloud Kubernetes Dashboard. The cluster is named 'mycluster-free' and is in a 'Normal' state, with a note that it 'Expires in 29 days'. The 'Worker nodes' tab is selected, showing a table with one node.

Name	Status	Worker pool	Zone	Private IP	Public IP	Version
0000008c	Normal	default	Milan 01	10.144.187.51	159.122.179.68	1.23.12_1549

OUTPUT:

