

## ASSIGNMENT-4

### CODE:

```
#include<WiFi.h>
#include<PubSubClient.h>
voidcallback(char*subscribetopic,byte*payload,unsignedintpayloadLength);
//-----credentialsofIBMAccounts-----
#defineORG"kotoq5"//IBMORGANITIONID
#defineDEVICE_TYPE"ESP32"//DevicetypementionedinibmwatsonIOTPlatform#defi
ne DEVICE_ID "12345"//Device ID mentioned in ibmwatson IOT
Platform#defineTOKEN"12345678"//Token
Stringdata3;
charserver[]=ORG".messaging.internetofthings.ibmcloud.com";charpublishTopic[]="io
t-2/evt/Data/fmt/json";
charsubscribetopic[]="iot-2/cmd/test/fmt/String";charauthMethod[]="use-token-auth";

chartoken[]=TOKEN;
charclientId[]="d:"ORG":"DEVICE_TYPE":"DEVICE_ID";
WiFiClientwifiClient;
PubSubClientclient(server,1883,callback,wifiClient);constinttrigPin =5;
constintechnoPin = 18;#defineSOUND_SPEED0.034longduration;
floatdistance;voidsetup(){
Serial.begin(115200);pinMode(trigPin,OUTPUT);pinMode(echoPin,
INPUT);wificonnect();mqttconnect();
}
voidloop()
{
digitalWrite(trigPin, LOW);delayMicroseconds(2);digitalWrite(trigPin,
HIGH);delayMicroseconds(10);digitalWrite(trigPin,LOW);duration = pulseIn(echoPin,
HIGH);distance=duration*SOUND_SPEED/2;Serial.print("Distance (cm):
");Serial.println(distance);if(distance<100)
{
Serial.println("ALERT!!");delay(1000);

PublishData(distance);delay(1000);
if(!client.loop()){mqttconnect();
}
}
delay(1000);
}
```

```

void PublishData(float dist){mqttconnect();
String payload="{\"Distance\":\";payload+=dist;
payload+=\", \"ALERT!!\":\"\"Distancelessthan100cms\"\";payload+= \"}";
Serial.print("Sendingpayload:");
Serial.println(payload);

if(client.publish(publishTopic,(char*)payload.c_str())){
Serial.println("Publishok");
}else{
Serial.println("Publishfailed");
}
}
void mqttconnect(){
if(!client.connected()) {Serial.print("Reconnectingclientto");Serial.println(server);
while(!client.connect(clientId,authMethod,token)){
Serial.print(".");delay(500);
}

initManagedDevice();
Serial.println();
}
}
void wificonnect()
{
Serial.println(); Serial.print("Connecting to ");WiFi.begin("Wokwi-GUEST", "", 6);
while (WiFi.status() !=WL_CONNECTED){delay(500);
Serial.print(".");
}
Serial.println(""); Serial.println("WiFiconnected"); Serial.println("IP address:
");Serial.println(WiFi.localIP());
}
void initManagedDevice(){
if(client.subscribe(subscribetopic)) {Serial.println((subscribetopic));
Serial.println("subscribe tocmdOK");
}else{
Serial.println("subscribetocmdFAILED");
}
}
void callback(char*subscribetopic,byte*payload,unsignedintpayloadLength)
{
Serial.print("callbackinvokedfortopic:");
Serial.println(subscribetopic);
for(inti=0;i<payloadLength;i++){


```

```
//Serial.print((char)payload[i]);data3+=(char)payload[i];  
}  
Serial.println("data:"+data3);data3="";  
}
```

Diagram.json:

```
{  
  "version": 1,  
  "author": "sweetysharon", "editor": "wokwi", "parts": [  
    {"type": "wokwi-esp32-devkit-v1", "id": "esp", "top": -4.67, "left": -114.67, "attrs": {}},  
    {"type": "wokwi-hc-sr04", "id": "ultrasonic1", "top": 15.96, "left": 89.17, "attrs": {}}  
  ],  
  "connections": [  
    ["esp:TX0", "$serialMonitor:RX", "", []],  
    ["esp:RX0", "$serialMonitor:TX", "", []],  
    ["esp:VIN", "ultrasonic1:VCC", "red",  
     ["h-37.16", "v-178.79", "h200", "v173.33", "h100.67"]],  
    ["esp:GND.1", "ultrasonic1:GND", "black", ["h39.87", "v44.04", "h170"]],  
    ["esp:D5", "ultrasonic1:TRIG", "green", ["h54.54", "v85.07", "h130.67"]],  
    ["esp:D18", "ultrasonic1:ECHO", "green", ["h77.87", "v80.01", "h110"]]  
  ]  
}
```

CIRCUIT DIAGRAM:



OUTPUT:

```
Connecting to ....
WiFi connected
IP address:
10.10.0.2
Reconnecting client to ytluse.messaging.internetofthings.ibmcloud.com
iot-2/cmd/test/fmt/String
subscribe to cmd OK

Distance (cm): 399.92
Distance (cm): 399.96
Distance (cm): 399.94
Distance (cm): 399.98
Distance (cm): 399.94
Distance (cm): 399.92
Distance (cm): 399.94
```