Project Development Phase Sprint I

Date	13 November 2022
Team ID	PNT2022TMID35583
Project Name	Signs with Smart Connectivity for better road safety

SPRINT TARGETS:

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Weather details	USN-1	As a traveller, it is important for me to know the weather condition for proper driving	10	High	Anusuya Hemananthini Meghaa Pragathii
Sprint-1	Priority Vehicle	USN-2	Simulating the circuits and experimenting	2	High	Anusuya Hemananthini Meghaa Pragathii
Sprint-1	Display	USN-3	Displaying the weather details on IBM Watson and NodeRed		High	Anusuya Hemananthini Meghaa Pragathii

CODE

```
#include <WiFi.h>//library for wifi
#include <PubSubClient.h>//library for MQtt
#include "DHT.h"// Library for dht11
#define DHTPIN 15     // what pin we're connected to
#define DHTTYPE DHT22   // define type of sensor DHT 11
#define LED 2

DHT dht (DHTPIN, DHTTYPE);// creating the instance by passing pin and typr of dht connected

void callback(char* subscribetopic, byte* payload, unsigned int payloadLength);

//-------credentials of IBM Accounts------

#define ORG "7myu88"//IBM ORGANITION ID
#define DEVICE_TYPE "abcde"//Device type mentioned in ibm watson IOT Platform
#define DEVICE_ID "98765"//Device ID mentioned in ibm watson IOT Platform
#define TOKEN "987654321"     //Token
String data3;
float h, t;



//-------- Customise the above values --------
char server[] = ORG ".messaging.internetofthings.ibmcloud.com";// Server Name
char publishTopic[] = "iot-2/evt/Data/fmt/json";// topic name and type of event perform and format in which data to be send
char subscribetopic[] = "iot-2/cmd/command/fmt/String";// cmd  REPRESENT command type AND COMMAND IS TEST OF FORMAT STRING
char authMethod[] = "use-token-auth";// authentication method
char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;//client id



//-----------------------------------------
WiFiClient wifiClient; // creating the instance for wificlient
PubSubClient client(server, 1883, callback ,wifiClient); //calling the predefined client id by passing parameter like server id,portand wificredential
```

```
void setup()// configureing the ESP32
{
  Serial.begin(115200);
  dht.begin();
  pinMode(LED,OUTPUT);
  delay(10);
  Serial.println();
  wificonnect();
  mqttconnect();
}

void loop()// Recursive Function
{

  h = dht.readHumidity();
  t = dht.readTemperature();
  Serial.print("temp:");
  Serial.println(t);
  Serial.print("Humid:");
  Serial.println(h);

  PublishData(t, h);
  delay(1000);
  if (!client.loop()) {
    mqttconnect();
  }
}
```

/.....retrieving to Cloud...../

```
void PublishData(float temp, float humid) {
  mqttconnect();//function call for connecting to ibm
  /*
     creating the String in in form JSon to update the data to ibm cloud
  */
  String payload = "{\"temp\":";
  payload += temp;
  payload += "," "\"Humid\":";
  payload += humid;
  payload += "}";


  Serial.print("Sending payload: ");
  Serial.println(payload);


  if (client.publish(publishTopic, (char*) payload.c_str())) {
    Serial.println("Publish ok");// if it sucessfully upload data on the cloud then it will print publish ok in Serial monitor or else it will print publish
failed
  } else {
    Serial.println("Publish failed");
  }

}


void mqttconnect() {
  if (!client.connected()) {
    Serial.print("Reconnecting client to ");
    Serial.println(server);
    while (!!!client.connect(clientId, authMethod, token)) {
      Serial.print(".");
      delay(500);
    }
```

```
    initManagedDevice();
    Serial.println();
  }
}
void wificonnect() //function defination for wificonnect
{
  Serial.println();
  Serial.print("Connecting to ");

  WiFi.begin("Wokwi-GUEST", "", 6);//passing the wifi credentials to establish the connection
  while (WiFi.status() != WL_CONNECTED) {
    delay(500);
    Serial.print(".");
  }
  Serial.println("");
  Serial.println("WiFi connected");
  Serial.println("IP address: ");
  Serial.println(WiFi.localIP());
}

void initManagedDevice() {
  if (client.subscribe(subscribetopic)) {
    Serial.println((subscribetopic));
    Serial.println("subscribe to cmd OK");
  } else {
    Serial.println("subscribe to cmd FAILED");
  }
}

void callback(char* subscribetopic, byte* payload, unsigned int payloadLength)
{

  Serial.print("callback invoked for topic: ");
```

```
  Serial.println(subscribetopic);
  for (int i = 0; i < payloadLength; i++) {
    //Serial.print((char)payload[i]);
    data3 += (char)payload[i];
  }
  Serial.println("data: "+ data3);
  if(data3=="lighton")
  {
Serial.println(data3);
digitalWrite(LED,HIGH);
  }
  else
  {
Serial.println(data3);
digitalWrite(LED,LOW);
  }
data3="";
}
```

WOKWI SAVE SHARE sketch.ino Docs P

sketch.ino | diagram.json | libraries.txt | Library Manager

```
#include <WiFi.h>//library for wifi
#include <PubSubClient.h>//library for MQtt
#include "DHT.h"// Library for dht11
#define DHTPIN 15     // what pin we're connected to
#define DHTTYPE DHT22   // define type of sensor DHT 11
#define LED 2

DHT dht (DHTPIN, DHTTYPE);// creating the instance by passing pin and ty

void callback(char* subscribetopic, byte* payload, unsigned int payloadL

//-------credentials of IBM Accounts------

#define ORG "7myu88"//IBM ORGANITION ID
#define DEVICE_TYPE "abcde"//Device type mentioned in ibm watson IOT Pla
#define DEVICE_ID "98765"//Device ID mentioned in ibm watson IOT Platfor
#define TOKEN "987654321"      //Token
String data3;
float h, t;


//-------- Customise the above values --------
char server[] = ORG ".messaging.internetofthings.ibmcloud.com";// Server
char publishTopic[] = "iot-2/evt/Data/fmt/json";// topic name and type o
char subscribetopic[] = "iot-2/cmd/command/fmt/String";// cmd  REPRESENT
char authMethod[] = "use-token-auth";// authentication method
char token[] = TOKEN;
```

Simulation

00:13.299 93%




```
Humid:40.00
Sending payload: {"temp":24.00,"Humid":40.00}
Publish ok
temp:24.00
Humid:40.00
Sending payload: {"temp":24.00,"Humid":40.00}
Publish ok
```

IoT Device – IoT Platform



Node Red


Node-RED
Deploy
filter nodes
Flow 1
debug
all nodes
all
common
inject
debug
complete
catch
status
link in
link call
link out
comment
function
switch
change
range
Hello Node-RED!
msg.payload
IBM IoT
connected
function
function
Temperature
text