

**HX8001 - PROFESSIONAL READINESS FOR INNOVATION,
EMPLOYABILITY AND ENTREPRENEURSHIP**

**DEVELOPING A FLIGHT DELAY PREDICTION MODEL USING
MACHINE LEARNING**

**GLADYS KIRUBHAVATHY B (311419104025)
HARI GOKUL G K (311419104027)
JAI R (3114191034)
KISHORE A (311419104047)**

Dissertation submitted in partial fulfillment of the requirements for the degree
of

BACHELOR OF ENGINEERING

Branch: COMPUTER SCIENCE ENGINEERING

of Anna University

MEENAKSHI COLLEGE OF ENGINEERING, WEST K.K NAGAR

ANNA UNIVERSITY: CHENNAI 600 025

NOVEMBER 2022

MEENAKSHI COLLEGE OF ENGINEERING, WEST K.K NAGAR

ANNA UNIVERSITY: CHENNAI 600 025

**DEVELOPING A FLIGHT DELAY PREDICTION MODEL USING
MACHINE LEARNING**

Bonafide record of work done by

GLADYS KIRUBHAVATHY B (311419104025)

HARI GOKUL G K (311419104027)

JAI R (3114191034)

KISHORE A (311419104047)

Project report submitted in partial fulfillment of the requirements for the degree of

BACHELOR OF ENGINEERING

Branch: COMPUTER SCIENCE ENGINEERING

of Anna University

NOVEMBER 2022

.....
CHANDRAKAL

Faculty Guide

.....
SUDHA

Head of the Department

.....
LALITHA GAYATHRI

Industry Mentor

.....
PUSHPARANI

Internal Evaluator

CONTENTS

1. INTRODUCTION

- 11. . Project Overview
- 12. . Purpose

2. LITERATURE SURVEY

- 21. . Existing problem
- 22. . References
- 23. . Problem Statement Definition

3. IDEATION & PROPOSED SOLUTION

- 31. . Empathy Map Canvas
- 32. . Ideation & Brainstorming
- 33. . Proposed Solution
- 34. . Problem Solution fit

4. REQUIREMENT ANALYSIS

- 41. . Functional requirement
- 42. . Non-Functional requirements

5. PROJECT DESIGN

- 51. . Data Flow Diagrams
- 52. . Solution & Technical Architecture
- 53. . User Stories

6. PROJECT PLANNING & SCHEDULING

- 61. . Sprint Planning & Estimation
- 62. . Sprint Delivery Schedule
- 63. . Reports from JIRA

7. CODING & SOLUTIONING (Explain the features added in the project along with code)

- 71. . Feature 1
- 72. . Feature 2
- 73. . Database Schema (if Applicable)

8. TESTING

- 81. . Test Cases
- 82. . User Acceptance Testing

9. RESULTS

- 91. . Performance Metrics

10. ADVANTAGES & DISADVANTAGES

11. CONCLUSION

12. FUTURE SCOPE

13. APPENDIX

CHAPTER 1

INTRODUCTION

In the present world, the major components of any transportation system include passenger airline, cargo airline, and air traffic control system. With the passage of time, nations around the world have tried to evolve numerous techniques of improving the airline transportation system. This has brought drastic change in the airline operations. Flight delays occasionally cause inconvenience to the modern passengers. Every year approximately 20% of airline flights are canceled or delayed, costing passengers more than 20 billion dollars in money and their time.

1.1. PROJECT OVERVIEW




Figure 1.1. Technical Architecture

To collect the Passengers flight on-time performance data, pre-process the collected data, and apply some learning algorithms with data science to predict a delay of flight. Flight delays can be predicted using machine learning algorithm. The flight passengers need a way to predict the delay of flight so that they can plan their work accordingly. It also helps to manage the flight operations effectively.

1.2. PURPOSE

Flight Delay Prediction aims to predict the delay in the aircrafts due to increasing number of travelers in the recent times. An aircraft arrival is considered to be delay if the aircraft is late by over 15 minutes between the scheduled time and the arrival time. Flight Delay Prediction takes into consideration various attributes of the delay which includes scheduled time, source and destination of the flight, arrival time of the flight and departure time of the flight and many more attributes to predict the delay in the flight arrivals. These flight delays help the user massively to select the airlines, to select the source station and other economical aspects of the travelers. At the same time, Flight Delay prediction also helps the airlines to focus on the major reasons of the flight delay and minimize delay time on future occasions. Aviation industry are also benefitted with the help of the Flight Delay Prediction.

CHAPTER 2

LITERATURE SURVEY

[1] H. Khaksar and A. Sheikholeslami, "Airline delay prediction by machine learning algorithms", *Scientia Iranica, Transactions A: Civil Engineering* 26 (2019) 2689-2702.

Proposed work: This paper proposes a flight delay prediction model through different methods which includes Bayesian modeling, decision tree, cluster classification, random forest, and hybrid methods. These methods were applied to estimate the occurrences and magnitude of delay in a network.

[2] Miguel Lambelho, Mihaela Mitici, Simon Pickup, Alan Marsden, "Assessing strategic flight schedules at an airport using machine learning-based flight delay and cancellation predictions", *Journal of Air Transport Management*, Volume 82, 2020, 101737, ISSN 0969-6997.

Proposed work: This paper provides a machine learning- based approach to assess the strategic flight schedules in terms of potential arrival/departure flight delays and cancellations. This paper also provides an approach that supports an integrated strategic flight schedule assessment, where strategic flight schedules are evaluated with respect to flight delays and cancellations.

[3] Navoneel Chakrabarty, "A Data Mining Approach to Flight Arrival Delay Prediction for American Airlines", *The 9th Annual Information Technology, Electromechanical and Microelectronics Conference (IEMECON 2019)*.

Proposed work: This paper aims at analyzing flight information of US domestic flights operated by American Airlines, covering top 5 busiest airports of the US and predicting possible arrival delay of the flight using Data Mining and Machine Learning Approaches.

[4] Kaiquan Cai, Yue Li, Yiping Fang, Yanbo Zhu, "A Deep Learning Approach for Flight Delay Prediction through Time-Evolving Graphs". *IEEE Transactions on Intelligent Transportation Systems*, IEEE, In press, pp.1-11. [ff10.1109/TITS.2021.3103502](https://doi.org/10.1109/TITS.2021.3103502). fhal-03428046f.

Proposed work: This paper is about the flight delay prediction problem is investigated from a network perspective (i.e., multi-airport scenario). To model the time-evolving and periodic graph-structured information in the airport network, a flight delay prediction approach based on the graph convolutional neural network (GCN) is developed in this paper.

[5] Yi Ding," Predicting flight delay based on multiple linear regression" ,2017 IOP Conf. Ser.: Earth Environ. Sci. 81 012198

Proposed work: This paper proposes a method to model the arriving flights and a multiple linear regression algorithm to predict delay, comparing with Naive-Bayes and C4.5 approach.

[6] Qu, J., Zhao, T., Ye, M. et al. "Flight Delay Prediction Using Deep Convolutional Neural Network Based on Fusion of Meteorological Data.", Neural Process Lett 52, 1461-1484 (2020).

Proposed work: This paper provides two flight delay prediction models using deep convolutional neural networks based on fusion of meteorological data. The first model is DCNN (Dual- channel Convolutional Neural Network), which refers to the ResNet network structure. The second model is SE- DenseNet (Squeeze and ExcitationDensely Connected Convolutional Network).

[7] G. Gui, F. Liu, J. Sun, J. Yang, Z. Zhou and D. Zhao, "Flight Delay Prediction Based on Aviation Big Data and Machine Learning," in IEEE Transactions on Vehicular Technology, vol. 69, no. 1, pp. 140-150, Jan. 2020, doi: 10.1109/TVT.2019.2954094.

Proposed work: This paper explores a broader scope of factors which may potentially influence the flight delay, and compares several machine learning-based models in designed generalized flight delay prediction tasks. To build a dataset for the proposed scheme, automatic dependent surveillance-broadcast (ADS-B) messages are received, pre- processed, and integrated with other information such as weather condition, flight schedule, and airport information.

[8] Yu, Bin; Guo, Zhen; Asian, Sobhan; Wang, Huaizhu; Chen, Gang (2019),"Flight delay prediction for commercial air transport: A deep learning approach." Transportation Research Part E: Logistics and Transportation Review.

Proposed work: This paper analyzes high-dimensional data from Beijing International Airport and presents a practical flight delay prediction model. Following a multifactor approach, a novel deep belief network method is employed to mine the inner patterns of flight delays. Support vector regression is embedded in the developed model to perform a supervised fine-tuning within the presented predictive architecture

[9] Esmaeilzadeh, Ehsan; Mokhtarimousavi, Seyedmirsajad (2020).“Machine Learning Approach for Flight Departure Delay Prediction and Analysis”. Transportation Research Record: Journal of the Transportation Research Board.

Proposed work: This paper employs a support vector machine (SVM) model to explore the non- linear relationship between flight delay outcomes. Individual flight data were gathered from 20 days in 2018 to investigate causes and patterns of air traffic delay at three major New York City airports

[10] Etani, Noriko (2019),”Development of a predictive model for on-time arrival flight of airliners by discovering correlation between flight and weather data.”, Journal of Big Data,2019.

Proposed work:This paper aims to discover the correlation between flight data and weather data. A predictive model of on-time arrival flight is proposed using flight data and weather data. The feasibility of the predictive model is evaluated by developing a tool of on-time arrival flight prediction.

CHAPTER 3

IDEATION & PROPOSED SOLUTION

3.1. EMPATHY MAP CANVAS

Empathy Map





Figure 3.1. Empathy Map

3.2. IDEATION & BRAINSTORMING

Step 1 - Team Gathering, Collaboration and Selecting the Problem Statement



Brainstorm & idea prioritization

Use this template in your own brainstorming sessions so your team can unleash their imagination and start shaping concepts even if you're not sitting in the same room.

⌚ 10 minutes to prepare
👥 1 hour to collaborate
👤 2-8 people recommended

➔

Before you collaborate

A little bit of preparation goes a long way with this session. Here's what you need to do to get going.

⌚ 10 minutes

A Team gathering
Define who should participate in the session and send an invite. Share relevant information or pre-work ahead.

B Set the goal
Think about the problem you'll be focusing on solving in the brainstorming session.

C Learn how to use the facilitation tools
Use the Facilitation Superpowers to run a happy and productive session.

[Open article](#) ➔

1


Define your problem statement

What problem are you trying to solve? Frame your problem as a How Might We statement. This will be the focus of your brainstorm.

⌚ 5 minutes

PROBLEM

Developing a Flight Delay Prediction Model using Machine Learning



Key rules of brainstorming

To run a smooth and productive session

- 😊 Stay in topic.
- 💡 Encourage wild ideas.
- ⌚ Defer judgment.
- 👂 Listen to others.
- 🗣️ Go for volume.
- 👁️ If possible, be visual.

Step 2 - Brainstorm, Idea Listing and Grouping

Gladys Kirubhavathv

Construct big airports	Will inform the range of timing	If I were a pilot, I'd ensure to drive faster
Try to increase the speed and manage the time	Avoid many flights in the runway	

Hari Gokul

Check the on time performance of all flights	Choose the right airport	Get travel insurance
Use apps to find out how often flight is typically delayed	Construct many check-in counters to avoid queues	

Jai

Always book a back up flight	Create large runways	Flights should be checked for any mechanical issues
Avoid travelling during peak season	Construct many check-in counters to avoid queues	

Kishore

Check the flight conditions before take off	Choose different routes when the weather conditions are bad	Choose the flight that directly takes us to the destination
Schedule flights for the middle of the week to avoid traffic	Arrange alternate flights	

3

Group ideas

Take turns sharing your ideas while clustering similar or related notes as you go. Once all sticky notes have been grouped, give each cluster a sentence-like label. If a cluster is bigger than six sticky notes, try and see if you and break it up into smaller sub-groups.

 20 minutes

Weather

Choose different routes when the weather conditions are bad

Facilities and resources in airport

Construct large runways

Construct bigger airports to support large number of flights

Arrange alternate flights

Construct many check-in counters to avoid queues

Customer

Use apps to find out how often flight is typically delayed

Avoid travelling during peak season

Schedule flights for the middle of the week to avoid traffic

Always book a back up flight

Choose right airlines

Airlines


Inform the range of timing beforehand

Check the flight conditions before take off

Avoid many flights in the runway

Flights should be checked for any mechanical issues

Step 3 - Idea Prioritization



3.3. PROPOSED SOLUTION

S. No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	<p>Problem:</p> <p>Due to poor weather condition, some of technical problems occurred in aircraft leads the flight delay. so ,the travellers hates flying .Due to this problem the air travellers count will decreased day by day. We need to fix the problem to improve airline operations and passenger satisfaction, which will result in a positive impact on the economy</p> <p>Solution:</p> <ul style="list-style-type: none"> ➤ By controlling a mechanical issue occurred in flight and find a daily whether condition. Fast connecting of passengers and bags.
2.	Idea / Solution description	<p>Idea:</p> <ul style="list-style-type: none"> ➤ Collect the Passengers flight on-time performance data, pre-process the collected data, and apply some learning algorithms with data science to predict a delay of flight.
3.	Novelty / Uniqueness	<p>Uniqueness:</p> <ul style="list-style-type: none"> ➤ To collect a data's of flight and whether conditions to train our model to predict a outcome(delays)
4.	Social Impact / Customer Satisfaction	<p>Customer Satisfaction</p> <p>Customer should able to go at correct destination at his targeted time.</p>
5.	Business Model (Revenue Model)	<ul style="list-style-type: none"> ➤ Application ➤ Website
6.	Scalability of the Solution	<p>By using this type of application or a website we should know about a flight delays. Add extra features to our traveller's home page to know a details about our flight and where the flight is being fly and when we reach a destination.</p>

3.4. PROBLEM SOLUTION FIT

Define CS, fit into CC	1. CUSTOMER SEGMENT(S) CS <ul style="list-style-type: none"> - Normal flight users - Business professionals having meetings - People boarding a lay-over flight - Logistics incharge at airport - Airport catering manager 	6. CUSTOMER CONSTRAINTS CC <ul style="list-style-type: none"> - Refund/Partial Refund - Not knowing the exact time of delay - Unavailability of alternate flights or accommodation 	5. AVAILABLE SOLUTIONS AS <ul style="list-style-type: none"> - May take alternate flights - Ask for an alternate flight/schedule - Wait for the delayed schedule - Enjoy airline benefits - Report airline - Cancel the flight - Search for specific reasons for delay 	Explore AS, differentiate
	2. JOBS-TO-BE-DONE / PROBLEMS J&P <ul style="list-style-type: none"> - To know if a flight is delayed - To make alternate arrangements to reach the destination in case the flight is delayed - To know other things that can be done when the flight is delayed 	9. PROBLEM ROOT CAUSE RC <ul style="list-style-type: none"> - Unavailability of means to estimate delays occurring in airplanes - Large scale economic loss for both airlines and the customers - Degradation in airline's reputation when many flights are delayed 	7. BEHAVIOUR BE <ul style="list-style-type: none"> - Use the app deployed to know the approximate delay - Find alternate travel options - Find hotel accommodations for overnight delays - Fill ratings and feedbacks to help other users 	

Identify strong TR & EM	3. TRIGGERS TR <ul style="list-style-type: none"> - Cancellation of flights - Extreme boredom - Guilt of wasting time - Thought of missing important meetings - Missing layover flight - Uncertainty in deciding if the flight is delayed when they start late for the airport 	10. YOUR SOLUTION SL <ul style="list-style-type: none"> - The aim is to develop an application that predicts flight delays using a supervised machine learning model (a decision tree classifier) with the data of flights and delays so far and estimate the time of delay taking spatial dependencies of flights into account. 	8. CHANNELS of BEHAVIOUR CH 8.1 ONLINE <ul style="list-style-type: none"> - Check if a particular flight will be delayed and the estimated time of arrival - Giving ratings and feedbacks for various flights so as to improve the app's performance in predicting further delays - Check for other specific reasons for delay 	Identify strong TR & EM
	4. EMOTIONS: BEFORE / AFTER EM <p>Before:</p> <ul style="list-style-type: none"> - Worried <ul style="list-style-type: none"> - About missing important events - About missing layover flights - If the flight is gonna be canceled - Frustrated <ul style="list-style-type: none"> - About the unexpected delay/cancellation - Not knowing the news of delay beforehand - About the weather - Bored <ul style="list-style-type: none"> - Don't know how to make use of time <p>After:</p> <ul style="list-style-type: none"> - Gets to enjoy the airline benefits - Stay relaxed after getting a proper update from the airline - Relieved if an alternate solution can be found 		8.2 OFFLINE <ul style="list-style-type: none"> - Finding alternate travel routes in the airport - Hotels near the airport can be visit for overnight stays during delays 	

CHAPTER 4

REQUIREMENT ANALYSIS

4.1. FUNCTIONAL REQUIREMENT

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Registration through Form Registration through Gmail Registration through LinkedIn
FR-2	User Confirmation	Confirmation via Email Confirmation via OTP
FR-3	User requirements	Collecting information like date of travel, departing & arrival destination, flight number or booking number, etc. for providing the status of the flight.
FR-4	User friendliness	This system is easy to learn and understand.
FR-5	Data input	Should enter the necessary input.
FR-6	Data output	View the output for the given input.

4.2. NON-FUNCTIONAL REQUIREMENTS

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	How easy is it for a customer to use the system?
NFR-2	Security	Security's part will be protected against malware attacks or unauthorized access. But there's a catch. The lion's share of security non-functional requirements can be translated into concrete functional counterparts. If you want to protect the admin panel from unauthorized access, you would define the login flow and different user roles as system behavior or user actions.
NFR-3	Reliability	Reliability specifies how likely the system or its element would run without a failure for a given period of time under predefined conditions. Traditionally, this probability is expressed in percentages. For instance, if the system has 85 percent reliability for a month, this means that during this month, under normal usage conditions, there's an 85 percent chance that the system won't experience critical failure.
NFR-4	Performance	Performance defines how fast a software system or a particular piece of it responds to certain users' actions under a certain workload. In most cases, this metric explains how long a user must wait before the target operation happens (the page renders, a transaction is processed, etc.) given the overall number of users at the moment. But it's not always like that. Performance requirements may describe background processes invisible to users, example backup. But let's focus on user-centric performances.

NFR-5	Availability	<p>Availability describes how likely the system is accessible to a user at a given point in time. While it can be expressed as an expected percentage of successful requests, you may also define it as a percentage of time the system is accessible for operation during some time period. For instance, the system may be available 98 percent of the time during a month. Availability is perhaps the most business-critical requirement, but to define you must also have estimations for reliability and maintainability.</p>
NFR-6	Scalability	<p>It should be scalable enough to support multiple users at a time.</p>

CHAPTER 5

PROJECT DESIGN

5.1. DATA FLOW DIAGRAMS

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.




Figure 5.1. Data flow diagram

5.2. SOLUTION & TECHNICAL ARCHITECTURE




Figure 5.2. Solution Architecture

5.3. User Stories

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer (Web user)	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	I can access my account / dashboard	High	Sprint-1
		USN-2	As a user, I will receive confirmation email once I have registered for the application	I can receive confirmation email & click confirm	High	Sprint-1
		USN-3	As a user, I can register for the application through Facebook, Instagram, other social media	I can register & access the dashboard with Facebook/Instagram Login	Low	Sprint-2
		USN-4	As a user, I can register for the application through Gmail	I can register and access the dashboard	Medium	Sprint-1
	Login	USN-5	As a user, I can log into the application by entering email & password	I can access the dashboard	High	Sprint-1
	Dashboard	USN-6	As a user, I can navigate through different pages using the dashboard	I can access various pages	High	Sprint-1
	Search	USN-7	As a user, I can search for flights for different locations	I can receive information	High	Sprint-2

				on different flights for various locations		
	View	USN-8	As a user, I can view the details of flights	I will get the information such as flight no, departure and arrival time, etc.,	High	Sprint-2
	Receive notifications	USN-9	As a user, I will receive notifications about the flight	I will get frequent updates of the flight's location	Low	Sprint-3
	Track	USN-10	As a user, I can track the location of my flight	I can track my flight	Medium	Sprint-3,4
Admin	GPS	USN-11	As an admin, I will need the location of flights	I can track my flight	High	Sprint-3,4
	Analyze	USN-12	As an admin, I will analyze the given dataset	I can analyze the dataset	High	Sprint-2
	Predict	USN-13	As an admin, I will predict the delays	I can predict the flight delays	High	Sprint-2

CHAPTER 6

PROJECT PLANNING & SCHEDULING

6.1. SPRINT PLANNING & ESTIMATION

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Registration and Login	USN-1	As a new user, I can register for the application by entering my email and my password.	2	High	Gladys Kirubhavathy B
Sprint-2	Confirmation email	USN-2	As a user, I will receive confirmation email once I have registered for the application	2	Medium	Hari Gokul G K
Sprint-1	User login	USN-3	As a user, I can login into the application by entering the registered email-id and password	2	High	Kishore A
Sprint-2	Admin Panel	USN-4	As an admin, I can authenticate the registration and login credentials of the passengers	2	High	Jai R
Sprint-3	Arrival and Departure time of flights	USN-5	As a user, I can find all the details of a specific flight with its number or name	2	High	Gladys Kirubhavathy B
Sprint-3		USN-6	As a user, I can find exactly how long the flight will be delayed	2	High	Hari Gokul G K
Sprint-4	Helpdesk	USN-7	As a customer care executive, I can provide the contact details of the airlines	1	Medium	Kishore A

6.2. SPRINT DELIVERY SCHEDULE

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-4		USN-8	As a passenger, I can find alternative flights to the destination that are available	1	High	Gladys Kirubhavathy B Hari Gokul G K Kishore A Jai R
Sprint-4	Feedback	USN-9	As a user, I can provide my suggestions and feedback for the improvement of the application	2	Medium	Jai R

Burn down Chart:

A burn down chart is a graphical representation of work left to do versus time. It is often used in agile software development methodologies such as Scrum.




Figure 6.1 - Burn down Chart


CHAPTER 7

CODING AND SOLUTIONING

7.1. FEATURE 1 - CORRELATION BETWEEN THE VARIABLES IN THE DATASET

```
In [19]: sns.heatmap(data.corr())
```

```
Out[19]: <AxesSubplot:>
```



This will help us to find out the correlation between the variables in the dataset which would help us to find out the columns that are unnecessary and hence to be dropped.

7.2. FEATURE 2 - ONE HOT ENCODING

```
In [39]: data=pd.get_dummies(data,columns=['ORIGIN','DEST'])
```

```
In [40]: data['ARR_DEL15'].value_counts()
```

```
Out[40]: 0.0    9668
         1.0    1375
         Name: ARR_DEL15, dtype: int64
```

```
In [41]: data.tail()
```

```
Out[41]:
```

	FL_NUM	MONTH	DAY_OF_MONTH	DAY_OF_WEEK	CRS_ARR_TIME	DEP_DEL15	ARR_DEL15	ORIGIN_0	ORIGIN_1	ORIGIN_2	ORIGIN_3	ORIGIN_4
11226	1715	12	30	5	12	0.0	0.0	0	1	0	0	0
11227	1770	12	30	5	20	1.0	0.0	0	0	0	0	1
11228	1823	12	30	5	22	0.0	0.0	0	1	0	0	0
11229	1901	12	30	5	18	0.0	0.0	1	0	0	0	0
11230	2005	12	30	5	9	0.0	0.0	1	0	0	0	0

The cities in both Origin and Destination are one-hot encoded using the above code.

7.3. FEATURE 3 - SAVING THE MODEL WEIGHTS FOR DEPLOYMENT

SAVING THE MODEL

```
In [63]: pickle.dump(classifier,open('flight_new.pk1','wb'))
```

```
In [64]: from sklearn.metrics import confusion_matrix
confusion_matrix(predicted, y_test)
```

```
Out[64]: array([[1825, 129],
               [ 138, 117]], dtype=int64)
```

```
In [66]: from sklearn.metrics import classification_report
print(classification_report(predicted, y_test, labels=[1, 2]))
```

	precision	recall	f1-score	support
1	0.48	0.46	0.47	255
2	0.00	0.00	0.00	0
micro avg	0.48	0.46	0.47	255
macro avg	0.24	0.23	0.23	255
weighted avg	0.48	0.46	0.47	255

The above code will save the model weights for further deployment in IBM Cloud and also measure the performance metrics.

7.4. FEATURE 4 - FLASK INTERFACE - UI

```
from flask import Flask, request, render_template
import numpy as np
import pandas as pd
import pickle
import os
model = pickle.load(open('flight_new.pk1','rb'))
app = Flask(__name_)
@app.route('/')
def home():
    return render_template("mainpage.html")

@app.route('/prediction',methods=['GET','POST'])
def predict():
    name = request.form['fname']
    month = request.form['month']
    dayofmonth = request.form['daymonth']
    dayofweek = request.form['dayweek']
    origin = request.form['origin']
```



```

if(origin == "msp"):
    origin1, origin2, origin3, origin4, origin5 = 0,0,0,0,1
if(origin == "dtw"):
    origin1, origin2, origin3, origin4, origin5 = 1,0,0,0,0
if(origin == "jfk"):
    origin1, origin2, origin3, origin4, origin5 = 0,0,1,0,0,
if(origin == "sea"):
    origin1, origin2, origin3, origin4, origin5 = 0,1,0,0,0
if(origin == "atl"):
    origin1, origin2, origin3, origin4, origin5 = 0,0,0,1,0
destination = request.form['destination']
if(destination == "msp"):
    destination1,destination2,destination3,destination4,destination5 = 0,0,0,0,1
if(destination == "dtw"):
    destination1,destination2,destination3,destination4,destination5 = 1,0,0,0,0
if(destination == "jfk"):
    destination1,destination2,destination3,destination4,destination5 = 0,0,1,0,0
if(destination == "sea"):
    destination1,destination2,destination3,destination4,destination5 = 0,1,0,0,0
if(destination == "atl"):
    destination1,destination2,destination3,destination4,destination5 = 0,0,0,1,0
dept = request.form['sdeparttime']
arrtime = request.form['sarrivaltime']
actdept = request.form['adeparttime']
dept15 = int(dept)-int(actdept)
total =
[[name,month,dayofmonth,dayofweek,arrtime,dept15,origin1,origin2,origin3,origin4,origin5,destination1,destination2,destination3,destination4,destination5]]
y_pred = model.predict(total)
print(y_pred)
if(y_pred == [0.]):
    ans = "The Flight will be on time"
else:
    ans = "The Flight will be delayed"
return render_template("index.html",data = ans)

app.run(debug=True)

```

Explanation:

The above code will be able to get the details of the flight from the user in the respective text fields created using the HTML, scale the inputs and give the inputs to the model which has been developed already. The predictions are shown in another HTML page.

7.5. FEATURE 5 - HTML PAGES FOR FRONTEND DESIGN

```
<html>
<div align="center" class="logbg">
<head>
<meta charset="UTF-8">
<center>
<table>
<tr>
<td><h1><br>Prediction of Flight Delay<br><br></h1></td>
</tr>
</table>
</center>
</head>
<body background='C:\Users\Public\project\templates\flight_4.jpg'>
<form action="http://localhost:5000/prediction" method="POST" >
<center>
<table>
<tr>
<td>Enter the flight number:</td>
<td><input type="number" name="fname"><br></td>
</tr>
<tr>
<td>Month:</td>
<td><input type="number" name="month"><br></td>
</tr>
<tr>
<td>Day of Month:</td>
<td><input type="number" name="daymonth"><br></td>
</tr>
<tr>
<td>Day of Week:</td>
<td><input type="number" name="dayweek"><br></td>
</tr>
<tr>
<td>Origin:</td>
```

```
<td><select name="origin">
<option value="atl">ATL</option>
<option value="dtw">DTW</option>
<option value="sea">SEA</option>
<option value="msp">MSP</option>
<option value="jfk">JFK</option>
</select></td>
<tr>
<tr>
<td>Destination:</td>
<td><select name="destination">
<option value="atl">ATL</option>
<option value="dtw">DTW</option>
<option value="sea">SEA</option>
<option value="msp">MSP</option>
<option value="jfk">JFK</option>
</select></td>
<tr>
<tr>
<td>Scheduled Departure Time:</td>
<td><input type="number" name="sdeparttime"><br></td>
</tr>
<tr>
<td>Scheduled Arrival Time:</td>
<td><input type="number" name="sarrivaltime"><br></td>
</tr>
<tr>
<td>Actual Departure Time:</td>
<td><input type="number" name="adeparttime"><br></td>
</tr>
<tr>
<td><br><input type="submit" class="btn" value="SUBMIT"></br>
</tr>
</table>
</center>
</form>
</body>
</div>
</html>
```

CHAPTER 8
TESTING

8.1. TEST

User No	Flight No	Month	Day of month	Day of week	Origin	Destination	Scheduled Departure Time	Scheduled Arrival Time	Actual Departure Time	Actual Inputs
1	1232	1	1	1	ATL	MSP	1905	2305	1945	Delayed
2	1399	1	1	1	ATL	SEA	1805	2410	1855	Delayed
3	2351	1	2	3	ATL	DTW	1305	2305	1305	Not Delayed
4	2637	2	1	3	DTW	ATL	1500	2410	1505	Not Delayed

8.2. USER ACCEPTANCE TESTING

This report shows the number of test cases that have passed and failed

User No	Flight No	Month	Day Of Month	Day Of Week	Origin	Destin-ation	Scheduled Departure Time	Scheduled Arrival Time	Actual Departure Time	Actual Output	Predict-ed Output	Correct-ness
1	1232	1	1	1	ATL	MSP	1905	2305	1945	Delayed	Delayed	Correct
2	1399	1	1	1	ATL	SEA	1805	2410	1855	Delayed	Delayed	Correct
3	2351	1	2	3	ATL	DTW	1305	2305	1305	Not Delayed	Not Delayed	Correct
4	2637	2	1	3	DTW	ATL	1500	2410	1505	Not Delayed	Not Delayed	Correct

CHAPTER 9

RESULTS

9.1. PERFORMANCE METRICS

Training Accuracy

MODEL EVALUATION

```
acc=accuracy_score(predicted,y_test)
```

```
acc
```

```
0.8791308284291535
```

Confusion Matrix

```
from sklearn.metrics import confusion_matrix  
confusion_matrix(predicted, y_test)
```

```
array([[1825, 129],  
       [ 138, 117]], dtype=int64)
```

Classification Model

```
from sklearn.metrics import classification_report  
print(classification_report(predicted, y_test, labels=[1, 2, 3]))
```

	precision	recall	f1-score	support
1	0.48	0.46	0.47	255
2	0.00	0.00	0.00	0
3	0.00	0.00	0.00	0
micro avg	0.48	0.46	0.47	255
macro avg	0.16	0.15	0.16	255
weighted avg	0.48	0.46	0.47	255

CHAPTER 10

ADVANTAGES AND DISADVANTAGES

Advantages

- Customer satisfaction.
- The available flights are easily identified
- Prior information will be sent if in case the flight is delayed
- The current status of the flight can be tracked

Disadvantages

- Wrong prediction due to noise of input data
- If the prediction is wrong, then there will be extra expenses for the agencies, passengers and airport
- Passengers with medical emergencies gets affected

CHAPTER 11

CONCLUSION

In this project, we use flight data, weather, and demand data to predict flight departure delay. In the end, our model correctly predicts the delayed and non-delayed flights correctly. As a result, there can be additional features related to the causes of flight delay that are not yet discovered using our existing data sources.

CHAPTER 12

FUTURE SCOPE

Further work we would like to improve our models with more datasets. The most interesting step would be to integrate such a model into a flight booking tool, to provide the delay prediction to future passengers, even this would require a strong confidence in the information provided, considering the possible impact in terms of reservations. These models can be used and applied in real world scenarios to make improvisation in airline industries.

Further analysis can be done by identifying the airline company in which the delays are occurring the most. With the new advancement in the field of deep learning, we can use Neural Networks algorithm on the flight and weather data. Neural Network works on the pattern matching methodology. It is divided into three basic parts for data modeling that includes feed forward networks, feedback networks, and self- organization network. Feed-forward and feedback networks are generally used in the areas of prediction, pattern recognition, associative memory, and optimization calculation, whereas self-organization networks are generally used in cluster analysis

CHAPTER 13

APPENDIX

13.1 Source codes

13.1.2 Exploratory Data Analysis

```
#!/usr/bin/env python
# coding: utf-8

# **Importing all the libraries**

# In[1]:

import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
import pickle
get_ipython().run_line_magic('matplotlib', 'inline')
from sklearn.preprocessing import LabelEncoder
from sklearn.preprocessing import OneHotEncoder
from sklearn.model_selection import train_test_split
from sklearn.preprocessing import StandardScaler
from sklearn.tree import DecisionTreeClassifier
from sklearn.metrics import accuracy_score
import sklearn.metrics as metrics

# **Importing the dataset**

# In[2]:

data=pd.read_csv("flightdata.csv")

# In[3]:

data.head()

# In[4]:

data.info()
```

```
# In[5]:
```

```
data=data.drop('Unnamed: 25',axis=1)
```

```
# In[6]:
```

```
data.info()
```

```
# In[7]:
```

```
data.describe()
```

```
# In[ ]:
```

```
# **Handling Missing Values**
```

```
# In[8]:
```

```
data=data.dropna()
```

```
# In[9]:
```

```
data.info()
```

```
# **Analysis**
```

```
# In[10]:
```

```
plt.scatter(data.index,data['ARR_TIME'])
```

```
plt.ylabel('Arrival Time')
```

```
plt.title('Distribution of the Arrival Time')
```

```
# In[11]:
```

```
plt.hist(data['FL_NUM'])
```

```
# In[12]:
```

```
columns=list(data.columns)
```

```
# In[13]:
```

```
sns.scatterplot(x='ARR_DELAY',y='ARR_DEL15',data=data)
```

```
# In[14]:
```

```
sns.catplot(x='ARR_DELAY',y='ARR_DEL15',data=data,kind='bar')
```

```
# In[15]:
```

```
data['ARR_DEL15'].nunique()
```

```
# In[16]:
```

```
# In[17]:
```

```
data.describe()
```

```
# **Dropping off unnecessary columns**
```

```
# In[18]:
```

```
data.corr()['ARR_DEL15']
```

```
# In[19]:
```

```
sns.heatmap(data.corr())
```

```
# In[20]:
```

```
new_data=data.drop(['ORIGIN_AIRPORT_ID','DEST_AIRPORT_ID','FL_NUM','YEAR','  
CANCELLED','DIVERTED','DISTANCE','DAY_OF_MONTH','QUARTER','MONTH','DAY  
_OF_WEEK','UNIQUE_CARRIER','TAIL_NUM'],axis=1)
```

```
# In[21]:
```

```
new_data.head()
```

```
# **Label Encoding**
```

```
# In[22]:
```

```
cities=new_data['ORIGIN'].unique()

# In[23]:

cities

# In[24]:

new_data['DEST'].unique()

# In[25]:

city_map={cities[i]:i for i in range(0,len(cities))}

# In[26]:

city_map

# In[27]:

def encode(c):
    return city_map[c]

# In[28]:

new_data['ORIGIN']=new_data['ORIGIN'].apply(encode)

# In[29]:

new_data['DEST']=new_data['DEST'].apply(encode)

# In[30]:

new_data.head()

# In[31]:

new_data.corr()['ARR_DEL15']
```

```
# In[32]:
```

```
#data=data.drop('Unnamed: 25',axis=1)  
data.isnull().sum()
```

```
# In[33]:
```

```
data=data[["FL_NUM","MONTH","DAY_OF_MONTH","DAY_OF_WEEK","ORIGIN","DE  
ST","CRS_ARR_TIME","DEP_DEL15","ARR_DEL15"]]  
data.isnull().sum()
```

```
#
```

```
# In[34]:
```

```
data=data.fillna({'ARR_DEL15': 1})  
data=data.fillna({'DEP_DEL15': 0})  
data.iloc[177:185]
```

```
# In[35]:
```

```
import math  
for index, row in data.iterrows():  
    data.loc[index,'CRS_ARR_TIME'] = math.floor(row['CRS_ARR_TIME'] / 100)  
data.head()
```

```
# In[36]:
```

```
from sklearn.preprocessing import LabelEncoder  
le = LabelEncoder()  
data['DEST'] = le.fit_transform(data['DEST'])  
data['ORIGIN'] = le.fit_transform(data['ORIGIN'])
```

```
# In[37]:
```

```
data.head()
```

```
# In[38]:
```

```
from sklearn.preprocessing import OneHotEncoder
oh = OneHotEncoder()
z=oh.fit_transform(data['ORIGIN'].values.reshape(-1,1)).toarray()
t=oh.fit_transform(data['DEST'].values.reshape(-1,1)).toarray()
```

```
# In[ ]:
```

```
# In[ ]:
```

```
# In[39]:
```

```
data=pd.get_dummies(data,columns=['ORIGIN','DEST'])
```

```
# In[40]:
```

```
data['ARR_DEL15'].value_counts()
```

```
# In[41]:
```

```
data.tail()
```

```
# **Split the data into dependent and independent variables**
```

```
#
```

```
# In[42]:
```

```
x=data[[i for i in data.columns if i!='ARR_DEL15']].values
y=data[[i for i in data.columns if i=='ARR_DEL15']].values
```

```
# In[43]:
```

```
x.shape
```

```
# In[44]:
```

```
y.shape
```

```
# In[ ]:
```

CHAPTER 13

APPENDIX

13.1. SOURCE CODE

13.1.1. Train the ML Model

```
# # SPRINT-2
```

```
# **TRAIN-TEST-SPLIT**
```

```
# In[45]:
```

```
x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.2,random_state=0)
```

```
# In[46]:
```

```
x_test.shape
```

```
# In[47]:
```

```
x_train.shape
```

```
# In[48]:
```

```
y_test.shape
```

```
# In[49]:
```

```
y_train.shape
```

```
# **Scaling**
```

```
# In[50]:
```

```
sc = StandardScaler()
```

```
# In[51]:
```

```
x_train=sc.fit_transform(x_train)
```

```
# In[52]:
```

```
x_test=sc.fit_transform(x_test)
```

```
# **Model Building**
```

```
# In[53]:
```

```
classifier = DecisionTreeClassifier(random_state=0)
```

```
# In[54]:
```

```
classifier.fit(x_train,y_train)
```

```
# In[55]:
```

```
predicted = classifier.predict(x_test)
```

```
# In[56]:
```

```
predicted
```

```
# In[57]:
```

```
y_test
```

```
# **MODEL EVALUATION**
```

```
# In[58]:
```

```
acc=accuracy_score(predicted,y_test)
```

```
# In[59]:
```

```
acc
```

```
# In[ ]:
```

```
# In[60]:
```



```
data[data['ARR_DEL15']>0].iloc[33].values
```

```
# In[61]:
```

```
sample=[[1.187e+03, 1.000e+00, 1.500e+01, 5.000e+00, 1.900e+01, 1.000e+00,  
0.000e+00, 0.000e+00, 0.000e+00, 1.000e+00, 0.000e+00,  
0.000e+00, 0.000e+00, 0.000e+00, 0.000e+00, 1.000e+00]]
```

```
# In[62]:
```

```
classifier.predict(sample)
```

```
# **SAVING THE MODEL**
```

```
# In[63]:
```

```
pickle.dump(classifier,open('flight_new.pk1','wb'))
```

```
# In[64]:
```

```
from sklearn.metrics import confusion_matrix  
confusion_matrix(predicted, y_test)
```

```
# In[66]:
```

```
from sklearn.metrics import classification_report  
print(classification_report(predicted, y_test, labels=[1, 2]))
```

```
# In[ ]:
```

13.1.2. Mainpage – HTML Code

```
<html>
<div align="center" class="logbg">
<head>
<meta charset="UTF-8">
<center>
<table>
<tr>
<td><h1><br>Prediction of Flight Delay<br><br></h1></td>
</tr>
</table>
</center>
</head>
<body background='C:\Users\Public\project\templates\flight_4.jpg'>
<form action="http://localhost:5000/prediction" method="POST" >
<center>
<table>
<tr>
<td>Enter the flight number:</td>
<td><input type="number" name="fname"><br></td>
</tr>
<tr>
<td>Month:</td>
<td><input type="number" name="month"><br></td>
</tr>
<tr>
<td>Day of Month:</td>
<td><input type="number" name="daymonth"><br></td>
</tr>
<tr>
<td>Day of Week:</td>
<td><input type="number" name="dayweek"><br></td>
</tr>
<tr>
<td>Origin:</td>
<td><select name="origin">
<option value="atl">ATL</option>
<option value="dtw">DTW</option>
<option value="sea">SEA</option>
<option value="msp">MSP</option>
```

```
<option value="jfk">JFK</option>
</select></td>
<tr>
<tr>
<td>Destination:</td>
<td><select name="destination">
<option value="atl">ATL</option>
<option value="dtw">DTW</option>
<option value="sea">SEA</option>
<option value="msp">MSP</option>
<option value="jfk">JFK</option>
</select></td>
<tr>
<tr>
<td>Scheduled Departure Time:</td>
<td><input type="number" name="sdeparttime"><br></td>
</tr>
<tr>
<td>Scheduled Arrival Time:</td>
<td><input type="number" name="sarrivaltime"><br></td>
</tr>
<tr>
<td>Actual Departure Time:</td>
<td><input type="number" name="adeparttime"><br></td>
</tr>
<tr>
<td><br><input type="submit" class="btn" value="SUBMIT"></br>
</tr>
</table>
</center>
</form>
</body>
</div>
</html>
```

13.1.3 Prediction Page - HTML Code

```
<!doctype html>
<html>
  <body background="C:\Users\Public\project\templates\flight_2.jpg">
    <center>
      <h1><strong>Thanks for asking</strong></h1>
      <h2>{{data}}</h2>
      <a href="/">Go back to home page</a>
    </center>
  </body>
</html>
```

13.1.4. Flask Application

```
from flask import Flask, request, render_template
import numpy as np
import pandas as pd
import pickle
import os
model = pickle.load(open('flight_new.pk1','rb'))
app = Flask(__name_)
@app.route('/')
def home():
    return render_template("mainpage.html")

@app.route('/prediction',methods=['GET','POST'])
def predict():
    name = request.form['fname']
    month = request.form['month']
    dayofmonth = request.form['daymonth']
    dayofweek = request.form['dayweek']
    origin = request.form['origin']
    if(origin == "msp"):
        origin1, origin2, origin3, origin4, origin5 = 0,0,0,0,1
    if(origin == "dtw"):
        origin1, origin2, origin3, origin4, origin5 = 1,0,0,0,0
    if(origin == "jfk"):
        origin1, origin2, origin3, origin4, origin5 = 0,0,1,0,0
    if(origin == "sea"):
        origin1, origin2, origin3, origin4, origin5 = 0,1,0,0,0
```

```

if(origin == "atl"):
    origin1, origin2, origin3, origin4, origin5 = 0,0,0,1,0
    destination = request.form['destination']
    if(destination == "msp"):
        destination1,destination2,destination3,destination4,destination5 = 0,0,0,0,1
    if(destination == "dtw"):
        destination1,destination2,destination3,destination4,destination5 = 1,0,0,0,0
    if(destination == "jfk"):
        destination1,destination2,destination3,destination4,destination5 = 0,0,1,0,0
    if(destination == "sea"):
        destination1,destination2,destination3,destination4,destination5 = 0,1,0,0,0
    if(destination == "atl"):
        destination1,destination2,destination3,destination4,destination5 = 0,0,0,1,0
    dept = request.form['sdeparttime']
    arrtime = request.form['sarrivaltime']
    actdept = request.form['adeparttime']
    dept15 = int(dept)-int(actdept)
    total =
[[name,month,dayofmonth,dayofweek,arrtime,dept15,origin1,origin2,origin3,origin4,origin5,destination1,destination2,destination3,destination4,destination5]]
    y_pred = model.predict(total)
    print(y_pred)
    if(y_pred == [0.]):
        ans = "The Flight will be on time"
    else:
        ans = "The Flight will be delayed"
    return render_template("index.html",data = ans)

app.run(debug=True)

```

13.2. GITHUB & PROJECT DEMO LINK

Github link

<https://github.com/IBM-EPBL/IBM-Project-10666-1659195261>

Project Demo link

<https://youtu.be/vG4a2dsXgWI>