Project Development - Delivery Of Sprint-1

Date	14-11-2022
Team ID	PNT2022TMID47674
ProjectName	Project-IoT Based Safety Gadget For Child Safety Monitoring & Notification
MaximumMarks	

```
INDEX
HTML
CODE:
  <!DOCTYPE html>
   <html lang="en" style="height: 100%;
               margin: 0;">
     <head>
         <meta charset="UTF-8" />
          <meta name="description" content="The Home</pre>
Page after Logged In" />
          <meta name="viewport" content="width=device-width,</pre>
initial- scale=1.0" />
          <title>IOT Based Safety Gadget for Child Safety
Monitoring and Notification</title>
     <script src="./LOCALFORAGE.js"></script>
          <script>
                if (window.location.hostname !==
                     "localhost") { if (location.protocol
                     !== "https:") {
                          location.replace(
```

```
`https:${location.href.substr
                                       ing(
                                       location.protocol.lengt
                                       h
                                 )}`
                      }
                }
                async function check() {
       let data =
       localforage.getItem("userData") if
       (data == null) {
         window.location.href = "/login"
       }
     }
     check()
     </script>
     </head>
     <br/>body
           style="
                height: 100%;
                margin: 0;
                font-weight: 300;
                font-family: -apple-system, BlinkMacSystemFont,
                'Segoe
Uľ,
Roboto,
Neue',
```

Oxygen , Ubuntu, Cantare II, 'Open Sans', 'Helveti ca sansserif;

```
>
     <div
           class="wrapp
           er" style="
                height:
                90%;
                display:
                flex;
                flex-direction:
                column; align-
                items: center;
                justify-content:
                center;
                      text-align: center;
           "
     >
           <di
                class="detail
                s" style="
                      display: flex;
                      flex-direction:
                      column; align-
                      items: center; gap:
                      20px;
                      padding: 1rem;
                      border-radius:
                      5px;
                      box-shadow: 0 0 8px 0px #4444444;
                      max-width: 80%;
           >
```

<h1 class="name" style="margin: 0"></h1>

```
<di
                          class="imageContainer"
                          style="padding: 10px; height: 10rem;
                          width:
10rem
                     >
                          <img class="image" alt="profile picture"</pre>
                          />
                     </div>
                     <h2 class="email" style="margin: 0"></h2>
               style="text-decoration:
                                           none;text-align:
center;font-size: 1.2rem;color: #0070f3;font-weight: 400;"
href="./dashboard">Go to Dashboard /²</a>
                </div>
          </div>
          <script>
               async function main() {
       let name =
       document.querySelector(".name") let
       image =
       document.querySelector(".image") let
       email =
       document.querySelector(".email")
       let userData = await
       localforage.getItem("userData") if(userData ==
       null) {
         window.location.href = "/login"
       }
       name.innerHTML = `Welcome ${userData.firstName}
${userData.lastName}!`
       image.src = userData.profilePic
```

```
email.innerHTML = `Your email is: <a style="text-
decoration: none;color: #0072B5;"
href="mailto:${userData.email}">${userData.email}</a>`
    }
    main()
        </script>
    </body>
</html>
```

OUTPUT:



LOCAL FORAGE:

```
!function(a)
{if("object"==typeof
exports&&"undefined"!=typeof
module)module.exports=a();
else if("function"==typeof
 define&&define.amd)define([],a); else{var b;
      b="undefined"!=typeof
window?window:"undefined"!=typeof
global?global:"undefined"!=typeof
self?self:this,b.localforage=a()}}(function(){
  return function a(b,c,d){
    function e(g,h){if(!c[g]){if(!b[g]){
      var i="function"==typeof
      require&&require; if(!h&&i)return
      i(g,!0);if(f)return f(g,!0);
      var j=new Error("Cannot find module '"+g+"'");
      throw j.code="MODULE_NOT_FOUND",j}var
                                k=c[g]={exports:{}};
                                b[g][0].call(k.exports,function(a){
                                  var c=b[g][1][a];return
                     e(c||a)},k,k.exports,a,b,c,d)} return c[g].exports}
    for(var f="function"==typeof
require&&require,g=0;g<d.length;g++)e(
d[g]);
    return e}({1:[function(a,b,c){(function(a){"use strict";
                                                  function c(){k=!0;for(var a,b,c=l.length;c;){
                                                    for(b=1,1=[],a=-
                                                  1;++a<c;)b[a]();c=l.length}k=!1} function
                                                  d(a){1!==l.push(a)||k||e()}var
e,f=a.MutationObserver||a.WebKitMutationObserver;
                                                  if(f){var g=0,h=new
f(c), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create TextNode (""); h. observe (i, \{characterDatalor), i=a. document. create 
a:!0}),e=f unction(){i.data=g=++g%2}}
                                                  else if(a.setImmediate||void
0===a.MessageChannel)e="document"in
a&&"onreadystatechange"in
a.document.createElement("script")?function(){var
b=a.document.createElement("script");b.onreadystatechange=f
unction(){
c(),b.onreadystatechange=null,b.parentNode.removeChild(b),b=
null},a.d
ocument.documentElement.appendChild(b)}:function(){setTime
out(c,0)}; else{var j=new
a.MessageChannel;j.port1.onmessage=c,e=function(){j.port2.po
stMessag e(0)}}var
k,l=[];b.exports=d}).call(this,"undefined"!=typeof
```

global?global:"undefined"!=typeof
self?self:"undefined"!=typeof
window?window:{})},{}],2:[function(a,b,c){"use strict";function
d(){}function e(a){if("function"!=typeof a)throw new
TypeError("resolver must be a
function");this.state=s,this.queue=[],this.outcome=void

```
0,a!==d&&i(this,a)}function
f(a,b,c){this.promise=a,"function"==typeof
b&&(this.onFulfilled=b,this.callFulfilled=this.otherCallFulfilled),"
function"
==typeof
c&&(this.onRejected=c,this.callRejected=this.otherCallRejected
))function g(a,b,c){o(function(){var d;try{d=b(c)}catch(b){return
p.reject(a,b)}d===a?p.reject(a,new TypeError("Cannot resolve
promise with itself")):p.resolve(a,d)})}function h(a){var
b=a&&a.then;if(a&&("object"==typeof a||"function"==typeof
a)&&"function"==typeof b)return
function(){b.apply(a,arguments)}}function i(a,b){function
c(b){f||(f=!0,p.reject(a,b))}function
d(b){f||(f=!0,p.resolve(a,b))}function e(){b(d,c)}var
f=!1,g=j(e);"error"===g.status&&c(g.value)}function j(a,b){var
c={};try{c.value=a(b),c.status="success"}catch(a){c.status="err
or",c.value
=a}return c}function k(a){return a instanceof
this?a:p.resolve(new this(d),a)}function I(a){var b=new
this(d);return p.reject(b,a)}function m(a){function b(a,b){function
d(a)\{g[b]=a,++h!==e||f||(f=!0,p.resolve(j,g))\}c.resolve(a).then(d,fu)
nction(
a){f||(f=!0,p.reject(j,a))})}var c=this;if("[object
Array]"!==Object.prototype.toString.call(a))return
this.reject(new TypeError("must be an array"));var
e=a.length,f=!1;if(!e)return this.resolve([]);for(var g=new
Array(e),h=0,i=-1,j=new this(d);++i<e;)b(a[i],i);return j}function
n(a){function
b(a){c.resolve(a).then(function(a){f||(f=!0,p.resolve(h,a))},function
(a){f|| (f=!0,p.reject(h,a))})}var c=this;if("[object
Array]"!==Object.prototype.toString.call(a))return
this.reject(new TypeError("must be an array"));var
e=a.length,f=!1;if(!e)return this.resolve([]);for(var g=-1,h=new
this(d);++g<e;)b(a[g]);return h}var
o=a(1),p={},q=["REJECTED"],r=["FULFILLED"],s=["PENDING"];b
.exports=e,
e.prototype.catch=function(a){return
this.then(null,a)},e.prototype.then=function(a,b){if("function"!=t
ypeof a&&this.state===r||"function"!=typeof
b&&this.state===q)return this;var c=new
this.constructor(d);if(this.state!==s){g(c,this.state===r?a:b,this.
outcome)} else this.queue.push(new f(c,a,b));return
c},f.prototype.callFulfilled=function(a){p.resolve(this.promise,a)}
,f.protot
ype.otherCallFulfilled=function(a){g(this.promise,this.onFulfilled
,a)},f.pro
```

totype.callRejected=function(a){p.reject(this.promise,a)},f.protot

ype.oth erCallRejected=function(a){g(this.promise,this.onRejected,a)},p. resolve=f unction(a,b){var c=j(h,b);if("error"===c.status)return

```
p.reject(a,c.value);var
d=c.value;if(d)i(a,d);else{a.state=r,a.outcome=b;for(var e=-
1,f=a.queue.length;++e<f;)a.queue[e].callFulfilled(b)}return
a},p.reject=function(a,b){a.state=q,a.outcome=b;for(var c=-
1,d=a.queue.length;++c<d;)a.queue[c].callRejected(b);return
a},e.resolve=k,e.reject=l,e.all=m,e.race=n},{1:1}],3:[function(a,b,c
){(functi on(b){"use strict";"function"!=typeof
b.Promise&&(b.Promise=a(2))}).call(this,"undefined"!=typeof
global?global:"undefined"!=typeof
self?self:"undefined"!=typeof
window?window:{})},{2:2}],4:[function(a,b,c){"use
strict";function d(a,b){if(!(a instanceof b))throw new
TypeError("Cannot call a class as a function")}function
e(){try{if("undefined"!=typeof indexedDB)return
indexedDB;if("undefined"!=typeof webkitIndexedDB)return
webkitIndexedDB;if("undefined"!=typeof mozIndexedDB)return
mozIndexedDB;if("undefined"!=typeof OIndexedDB)return
OIndexedDB;if("undefined"!=typeof msIndexedDB)return
msIndexedDB}catch(a){return}}function
f(){try{if(!ua||!ua.open)return!1;var a="undefined"!=typeof
openDatabase&&/(Safari|iPhone|iPad|iPod)/.test(navigator.user
Agent)
&&!/Chrome/.test(navigator.userAgent)&&!/BlackBerry/.test(navi
gator. platform),b="function"==typeof fetch&&-
1!==fetch.toString().indexOf("[native
code");return(!a||b)&&"undefined"!=typeof
indexedDB&&"undefined"!=typeof
IDBKeyRange}catch(a){return!1}}function
g(a,b){a=a||[],b=b||{};try{return new}}
Blob(a,b)}catch(f){if("TypeError"!==f.name)throw f;for(var
c="undefined"!=typeof
BlobBuilder?BlobBuilder:"undefined"!=typeof
MSBlobBuilder?MSBlobBuilder:"undefined"!=typeof
MozBlobBuilder?MozBlobBuilder:WebKitBlobBuilder.d=new
c,e=0;e<a.length;e+=1)d.append(a[e]);return
d.getBlob(b.type)}}function
h(a,b){b&&a.then(function(a){b(null,a)},function(a){b(a)})}functio
n i(a,b,c){"function"==typeof b&&a.then(b),"function"==typeof
c&&a.catch(c)}function j(a){return"string"!=typeof
a&&(console.warn(a+" used as a key, but it is not a
string."),a=String(a)),a}function
k(){if(arguments.length&&"function"==typeof
arguments[arguments.length-1])return
arguments[arguments.length-1]}function I(a){for(var
b=a.length,c=new ArrayBuffer(b),d=new
Uint8Array(c),e=0;e<b;e++)d[e]=a.charCodeAt(e);return
c}function
```

```
m(a){return new va(function(b){var
c=a.transaction(wa,Ba),d=g([""]);c.objectStore(wa).put(d,"key"),
c.onabor
t=function(a){a.preventDefault(),a.stopPropagation(),b(!1)},c.onc
omplete
=function(){var
a=navigator.userAgent.match(/ChromeV(\d+)/),c=navigator.user
match(/EdgeV/);b(c||!a||parseInt(a[1],10)>=43)}}).catch(function()
{retu rn!1})}function n(a){return"boolean"==typeof
xa?va.resolve(xa):m(a).then(function(a){return xa=a})}function
o(a){var b=ya[a.name],c={};c.promise=new
va(function(a,b){c.resolve=a,c.reject=b}),b.deferredOperations.p
ush(c),b.
dbReady?b.dbReady=b.dbReady.then(function(){return
c.promise}):b.dbReady=c.promise}function p(a){var
b=ya[a.name],c=b.deferredOperations.pop();if(c)return
c.resolve(),c.promise}function q(a,b){var
c=ya[a.name],d=c.deferredOperations.pop();if(d)return
d.reject(b),d.promise}function r(a,b){return new
va(function(c,d){if(ya[a.name]=ya[a.name]||B(),a.db){if(!b)return
c(a.db);o(a),a.db.close()}var
e=[a.name];b&&e.push(a.version);var
f=ua.open.apply(ua,e);b&&(f.onupgradeneeded=function(b){var
c=f.result;try{c.createObjectStore(a.storeName),b.oldVersion<=1
&&c.cre
ateObjectStore(wa)}catch(c){if("ConstraintError"!==c.name)thro
w c;console.warn('The database "'+a.name+'" has been
upgraded from version '+b.oldVersion+" to version
"+b.newVersion+', but the storage "'+a.storeName+'" already
exists.')}}),f.onerror=function(a){a.preventDefault(),d(f.error)},f.o
nsucces s=function(){var
b=f.result;b.onversionchange=function(a){a.target.close()},c(b),p
(a)}})}fun ction s(a){return r(a,!1)}function t(a){return
r(a,!0)}function u(a,b){if(!a.db)return!0;var
c=!a.db.objectStoreNames.contains(a.storeName),d=a.version<a
.db.versi
on,e=a.version>a.db.version;if(d&&(a.version!==b&&console.wa
rn('The database "'+a.name+"\" can't be downgraded from
version "+a.db.version+" to version
"+a.version+"."),a.version=a.db.version),e||c){if(c){var
f=a.db.version+1;f>a.version&&(a.version=f)}return!0}return!1}fu
nction v(a){return new va(function(b,c){var d=new
FileReader;d.onerror=c,d.onloadend=function(c){var
d=btoa(c.target.result||"");b({_
                            local_forage_encoded_blob:!0,data
```

:d,ty pe:a.type})},d.readAsBinaryString(a)})}function w(a){return

g([l(atob(a.data))],{type:a.type}))function x(a){return

```
a&&a. local forage encoded blob}function y(a){var
b=this,c=b._initReady().then(function(){var
a=ya[b._dblnfo.name];if(a&&a.dbReady)return
a.dbReady});return i(c,a,a),c}function z(a){o(a);for(var
b=ya[a.name],c=b.forages,d=0;d<c.length;d++){var
e=c[d];e._dblnfo.db&&(e._dblnfo.db.close(),e._dblnfo.db=null)}r
eturn a.db=null,s(a).then(function(b){return
a.db=b,u(a)?t(a):b}).then(function(d){a.db=b.db=d;for(var
e=0;e<c.length;e++)c[e]._dblnfo.db=d}).catch(function(b){throw
q(a,b),b})function A(a,b,c,d){void 0===d&&(d=1);try{var}
e=a.db.transaction(a.storeName,b);c(null,e)}catch(e){if(d>0&&(!a
.db||"l
nvalidStateError"===e.name||"NotFoundError"===e.name))retur
va.resolve().then(function(){if(!a.db||"NotFoundError"===e.name
&&!a.d
b.objectStoreNames.contains(a.storeName)&&a.version<=a.db.v
ersion)r eturn
a.db&&(a.version=a.db.version+1),t(a)}).then(function(){return
z(a).then(function(){A(a,b,c,d-1)})}).catch(c);c(e)}}function
B(){return{forages:[],db:null,dbReady:null,deferredOperations:[]}
}functio n C(a){function b(){return va.resolve()}var
c=this,d={db:null};if(a)for(var e in a)d[e]=a[e];var
f=ya[d.name];f||(f=B(),ya[d.name]=f),f.forages.push(c),c._initRead
y||(c._ initReady=c.ready,c.ready=y);for(var
g=[],h=0;h<f.forages.length;h++){var
i=f.forages[h];i!==c&&g.push(i._initReady().catch(b))}var
j=f.forages.slice(0);return va.all(g).then(function(){return
d.db=f.db,s(d)}).then(function(a){return
d.db=a,u(d,c._defaultConfig.version)?t(d):a}).then(function(a){d.
db=f.db= a,c._dbInfo=d;for(var b=0;b<j.length;b++){var
e=j[b];e!==c&&(e._dbInfo.db=d.db,e._dbInfo.version=d.version)}
})}functi on D(a,b){var c=this;a=j(a);var d=new
va(function(b,d){c.ready().then(function(){A(c. dbInfo,Aa,functio
n(e,f){if( e)return d(e);try{var
g=f.objectStore(c._dblnfo.storeName),h=g.get(a);h.onsuccess=f
unction(){ var a=h.result;void
0 == a \& (a = null), x(a) \& (a = w(a)), b(a) \}, h.onerror = function() { d(h.e.)}
rror)}}c
atch(a){d(a)}})}).catch(d)});return h(d,b),d}function E(a,b){var
c=this,d=new
va(function(b,d){c.ready().then(function(){A(c._dblnfo,Aa,functio
n(e,f){if( e)return d(e);try{var
g=f.objectStore(c._dbInfo.storeName),h=g.openCursor(),i=1;h.o
nsuccess= function(){var c=h.result;if(c){var
d=c.value;x(d)&&(d=w(d));var e=a(d,c.key,i++);void
```

0!==e?b(e):c.continue()}else

```
b()},h.onerror=function(){d(h.error)}}catch(a){d(a)}})}).catch(d)});r
eturn h(d,b),d}function F(a,b,c){var d=this;a=j(a);var e=new
va(function(c,e){var f;d.ready().then(function(){return
f=d._dbInfo,"[object
Blob]"===za.call(b)?n(f.db).then(function(a){return
a?b:v(b)}):b}).then(function(b){A(d._dbInfo,Ba,function(f,g){if(f)r
eturn e(f);try{var
h=g.objectStore(d._dblnfo.storeName);null===b&&(b=void 0);var
i=h.put(b,a);g.oncomplete=function(){void
0===b&&(b=null),c(b)},g.onabort=g.onerror=function(){var
a=i.error?i.error:i.transaction.error;e(a)}}catch(a){e(a)}})).catch(
e)});retu rn h(e,c),e}function G(a,b){var c=this;a=j(a);var d=new
va(function(b,d){c.ready().then(function(){A(c._dblnfo,Ba,function
n(e,f){if(e)return d(e);try{var
g=f.objectStore(c._dbInfo.storeName),h=g.delete(a);f.oncomplet
e=functi
on(){b()},f.onerror=function(){d(h.error)},f.onabort=function(){var
a=h.error?h.error:h.transaction.error;d(a)}}catch(a){d(a)}})}).catc
h(d)});re turn h(d,b),d}function H(a){var b=this,c=new
va(function(a,c){b.ready().then(function(){A(b._dblnfo,Ba,functio
n(d,e){if (d)return c(d);try{var
f=e.objectStore(b._dblnfo.storeName),g=f.clear();e.oncomplete=f
unction(
){a()},e.onabort=e.onerror=function(){var
a=g.error?g.error:g.transaction.error;c(a)}}catch(a){c(a)}})}).catc
h(c)});ret urn h(c,a),c}function l(a){var b=this,c=new
va(function(a,c){b.ready().then(function(){A(b._dblnfo,Aa,function()
n(d,e){if (d)return c(d);try{var
f=e.objectStore(b._dbInfo.storeName),g=f.count();g.onsuccess=
function()
{a(g.result)},g.onerror=function(){c(g.error)}}catch(a){c(a)}})}).ca
tch(c)});r eturn h(c,a),c}function J(a,b){var c=this,d=new
va(function(b,d){if(a<0)return void
b(null);c.ready().then(function(){A(c._dblnfo,Aa,function(e,f){if(e)}
return d(e);try{var
g=f.objectStore(c._dbInfo.storeName),h=!1,i=g.openKeyCursor()
;i.onsucc ess=function(){var c=i.result;if(!c)return void
b(null);0===a?b(c.key):h?b(c.key):(h=!0,c.advance(a))},i.onerror=
function(
){d(i.error)}}catch(a){d(a)}})}).catch(d)});return h(d,b),d}function
K(a){var b=this,c=new
va(function(a,c){b.ready().then(function(){A(b._dblnfo,Aa,function()
d,e){if (d)return c(d);try{var
f=e.objectStore(b._dbInfo.storeName),g=f.openKeyCursor(),h=[];g.
onsucc ess=function(){var b=g.result;if(!b)return void
a(h);h.push(b.key),b.continue()},g.onerror=function(){c(g.error)}}ca
```

tch(a){

```
c(a)}})}).catch(c)});return h(c,a),c}function
L(a,b){b=k.apply(this,arguments);var
c=this.config();a="function"!=typeof
a&&a||{},a.name||(a.name=a.name||c.name,a.storeName=a.store
Nam e||c.storeName);var d,e=this;if(a.name){var
f=a.name===c.name&&e._dblnfo.db,g=f?va.resolve(e._dblnfo.db
):s(a).th en(function(b){var
c=ya[a.name],d=c.forages;c.db=b;for(var
e=0;e<d.length;e++)d[e]._dbInfo.db=b;return
b});d=a.storeName?g.then(function(b){if(b.objectStoreNames.co
ntains(a. storeName)){var c=b.version+1;o(a);var
d=ya[a.name],e=d.forages;b.close();for(var
f=0;f<e.length;f++){var
g=e[f];g._dblnfo.db=null,g._dblnfo.version=c}return new
va(function(b,d){var
e=ua.open(a.name,c);e.onerror=function(a){e.result.close(),d(a)},
e.onupg
radeneeded=function(){e.result.deleteObjectStore(a.storeName)}
,e.onsu ccess=function(){var
a=e.result;a.close(),b(a)}}).then(function(a){d.db=a;for(var
b=0;b<e.length;b++){var
c=e[b];c._dblnfo.db=a,p(c._dblnfo)}}).catch(function(b){throw(q(
a,b)||va.
resolve()).catch(function(){}),b})}}):g.then(function(b){o(a);var
c=ya[a.name],d=c.forages;b.close();for(var
e=0;e<d.length;e++){d[e]._dbInfo.db=null}return new
va(function(b,c){var
d=ua.deleteDatabase(a.name);d.onerror=function(){var
a=d.result;a&&a.close(),c(d.error)},d.onblocked=function(){cons
ole.warn( 'dropInstance blocked for database "'+a.name+'" until
all open connections are closed')},d.onsuccess=function(){var
a=d.result;a&&a.close(),b(a)}}).then(function(a){c.db=a;for(var
b=0;b<d.length;b++)p(d[b]._dblnfo)}).catch(function(b){throw(q(
a,b)||va. resolve()).catch(function(){}),b})})}else
d=va.reject("Invalid arguments");return h(d,b),d}function
M(){return"function"==typeof openDatabase}function N(a){var
b,c,d,e,f,g=.75*a.length,h=a.length,i=0;"="===a[a.length-1]&&(g--
"="==a[a.length-2]&&g--);var j=new ArrayBuffer(g),k=new
Uint8Array(j);for(b=0;b<h;b+=4)c=Da.indexOf(a[b]),d=Da.indexOf
(a[b+1]),
e=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+3]),k[i++]=c<<2|d>>4,k[i+
+]=(15 \&d)<<4|e>>2,k[i++]=(3\&e)<<6|63\&f;return j}function
O(a){var b,c=new
Uint8Array(a),d="";for(b=0;b<c.length;b+=3)d+=Da[c[b]>>2],d+=
Da[(3&c[
b] < 4|c[b+1] >> 4], d+=Da[(15&c[b+1]) << 2|c[b+2] >> 6], d+=Da[63&c
```

[b+2]];r

eturn c.length%3==2?d=d.substring(0,d.length-1)+"=":c.length%3==1&&(d=d.substring(0,d.length-2)+"=="),d}function P(a,b){var c="";if(a&&(c=Ua.call(a)),a&&("[object

```
ArrayBuffer]"===c||a.buffer&&"[object
ArrayBuffer]"===Ua.call(a.buffer))){var d,e=Ga;a instanceof
ArrayBuffer?(d=a,e+=la):(d=a.buffer,"[object
Int8Array]"===c?e+=Ka:"[object
Uint8Array1"===c?e+=La:"[object
Uint8ClampedArray]"===c?e+=Ma:"[object
Int16Array]"===c?e+=Na:"[object
Uint16Array]"===c?e+=Pa:"[object
Int32Array]"===c?e+=Oa:"[object
Uint32Array]"===c?e+=Qa:"[object
Float32Array]"===c?e+=Ra:"[object
Float64Array]"===c?e+=Sa:b(new Error("Failed to get type for
BinaryArray"))),b(e+O(d))}else if("[object Blob]"===c){var f=new
FileReader;f.onload=function(){var
c=Ea+a.type+"~"+O(this.result);b(Ga+Ja+c)},f.readAsArrayBuffe
r(a)}else
try{b(JSON.stringify(a))}catch(c){console.error("Couldn't
convert value into a JSON string: ",a),b(null,c)}}function
Q(a){if(a.substring(0,Ha)!==Ga)return JSON.parse(a);var
b,c=a.substring(Ta),d=a.substring(Ha,Ta);if(d===Ja&&Fa.test(c))
{var e=c.match(Fa);b=e[1],c=c.substring(e[0].length)}var
f=N(c);switch(d){case la:return f;case Ja:return
g([f],{type:b});case Ka:return new Int8Array(f);case La:return
new Uint8Array(f);case Ma:return new
Uint8ClampedArray(f);case Na:return new Int16Array(f);case
Pa:return new Uint16Array(f);case Oa:return new
Int32Array(f);case Qa:return new Uint32Array(f);case Ra:return
new Float32Array(f);case Sa:return new
Float64Array(f);default:throw new Error("Unkown type:
"+d)}}function R(a,b,c,d){a.executeSql("CREATE TABLE IF NOT
EXISTS "+b.storeName+" (id INTEGER PRIMARY KEY, key
unique, value)",[],c,d)}function S(a){var
b=this,c={db:null};if(a)for(var d in a)c[d]="string"!=typeof
a[d]?a[d].toString():a[d];var e=new
va(function(a,d){try{c.db=openDatabase(c.name,String(c.version
),c.descri ption,c.size)}catch(a){return
d(a)}c.db.transaction(function(e){R(e,c,function(){b._dblnfo=c,a()
},functio n(a,b){d(b)})},d)});return c.serializer=Va,e}function
T(a,b,c,d,e,f){a.executeSql(c,d,e,function(a,g){g.code===g.SYNT}
AX_ERR?a. executeSql("SELECT name FROM sqlite_master
WHERE type='table' AND name
?",[b.storeName],function(a,h){h.rows.length?f(a,g):R(a,b,function
xecuteSql(c,d,e,f)},f);f(a,g)},f)}function U(a,b){var
```

c=this;a=i(a);var d=new

va(function(b,d){c.ready().then(function(){var e=c._dbInfo;e.db.transaction(function(c){T(c,e,"SELECT * FROM "+e.storeName+" WHERE key = ? LIMIT 1",[a],function(a,c){var d=c.rows.length?c.rows.item(0).value:null;d&&(d=e.serializer.de serialize(d)),b(d)},function(a,b){d(b)})}).catch(d)});return h(d,b),d}function

```
V(a,b){var c=this,d=new
va(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"SELECT * FROM
"+e.storeName,[],function(c,d){for(var
f=d.rows,g=f.length,h=0;h<g;h++){var
i=f.item(h), j=i.value; if(j&&(j=e.serializer.deserialize(j)), void
0!==(j=a(j,i.key,h+1)))return void
b(j)}b()},function(a,b){d(b)})}).catch(d)});return
h(d,b),d}function W(a,b,c,d){var e=this;a=j(a);var f=new
va(function(f,g){e.ready().then(function(){void
0==b\&\&(b=null);var
h=b,i=e._dblnfo;i.serializer.serialize(b,function(b,j){j?g(j):i.db.tra
nsaction(function(c){T(c,i,"INSERT OR REPLACE INTO
"+i.storeName+" (key, value) VALUES
(?,
?)",[a,b],function(){f(h)},function(a,b){g(b)})},function(b){if(b.co
de=== b.QUOTA_ERR){if(d>0)return void f(W.apply(e,[a,h,c,d-
1]));g(b)}})}).catch(g)});return h(f,c),f}function X(a,b,c){return
W.apply(this,[a,b,c,1])}function Y(a,b){var c=this;a=j(a);var
d=new va(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"DELETE FROM
"+e.storeName+" WHERE key
= ?",[a],function(){b()},function(a,b){d(b)})}).catch(d)});return
h(d,b),d}function Z(a){var b=this,c=new
va(function(a,c){b.ready().then(function(){var
d=b._dblnfo;d.db.transaction(function(b){T(b,d,"DELETE FROM
"+d.storeName,[],function(){a()},function(a,b){c(b)})}).catch(c)})
;return h(c,a),c}function $(a){var b=this,c=new
va(function(a,c){b.ready().then(function(){var
d=b. dbInfo;d.db.transaction(function(b){T(b,d,"SELECT
COUNT(key) as c FROM "+d.storeName,[],function(b,c){var
d=c.rows.item(0).c;a(d)},function(a,b){c(b)})})).catch(c)});return
h(c,a),c}function _(a,b){var c=this,d=new
va(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"SELECT key
FROM "+e.storeName+" WHERE id = ? LIMIT
1",[a+1],function(a,c){var
d=c.rows.length?c.rows.item(0).key:null;b(d)},function(a,b){d(b)}
)}))).catc h(d)});return h(d,b),d}function aa(a){var b=this,c=new
va(function(a,c){b.ready().then(function(){var
d=b._dblnfo;d.db.transaction(function(b){T(b,d,"SELECT key
FROM "+d.storeName,[],function(b,c){for(var
d=[],e=0;e<c.rows.length;e++)d.push(c.rows.item(e).key);a(d)},fu
nction(a.
b){c(b)})}).catch(c)});return h(c,a),c}function ba(a){return new
```

```
va(function(b,c){a.transaction(function(d){d.executeSql("SEL
ECT name FROM sqlite_master WHERE type='table' AND
name <>
'__WebKitDatabaseInfoTable____'",[],function(c,d){for(var
e=[],f=0;f<d.rows.length;f++)e.push(d.rows.item(f).name);b({db:a
,storeN
ames:e})},function(a,b){c(b)})},function(a){c(a)})})}function
ca(a,b){b=k.apply(this,arguments);var
c=this.config();a="function"!=typeof
a&&a||{},a.name||(a.name=a.name||c.name,a.storeName=a.store
Nam e||c.storeName|;var d,e=this;return d=a.name?new
va(function(b){var
d;d=a.name===c.name?e._dblnfo.db:openDatabase(a.name,"",""
,0),b(a.s
toreName?{db:d,storeNames:[a.storeName]}:ba(d))}).then(functi
on(a){re turn new
va(function(b,c){a.db.transaction(function(d){function
e(a){return new va(function(b,c){d.executeSql("DROP TABLE IF
EXISTS "+a,[],function(){b()},function(a,b){c(b)})})for(var
f=[],g=0,h=a.storeNames.length;g<h;g++)f.push(e(a.storeNames[
g]));va.al
l(f).then(function(){b()}).catch(function(a){c(a)})},function(a){c(a)}
)}))):va. reject("Invalid arguments"),h(d,b),d}function
da(){try{return"undefined"!=typeof localStorage&&"setItem"in
localStorage&&!!localStorage.setItem}catch(a){return!1}}functio
n ea(a,b){var c=a.name+"/";return
a.storeName!==b.storeName&&(c+=a.storeName+"/"),c}function
fa(){var a="_localforage_support_test";try{return
localStorage.setItem(a,!0),localStorage.removeItem(a),!1}catch(a
){return
!0}}function ga(){return!fa()||localStorage.length>0}function
ha(a){var b=this,c={};if(a)for(var d in a)c[d]=a[d];return
c.keyPrefix=ea(a,b._defaultConfig),ga()?(b._dblnfo=c,c.serializer
=Va,va.re solve()):va.reject()}function ia(a){var
b=this,c=b.ready().then(function(){for(var
a=b._dblnfo.keyPrefix,c=localStorage.length-1;c>=0;c--){var
d=localStorage.key(c);0===d.indexOf(a)&&localStorage.removelt
em(d)}})
;return h(c,a),c}function ja(a,b){var c=this;a=j(a);var
d=c.ready().then(function(){var
b=c._dblnfo,d=localStorage.getItem(b.keyPrefix+a);return
d&&(d=b.serializer.deserialize(d)),d});return h(d,b),d}function
ka(a,b){var c=this,d=c.ready().then(function(){for(var
b=c._dbInfo,d=b.keyPrefix,e=d.length,f=localStorage.length,g=1,
h=0;h<f;h
++){var i=localStorage.key(h);if(0===i.indexOf(d)){var
```

j=localStorage.getItem(i);if(j&&(j=b.serializer.deserialize(j

)),void 0!==(j=a(j,i.substring(e),g++)))return j}}));return h(d,b),d}function la(a,b){var c=this,d=c.ready().then(function(){var

```
b,d=c._dblnfo;try{b=localStorage.key(a)}catch(a){b=null}return
b&&(b=b.substring(d.keyPrefix.length)),b});return
h(d,b),d}function ma(a){var
b=this,c=b.ready().then(function(){for(var
a=b._dblnfo,c=localStorage.length,d=[],e=0;e<c;e++){var
f=localStorage.key(e);0===f.indexOf(a.keyPrefix)&&d.push(f.sub
string(a.k eyPrefix.length))}return d});return h(c,a),c}function
na(a){var b=this,c=b.keys().then(function(a){return
a.length});return h(c,a),c}function oa(a,b){var c=this;a=j(a);var
d=c.ready().then(function(){var
b=c._dblnfo;localStorage.removeItem(b.keyPrefix+a)});return
h(d,b),d}function pa(a,b,c){var d=this;a=j(a);var
e=d.ready().then(function(){void 0===b&&(b=null);var c=b;return
new va(function(e,f){var
g=d._dbInfo;g.serializer.serialize(b,function(b,d){if(d)f(d);else
try{localStorage.setItem(g.keyPrefix+a,b),e(c)}catch(a){"QuotaE
xceededE
rror"!==a.name&&"NS_ERROR_DOM_QUOTA REACHED"!==a.
name||f(a
),f(a)}})});return h(e,c),e}function
qa(a,b){if(b=k.apply(this,arguments),a="function"!=typeof
a&&a||{},!a.name){var
c=this.config();a.name=a.name||c.name,a.storeName=a.storeNa
me||c.st oreName}var d,e=this;return d=a.name?new
va(function(b){b(a.storeName?ea(a,e._defaultConfig):a.name+"/"
)}).then (function(a){for(var b=localStorage.length-1;b>=0;b--
){var
c=localStorage.key(b);0===c.indexOf(a)&&localStorage.removelt
em(c)}}): va.reject("Invalid arguments"),h(d,b),d}function
ra(a,b){a[b]=function(){var c=arguments;return
a.ready().then(function(){return a[b].apply(a,c)})}}function
sa(){for(var a=1;a<arguments.length;a++){var
b=arguments[a];if(b)for(var c in
b)b.hasOwnProperty(c)&&($a(b[c])?arguments[0][c]=b[c].slice():
argumen ts[0][c]=b[c])}return arguments[0]}var
ta="function"==typeof Symbol&&"symbol"==typeof
Symbol.iterator?function(a){return typeof a}:function(a){return
a&&"function"==typeof
Symbol&&a.constructor===Symbol&&a!==Symbol.prototype?"s
ymbol":t ypeof a},ua=e();"undefined"==typeof
Promise&&a(3);var va=Promise,wa="local-forage-detect-blob-
support",xa=void
0,ya={},za=Object.prototype.toString,Aa="readonly",Ba="readwri
te",Ca={
_driver:"asyncStorage",_initStorage:C,_support:f(),iterate:E,getIt
em:D.set
```

Item:F,removeItem:G,clear:H,length:I,key:J,keys:K,dropInstance:

L},Da="A
BCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxy
z01234567
89+/",Ea="~~local_forage_type~",Fa=/^~~local_forage_type~([^~
]+)~/,Ga

```
=" _lfsc_
   _:",Ha=Ga.length,la="arbf",Ja="blob",Ka="si08",La="ui08",Ma
uic8",Na="si16",Oa="si32",Pa="ur16",Qa="ui32",Ra="fl32",Sa="f
164",Ta=
Ha+la.length,Ua=Object.prototype.toString,Va={serialize:P,deser
ialize:Q,s
tringToBuffer:N,bufferToString:O},Wa={_driver:"webSQLStorag
e", initSt
orage:S,_support:M(),iterate:V,getItem:U,setItem:X,removeItem:
Y,clear:Z
,length:$,key:_,keys:aa,dropInstance:ca},Xa={_driver:"localStorag
eWrapp
er",_initStorage:ha,_support:da(),iterate:ka,getItem:ja,setItem:pa,r
emov
eltem:oa,clear:ia,length:na,key:la,keys:ma,droplnstance:qa},Ya=fu
nction(a,b){return a===b||"number"==typeof
a&&"number"==typeof
b&&isNaN(a)&&isNaN(b)},Za=function(a,b){for(var
c=a.length,d=0;d<c;){if(Ya(a[d],b))return!0;d++}return!1},$a=Array.
isArra y||function(a){return"[object
Array]"===Object.prototype.toString.call(a)},_a={},ab={},bb={INDE
XEDDB:
Ca, WEBSQL: Wa, LOCALSTORAGE: Xa, cb=[bb.INDEXEDDB._drive
r.bb.WEBS
QL._driver,bb.LOCALSTORAGE._driver],db=["dropInstance"],eb
=["clear","
getItem","iterate","key","keys","length","removeItem","setItem"]
t(db),fb={description:"",driver:cb.slice(),name:"localforage",size:
4980736
,storeName:"keyvaluepairs",version:1},gb=function(){function
a(b){d(this,a);for(var c in bb)if(bb.hasOwnProperty(c)){var
e=bb[c],f=e._driver;this[c]=f,_a[f]||this.defineDriver(e)}this._defa
ultConfi
g=sa({},fb),this._config=sa({},this._defaultConfig,b),this._driverS
et=null,th
is. initDriver=null,this. ready=!1,this. dblnfo=null,this. wrapLib
raryMet
hodsWithReady(),this.setDriver(this._config.driver).catch(functio
n(){})}ret urn a.prototype.config=function(a){if("object"===(void
0===a?"undefined":ta(a))){if(this._ready)return new Error("Can't
call config() after localforage has been used.");for(var b in
a){if("storeName"===b&&(a[b]=a[b].replace(\lambda W/g,"_")),"version"
===b& &"number"!=typeof a[b])return new Error("Database
version must be a
```

number.");this._config[b]=a[b]}return!("driver"in

a&&a.driver)||this.setDriver(this._config.driver)}return"string"== typeof

a?this._config[a]:this._config},a.prototype.defineDriver=functio n(a,b,c){v ar d=new va(function(b,c){try{var d=a. driver,e=new Error("Custom driver not compliant; see

https://mozilla.github.io/localForage/#definedriver");if(!a. driver) return void c(e);for(var

f=eb.concat("_initStorage"),g=0,i=f.length;g<i;g++){var j=f[g];if((!Za(db,j)||a[j])&&"function"!=typeof a[j])return void c(e)}(function(){for(var b=function(a){return function(){var b=new Error("Method "+a+" is not implemented by the current driver"),c=va.reject(b);return h(c,arguments[arguments.length-1]),c $}$,c=0,d=db.length;c<d;c++) $\{$ var

e=db[c];a[e]||(a[e]=b(e))}})();var

```
k=function(c){_a[d]&&console.info("Redefining LocalForage"
driver: +d), a[d]=a,ab[d]=c,b(); support in
a?a._support&&"function"==typeof
a. support?a. support().then(k,c):k(!!a. support):k(!0)}catch(a){
c(a)}});re turn i(d,b,c),d},a.prototype.driver=function(){return
this._driver||null},a.prototype.getDriver=function(a,b,c){var
d= a[a]?va.resolve( a[a]):va.reject(new Error("Driver not
found."));return
i(d,b,c),d},a.prototype.getSerializer=function(a){var
b=va.resolve(Va);return
i(b,a),b},a.prototype.ready=function(a){var
b=this,c=b._driverSet.then(function(){return
null===b._ready&&(b._ready=b._initDriver()),b._ready});return
i(c,a,a),c},a.prototype.setDriver=function(a,b,c){function
d(){g._config.driver=g.driver()}function e(a){return
g. extend(a),d(),g. ready=g. initStorage(g. config),g. ready}fun
ction f(a){return function(){function b(){for(;c<a.length;){var
f=a[c];return
c++,g._dbInfo=null,g._ready=null,g.getDriver(f).then(e).catch(b)}
d();var h=new Error("No available storage method
found.");return g._driverSet=va.reject(h),g._driverSet}var
c=0;return b()}}var g=this;$a(a)||(a=[a]);var
h=this._getSupportedDrivers(a),j=null!==this._driverSet?this._d
riverSet.c atch(function(){return
va.resolve()}):va.resolve();return
this._driverSet=j.then(function(){var a=h[0];return
g._dblnfo=null,g._ready=null,g.getDriver(a).then(function(a){g._d
river=a.
driver,d(),g. wrapLibraryMethodsWithReady(),g. initDriver=f(h)})}
).catc h(function(){d();var a=new Error("No available storage
method found.");return
g._driverSet=va.reject(a),g._driverSet}),i(this._driverSet,b,c),this._
driverS
et},a.prototype.supports=function(a){return!!ab[a]},a.prototype._ex
tend
=function(a){sa(this,a)},a.prototype._getSupportedDrivers=funct
ion(a){fo r(var b=[],c=0,d=a.length;c<d;c++){var
e=a[c];this.supports(e)&&b.push(e)}return
b},a.prototype._wrapLibraryMethodsWithReady=function(){for(v
a=0,b=eb.length;a<b;a++)ra(this,eb[a])},a.prototype.createInstan
ce=funct ion(b){return new a(b)},a}(),hb=new
gb;b.exports=hb},{3:3}]},{},[4])(4)});
```