DEVELOPING A FLIGHT DELAY PREDICTION MODEL USING MACHINE LEARNING

Team ID: PNT2022TMID27775

home.php:

```
<?php require_once "controllerUserData.php"; ?>
<?php
$email = $_SESSION['email']; $password =
$_SESSION['password']; if($email != false &&
$password != false){
   $sql = "SELECT * FROM usertable WHERE email = '$email'";
   $run_Sql = mysqli_query($con, $sql); if($run_Sql){
     $fetch_info = mysqli_fetch_assoc($run_Sql);
     $status = $fetch info['status']; $code
     = $fetch info['code']; if($status ==
     "verified"){
        if($code != 0)
        {header('Location: reset-code.php');
        }
     }else{
        header('Location: user-otp.php');
     }
   }
}else{
header('Location: login-user.php')
```

```
}
?>
<!DOCTYPE html>
<html>
 <head>
   <meta charset="UTF-8">
   <title><?php echo $fetch_info['name'] ?> | FLIGHT DELAY</title>
   <style> label{ font-
  size:120%;
   color:#ffffff;
}
body{ background-image: url('wallpaper (13).jpg');
background-color: black; background-repeat: no-
repeat; background-attachment: fixed; background-
size: 100% 100%;
}
h1{ text-align: center;
   color: white;
               font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida Sans', Arial,
sans-serif
}
.cols{
  width:
              470px;
   height:
               25px;
   border:none;
   font-size:large;
   background-color:transparent;
   margin:5px; box-sizing: border-box;
```

```
}
table{ align-items: center;
  margin-top:45px;
}
input{
  color: rgb(255, 255, 255);
}
th{
  font-size:1.39em; text-align:center;
  color:#fdfdfd;
}
input[type=submit] {
  background-color: #04AA6D;
  color:#fdfdfd; padding: 12px
  20px; margin-left: 350px;
  border: none; border-
  radius: 4px; cursor: pointer;
  float: left;
  font-family: cursive;
}
input[type=text], select,
textarea,input[type=time],input[type=calendar],input[type=number], input[type=month] { width:
  100%; padding: 12px;
  border: 1px solid #fdfdfd; border-
  radius: 4px; padding: 5px;
}
```

```
#region,#country{
                     width:
                                100%;
 padding: 5px; border: 1px solid
 #fdfdfd; border-radius: 4px; font-
 family: cursive; font-size:medium;
 background-color:transparent;
 margin:5px;
                box-sizing:border-box;
 color:#fdfdfd;
}
.col-25 { float: left;
  margin-left:
                    100px;
  width: 30%; margin-top:
  13px;
                     font-
  family:cursive;
}
.col-75 {
  margin-left: 100px; width: 30%;
  float: left;
  margin-top: 13px; font-family:cursive; color:
  #fdfdfd;
}
.button:after
                    {
  content:
  display:
               table;
  clear: both;
} ul {
```

```
list-style-type:
                    none;
  margin: 0; padding: 0;
  overflow: hidden;
 } li {
  float: left;
} li a {
  display:
                     block;
color:#fdfdfd;
                 text-align:
center; padding: 14px 16px;
text-decoration: none; font-
family: cursive;
}
li a:hover {
 background-color:#000000; width: auto;
}
  </style>
</head>
<body>
style="color:#fdfdfd;font-family:cursive;font-weight: bolder;font-size: xx- large;">Flight Delay
Prediction
    style="float:right"><a href="logout-user.php" >LogOut</a>
    <a href="about.php">About</a>
```

```
<form action="result.php" method="POST" name="register" autocomplete="">
   <label >Enter Flight Number</label>
    <input class="cols" type="text" placeholder="Enter Flight Number" required
name="FlightNumber" >
   <label>Month</label>
   <input class="cols"type="month" placeholder="Month" required
name="Month">
   <label>Origin</label>
    <select id="country" required>
       <option value="region" selected style="color: black;">India</option>
       <option value="region" style="color: black;">Mumbai
       <option value="region" style="color: black;">Kanada</option>
       <option value="region" style="color: black;">England</option>
       <option value="region" style="color: black;">alt</option>
       </select>
     <label>Destination</label>
    <select id="region" required>
```

```
<option value="region" selected style="color: black;">India</option>
       <option value="region" style="color: black;">Mumbai
       <option value="region" style="color: black;">Kanada</option>
       <option value="region" style="color: black;">England</option>
       <option value="region" style="color: black;">alt</option>
       </select>
     <label>Scheduled Departure Time</label>
      <input class="cols" type="time" placeholder=" Scheduled
Departure Time" required name="Departuretime" ><br>
   <label>Scheduled Arrival Time</label>
     <input class="cols" type="time" placeholder="Scheduled Arrival
Time"required name="Arrivaltime" ><br>
   <label>Actual Departure Time</label>
    <input class="cols" type="time" placeholder="Actual Departure Time"
required name="Actualdeparturetime"> 
   <br><input class="button" type="submit" name="submit" ><br>
  </form>
</body>
</html>
```

Result.php:

```
<?php require_once "controllerUserData.php"; ?>
```

```
<?php
$email = $_SESSION['email']; $password =
$_SESSION['password']; if($email != false &&
$password != false){
  $sql = "SELECT * FROM usertable WHERE email = '$email'";
  $run_Sql = mysqli_query($con, $sql); if($run_Sql){
    $fetch_info = mysqli_fetch_assoc($run_Sql);
    $status = $fetch_info['status']; $code
    = $fetch_info['code']; if($status ==
    header('Location: reset-code.php');
       }
    }else{
      header('Location: user-otp.php');
    }
  }
}else{ header('Location: login-user.php');
}
?>
<!DOCTYPE html>
<html>
<head>
  <meta charset="UTF-8">
  <title><?php echo $fetch_info['name'] ?> | Home</title>
```

```
<style> label{ font-
  size:120%;
  color:#ffffff;
}
body{ background-image: url('wallpaper (13).jpg');
background-color: black; background-repeat: no-
repeat; background-attachment: fixed; background-
size: 100% 100%;
}
h1{ text-align: center;
  color: white;
              font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida Sans', Arial,
sans-serif
}
.cols{
 width:
               470px;
  height:
                25px;
  border:none; font-
 size:large;
  background-color:transparent;
  margin:5px; box-sizing: border-box;
}
.cont{ font-size:30px; font-
  family:cursive;
  color:#fdfdfd; margin-
  top:100px; margin-
  left:30px;
}
```

```
.cont1{ font-size:30px; font-
  family:cursive;
  color:#fdfdfd; margin-
  top:100px; margin-
  left:30px;
}
input{ color: rgb(255, 255, 255);
}
th{
  font-size:1.39em; text-align:center;
  color:#fdfdfd;
}
input[type=submit] { background-color:
  #04AA6D;
  color:#fdfdfd; padding:
  12px 20px; margin-left:
  350px; border: none;
  border-radius:
                       4px;
  cursor: pointer;
  float: left;
  font-family: cursive;
}
input[type=text], select,
textarea,input[type=time],input[type=calendar],input[type=number], input[type=month] { width:
  100%; padding: 12px; border: 1px solid #fdfdfd; border-radius: 4px; padding: 5px;
}
#region,#country{ width: 100%;
 padding: 5px; border: 1px solid
```

```
#fdfdfd; border-radius: 4px; font-
 family: cursive; font-size:medium;
 background-color:transparent;
 margin:5px; box-sizing:border-box;
 color:#fdfdfd;
}
.col-25 { float: left;
  margin-left:
                     100px;
  width: 30%; margin-top:
  13px;
                       font-
  family:cursive; }
.col-75 {
  margin-left: 100px; width: 30%;
  float: left;
  margin-top: 13px; font-
  family:cursive; color: #fdfdfd;
}
.button:after
                    {
                   "";
  content:
  display:
               table;
  clear: both;
} ul {
  list-style-type:
                       none;
  margin:center; padding:
  0; overflow: hidden;
 } li {
  float: left;
```

```
} li a {
  display:
                     block;
color:#fdfdfd;
                 text-align:
center; padding: 14px 16px;
text-decoration: none; font-
family: cursive;
}
li a:hover {
 background-color:#000000; width: auto;
}
  </style>
</head>
<body>
style="color:#fdfdfd;font-family:cursive;font-weight: bolder;font-size: xx- large;">FLIGTH DELAY
DURATION
    <a href="logout-user.php" >LogOut</a>
<div class="cont">
   Actual Arrival Time:
 </div>
 <div class="cont1">
   Delay Time Duration:
 </div>
  </form>
</body>
</html>
```

```
Logout-user.php:
<?php
session_start(); session_unset();
session_destroy(); header('location:
login-user.php');
?>
About.php:
 <?php require_once "controllerUserData.php"; ?>
<?php
$email = $_SESSION['email']; $password =
$_SESSION['password']; if($email != false &&
$password != false){
  $sql = "SELECT * FROM usertable WHERE email = '$email'";
  $run_Sql = mysqli_query($con, $sql); if($run_Sql){
    $fetch_info = mysqli_fetch_assoc($run_Sql);
    $status = $fetch_info['status']; $code
    = $fetch_info['code']; if($status ==
    header('Location: reset-code.php');
       }
    }else{
       header('Location: user-otp.php');
    }
  }
}else{ header('Location: login-user.php');
```

}

```
?>
<!DOCTYPE html>
<html>
<head>
  <meta charset="UTF-8">
  <title><?php echo $fetch_info['name'] ?> | Home</title> <style> label{ font-size:120%;
  color:#ffffff;
}
body{ background-image: url('wallpaper (13).jpg');
background-color: black; background-repeat: no-
repeat; background-attachment: fixed; background-
size: 100% 100%;
}
h1{ text-align: center;
  color: white;
              font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida Sans', Arial,
sans-serif
}
.cols{
 width:
             470px;
  height:
               25px;
  border:none;
  font-size:large;
  background-color:transparent; margin:5px;
  box-sizing: border-box;
}
.cont{ font-size:30px; font-
  family:cursive;
```

```
color:#fdfdfd; margin-
  top:25px; margin-
  left:20px;
}
.cont1{ font-size:20px; font-
  family:cursive;
  color:#fdfdfd; margin-
  top:30px; margin-
  left:20px; margin-
  right:700px;
}
input{ color: rgb(255, 255, 255);
}
th{
  font-size:1.39em; text-align:center;
  color:#fdfdfd;
}
input[type=submit] { background-color:
  #04AA6D;
  color:#fdfdfd; padding: 12px
  20px; margin-left: 350px;
  border: none; border-
  radius: 4px; cursor: pointer;
  float: left;
  font-family: cursive;
}
```

```
input[type=text], select,
textarea,input[type=time],input[type=calendar],input[type=number], input[type=month] { width:
  100%; padding: 12px; border: 1px solid #fdfdfd; border-radius: 4px; padding: 5px;
}
#region,#country{ width: 100%;
 padding: 5px; border: 1px solid
 #fdfdfd; border-radius: 4px; font-
 family: cursive; font-size:medium;
 background-color:transparent;
 margin:5px; box-sizing:border-box;
  color:#fdfdfd;
}
.col-25 { float: left;
  margin-left:
                    100px;
  width: 30%; margin-top:
                      font-
  13px;
  family:cursive;
}
.col-75 {
  margin-left: 100px; width: 30%;
  float: left;
  margin-top: 13px; font-
  family:cursive; color: #fdfdfd;
}
.button:after
                    {
                  "";
  content:
  display:
               table;
  clear: both;
```

```
} ul {
  list-style-type: none;
  margin:center; padding: 0;
  overflow: hidden;
 } li {
  float: left;
} li a {
  display:
                       block;
color:#fdfdfd;
                  text-align:
center; padding: 14px 16px;
text-decoration: none; font-
family: cursive;
}
li a:hover {
  background-color:#000000; width: auto;
}
  </style>
</head>
<body>
style="color:#fdfdfd;font-family:cursive;font-weight: bolder;font-size: xx- large;">FLIGTH DELAY
DURATION
    style="float:right"><a href="logout-user.php" >LogOut</a>
   <div class="cont">
 Developing A Flight Delay Prediction Model Using Machine Learning
</div>
```

```
<div class="cont1" >
</div>
</form>
</body>
```

</html>