


# Project development phase

## sprint 1

TEAM ID: PNT2022TMID27765

- Import library and load dataset in python




The screenshot shows a Jupyter Notebook interface with a code cell containing the following Python code:

```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
import sklearn as sk
```

Below the code cell, the variable `data` is displayed as a DataFrame. The first few rows of the dataset are shown:

	Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID	Customer Name	Segment	City	State	Product ID	Category	Sub-Category	Product Name	Sales
0	32298	CA-2012-124891	31-07-2012	31-07-2012	Same Day	RH-19495	Rick Hansen	Consumer	New York City	New York	TEC-AC-10003033	Technology	Accessories	Plantronics CS510 - Over-the-Head monaural Wir...	2309.650
1	26341	IN-2013-77878	05-02-2013	07-02-2013	Second Class	JR-16210	Justin Ritter	Corporate	Wollongong	New South Wales	FUR-CH-10003950	Furniture	Chairs	Novimex Executive Leather Armchair, Black	3709.395
2	25330	IN-2013-71249	17-10-2013	18-10-2013	First Class	CR-12730	Craig Reiter	Consumer	Brisbane	Queensland	TEC-PH-10004664	Technology	Phones	Nokia Smart Phone, with Caller ID	5175.171
3	13524	ES-2013-16375	28-01-2013	30-01-2013	First Class	KM-16375	Katherine Murray	Home Office	Berlin	Berlin	TEC-PH-10004664	Technology	Phones	Motorola Smart Phone	2892.510


- Understanding and Analysing the dataset by using python library's.




The screenshot shows a Jupyter Notebook interface with a code cell containing the following Python code:

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 51290 entries, 0 to 51289
Data columns (total 24 columns):
#   Column                Non-Null Count  Dtype
---  --
0   Row ID                 51290 non-null  int64
1   Order ID               51290 non-null  object
2   Order Date             51290 non-null  object
3   Ship Date              51290 non-null  object
4   Ship Mode              51290 non-null  object
5   Customer ID            51290 non-null  object
6   Customer Name          51290 non-null  object
7   Segment                51290 non-null  object
8   City                   51290 non-null  object
9   State                  51290 non-null  object
10  Country                 51290 non-null  object
11  Postal Code             9994 non-null   float64
12  Market                  51290 non-null  object
13  Region                  51290 non-null  object
14  Product ID             51290 non-null  object
15  Category                51290 non-null  object
16  Sub-Category           51290 non-null  object
17  Product Name           51290 non-null  object
18  Sales                   51290 non-null  float64
19  Quantity                51290 non-null  int64
20  Discount                51290 non-null  float64
21  Profit                  51290 non-null  float64
22  Shipping Cost           51290 non-null  float64
23  Order Priority           51290 non-null  object
dtypes: float64(5), int64(2), object(17)
memory usage: 9.4+ MB
```

- **OPEN IBM COGNOS ANALYTICS**



## Load dataset “Global\_Superstore2 1”in IBM COGNOS ANALYTICS



- Data loading successfully in IBM COGNOS

