

## MODEL BUILDING-ADDING OUTPUT LAYERS

Team ID	PNT2022TMID47669
Project Name	Crude Oil Price Prediction

```
In [1]: import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
```

```
In [2]: data=pd.read_excel("/content/Crude Oil Prices Daily.xlsx")
```

```
In [3]: data.isnull().any()
```

```
Out[3]: Date          False
Closing Value      True
dtype: bool
```

```
In [4]: data.isnull().sum()
```

```
Out[4]: Date          0
Closing Value        7
dtype: int64
```

```
In [5]: data.dropna(axis=0,inplace=True)
```

```
In [6]: data.isnull().sum()
```

```
Out[6]: Date          0
Closing Value        0
dtype: int64
```

```
In [7]: data_oil=data.reset_index()['Closing Value']
data_oil
```

```
Out[7]: 0      25.56
1      26.00
2      26.53


4      25.87
...
8211   73.89
8212   74.19
8213   73.05
8214   73.78
8215   73.93
Name: Closing Value, Length: 8216, dtype: float64
```

```
In [8]: from sklearn.preprocessing import MinMaxScaler
scaler=MinMaxScaler(feature_range=(0,1))
data_oil=scaler.fit_transform(np.array(data_oil).reshape(-1,1))
```

```
In [9]: data_oil
```

```
Out[9]: array([[0.11335703],
 [0.11661484],
 [0.12053902],
 ...,
 [0.46497853],
 [0.47038353],
 [0.47149415]])
```

```
In [10]: plt.plot(data_oil)
```



```
In [11]: training_size=int(len(data_oil)*0.65)
test_size=len(data_oil)-training_size
train_data,test_data=data_oil[0:training_size:],data_oil[training_size:len(data_oil),:1]
```

```
In [12]: training_size,test_size
```

```
Out[12]: (5340, 2876)
```

```
In [13]: train_data.shape
```

```
Out[13]: (5340, 1)
```

```
In [14]: def create_dataset(dataset,time_step=1):
dataX,dataY=[],[]
for i in range(len(dataset)-time_step-1):
a=dataset[i:(i+time_step),0]
dataX.append(a)
dataY.append(dataset[i+time_step,0])
return np.array(dataX),np.array(dataY)
```

```
In [12]: training_size,test_size
```

```
Out[12]: (5340, 2876)
```

```
In [13]: train_data.shape
```

```
Out[13]: (5340, 1)
```

```
In [14]: def create_dataset(dataset,time_step=1):
dataX,dataY=[],[]
for i in range(len(dataset)-time_step-1):
a=dataset[i:(i+time_step),0]
dataX.append(a)
dataY.append(dataset[i+time_step,0])
return np.array(dataX),np.array(dataY)
```

```
In [15]: time_step=10
x_train,y_train=create_dataset(train_data,time_step)
x_test,y_test=create_dataset(test_data,time_step)
```

```
In [16]: print(x_train.shape),print(y_train.shape)
```

```
(5329, 10)
(5329,)
```

```
Out[16]: (None, None)
```

```
In [17]: print(x_test.shape),print(y_test.shape)
```

```
(2865, 10)
(2865,)
```

```
Out[17]: (None, None)
```

```
array([[0.1333703, 0.166148, 0.12053902, ..., 0.10980305, 0.1089886,
        0.1105^3^6],
       [0.11661^B^, 0.12053902, 0.11530422, ..., 0.108f1686, 0.110J^3^6,
        0.10165852],
       [0.12053902, 0.11550422, 0.1156523, ..., 0.1105#3#6, 0.10165852,
        0.0f1906708],

       [0.3G31823, 0.35175958, 0.3508026J, ..., 0.363J123A, 0.370A2796,
        6.37042796],
       [0.3h176958, 0.3608026i, 0.3h3h^657, ..., 0.370^2796, 0.370^2796,
        0.378798M],
       [0.350802GJ, 0.35358b57, 0.35295428, ..., 0.37082796, 0.37879461,
        0.37916482]])
```

```
x_test=x_test.reshape(x_test.shape[0],x_test.shape[1],1)
```

```
from keras.models import Sequential
from keras.layers import Dense
from tensorflow.keras.layers import LSTM
```

```
model.add(LSTM(50,return_sequences=True,inout_shape=(18,1)))
model.add(LSTM(50,return_sequences=True))
```

```
model.add(Dense(1))
```

```
model.add(LSTM(50,return_sequences=True,inout_shape=(8,1)))
```

```
model.add(Dense(1))
```

```
Model: "sequential_1"
```

Layer (type)	Output Shape	Param #
lstm (LSTM)	(None, 10, 50)	10400
lstm_1 (LSTM)	(None, 10, 50)	20200
lstm_2 (LSTM)	(None, 50)	20288
dense (Dense)	(None, 1)	51

```
*trainable params: 58,851
```