MODEL BUILDING-INITIALIZING THE MODEL

Team ID	PNT2022TMID47669
Project Name	Crude Oil Price Prediction

```
In [1]:
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
In [2]: data=pd.read_excel("/content/Crude Oil Prices Daily.xlsx")
In [3]: data.isnull().any()
Out[3]: Date
Closing Value
            dtype: bool
In [4]: data.isnull().sum()
Out[4]: Date
Closing Value
dtype: int64
In [5]: data.dropna(axis=0,inplace=True)
In [6]: data.isnull().sum()
Out[6]: Date
Closing Value
dtype: int64
In [7]:
    data_oil=data.reset_index()['Closing Value']
    data_oil
                      25.56
26.00
26.53
25.85
Out[7]: 0
1
              8211 73.89
8212 74.19
8213 73.05
8214 73.78
8215 73.93
Name: Closing Value, Length: 8216, dtype: float64
  In [8]:
    from sklearn.preprocessing import MinMaxScaler
    scaler=MinMaxScaler(feature_range=(0,1))
    data_oil=scaler.fit_transform(np.array(data_oil).reshape(-1,1))
   In [9]: data_oil
   [0.46497853],
[0.47038353],
[0.47149415]])
  In [10]: plt.plot(data_oil)
```

```
Out[10]: []
              1.0
              0.8
              0.6
              0.4
              0.2
              0.0
              training size=int(len(data oil)*0.65)
               test_size=len(data_oil)-training_size train_data,test_data=data_oil[0:training_size,:],data_oil[training_size:len(data_oil),:1]
In [12]: training_size,test_size
Out[12]: (5340, 2876)
Out[12]: (5340, 2876)
 In [13]: train_data.shape
 Out[13]: (5340, 1)
  In [14]: def create_dataset(dataset,time_step=1):
                   dataX,dataY=[],[]
for i in range(len(dataset)-time_step-1):
                     adataset[i:(i+time_step),0]
dataX.append(a)
dataY.append(dataset[i+time_step,0])
                   return np.array(dataX),np.array(dataY)
                time_step=10
                 x_train,y_train=create_dataset(train_data,time_step)
x_test,y_test=create_dataset(test_data,time_step)
  In [16]:
                print(x_train.shape),print(y_train.shape)
               (5329, 10)
(5329,)
  Out[16]: (None, None)
  In [17]: print(x_test.shape),print(y_test.shape)
                (2865, 10)
                (2865,)
  Out[17]: (None, None)
  In [18]: x_train
Out[18]: array([[0.11335703, 0.11661484, 0.12053902, ..., 0.10980305, 0.1089886 , 0.11054346], [0.11661484, 0.12053902, 0.11550422, ..., 0.1089886 , 0.11054346,
                      0.10165852],
[0.12053902, 0.11550422, 0.1156523 , ..., 0.11054346, 0.10165852,
                        0.09906708],
                      ..., 0.36391234, 0.37042796, 0.37042796], (0.35176958, 0.36080261, ..., 0.36391234, 0.37042796], (0.35176958, 0.36080261, 0.35354657, ..., 0.37042796, 0.37042796,
                      [0.37879461],
[0.36080261, 0.35354657, 0.35295424, ..., 0.37042796, 0.37879461, 0.37916482]])
In [19]: x_train=x_train.reshape(x_train.shape[0],x_train.shape[1],1)
    x_test=x_test.reshape(x_test.shape[0],x_test.shape[1],1)
In [20]:
              from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import Dense
              from tensorflow.keras.layers import LSTM
In [22]: model=Sequential()
```