

MOHAMED SATHAK ENGINEERING COLLEGE KILAKARAI

SMARTFARMER-IOT ENABLED SMART FARMING APPLICATION

ABSTRACT

India is agriculture sector, on either side, is losing ground every day, affecting the ecosystem's output capacity. In order to restore vitality and put agriculture back on a path of higher growth, there is a growing need to resolve the issue. A large-scale agricultural system necessitates a great deal of upkeep, knowledge, and oversight. The IoT is a network of interconnected devices that can transmit and receive data over the internet and carry out tasks without human involvement. Agriculture provides a wealth of data analysis parameters, resulting in increased crop yields. The use of IoT devices in smart farming aids in the modernization of information and communication. For better crop growth moisture, mineral, light and other factors can be assumed. This research looks into a few of these characteristics for data analysis with the goal of assisting users in making better agricultural decisions using IoT. The technique is intended to help farmers increase their agricultural output.

LITERATURE SURVEY:

Zuraida Muhammad, Muhammad Azri Asyraf Mohd Hafez, Nor Adni MatLeh, Zakiah Mohd Yusoff , Shabinar Abd Hamid [1] The term "Internet of Things" refers to the connection of objects, equipment, vehicles, and other electronic devices to a network for the purpose of data exchange (IoT). The Internet of Things

(IoT) is increasingly being utilised to connect objects and collect data. As a result, the Internet of Things' use in agriculture is crucial. The idea behind the project is to create a smart agriculture system that is connected to the internet of things. The technology is combined with an irrigation system to deal with Malaysia's variable weather. This system's microcontroller is a Raspberry Pi 4 Model B. The temperature and humidity in the surrounding region, as well as the moisture level of the soil, are monitored using the DHT22 and soil moisture sensor. The data will be available on both a smartphone and a computer. As a result, Internet of Things (IoT) and Raspberry Pi-based Smart Agriculture Systems have a significant impact on how farmers work. It will have a good impact on agricultural productivity as well. In Malaysia, employing IoT-based irrigation systems saves roughly 24.44 percent per year when compared to traditional irrigation systems. This would save money on labour expenditures while also preventing water waste in daily needs.

Divya J., Divya M.,Janani V. [2] Agriculture is essential to India's economy and people's survival. The purpose of this project is to create an embedded-based soil monitoring and irrigation system that will reduce manual field monitoring and provide information via a mobile app. The method is intended to help farmers increase their agricultural output. A pH sensor, a temperature sensor, and a humidity sensor are among the tools used to examine the soil. Based on the findings, farmers may plant the best crop for the land. The sensor data is sent to the field manager through Wi-Fi, and the crop advice is created with the help of the mobile app. When the soil temperature is high, an automatic watering system is used. The crop image is gathered and forwarded to the field manager for pesticide advice.

H.G.C.R. Laksiri, H.A.C. Dharmagunawardhana, J.V. Wijayakulasooriya [3]
Development of an effective IoT-based smart irrigation system is also a crucial

demand for farmers in the field of agriculture. This research develops a low-cost, weather-based smart watering system. To begin, an effective drip irrigation system must be devised that can automatically regulate water flow to plants based on soil moisture levels. Then, to make this water-saving irrigation system even more efficient, an IoT-based communication feature is added, allowing a remote user to monitor soil moisture conditions and manually adjust water flow. The system also includes temperature, humidity, and rain drop sensors, which have been updated to allow remote monitoring of these parameters through the internet. In real time, these field weather variables are stored in a remote database. Finally, based on the present weather conditions, a weather prediction algorithm is employed to manage water distribution. Farmers would be able to irrigate their crops more efficiently with the proposed smart irrigation system.

Anushree Math, Layak Ali, Pruthviraj U[4] India is a country where agriculture plays a vital role. As a result, it's critical to water the plants wisely in order to maximise yield per unit space and so achieve good output. Irrigation is the process of providing a certain amount of water to plants at a specific time. The purpose of this project is to water the plants on the National Institute of Technology Karnataka campus with a smart drip irrigation system. To do this, the open source platform is used as the system's fundamental controller. Various sensors have been employed to supply the current parameters of components that impact plant healthiness on a continual basis. By controlling a solenoid valve, water is provided to the plants at regular intervals depending on the information acquired from the RTC module. The webpage may be used to monitor and manage the complete irrigation system. This website contains a function that allows you to manually or automatically control plant watering. The health of the plants is monitored using a Raspberry Pi camera that gives live streaming to the webpage. The controller receives water flow data

from the water flow sensor through a wireless network. The controller analyses this data to see if there are any leaks in the pipe. Forecasting the weather is also done to restrict the quantity of water given, making it more predictable and efficient.

Dweepayan Mishra, Arzeena Khan, Rajeev Tiwari, Shuchi Upadhye [5]

Agriculture is a substantial source of revenue for Indians and has a huge impact on the Indian economy. Crop development is essential for enhanced yield and higher-quality delivery. As a result, crop beds with ideal conditions and appropriate moisture can have a big influence on output. Traditional irrigation systems, such as stream flows from one end to the other, are usually used. As a result of this delivery, the moisture levels in the fields can alter. A designed watering system can help to enhance the management of the water system. This research proposes a terrain-specific programmable water system that will save human work while simultaneously improving water efficiency and agricultural productivity. The setup is made up of an Arduino kit, a moisture sensor, and a Wi-Fi module. Data is acquired by connecting our experimental system to a cloud framework. After then, cloud services analyse the data and take the necessary actions.

R. Nageswara Rao, B.Sridhar [6] Agrarian countries like India rely heavily on agriculture for their development. Agriculture has always been a roadblock to the country's development. Smart agriculture, which comprises modernising present agricultural systems, is the only answer to this challenge. As a result, the suggested strategy attempts to use automation and Internet of Things technologies to make agriculture smarter. Crop growth monitoring and selection, irrigation decision assistance, and other uses are possible thanks to the Internet of Things (IoT). To modernise and boost crop yield, a Raspberry Pi-based autonomous irrigation IOT system has been proposed. This project's main purpose is to produce crops using the least amount of water possible. Most farmers waste a lot of time in the fields in order

to focus on water available to plants at the appropriate time. Water management should be improved, and the system circuit's complexity should be minimised. Based on the data collected from the sensors, the suggested system determines the amount of water required. Two sensors detect the humidity and temperature of the soil, as well as the humidity, temperature, and length of sunshine each day, and send the data to the base station. Based on these characteristics, the recommended systems must calculate the irrigation water quantity. The key benefit of the system is the integration of Precision Agriculture (PA) and cloud computing, which will reduce water fertiliser consumption while increasing crop yields and assisting in the evaluation of field weather conditions.

Shweta B. Saraf, Dhanashri H. Gawali [7] The Internet of Things (IoT) is the internet-based connectivity of a huge number of devices (IoT). A unique identity links each item, allowing data to be sent without human involvement. It makes it possible to develop strategies for improved natural resource management. Smart gadgets with sensors, according to the IoT concept, enable interaction with the physical and logical worlds. The proposed system in this study is built on the Internet of Things and uses real-time input data. Over a wireless sensor network, a smart farm irrigation system uses an Android phone to remotely monitor and regulate drips. Between sensor nodes and base stations, Zigbee is utilised to communicate. A web-based java graphical user interface is used to process and present the server's real-time observed data. Field irrigation system wireless monitoring eliminates human interaction and enables for remote monitoring and control using an Android phone. Cloud computing is a potential choice due to the large volume of data created by the wireless sensor network. This research presents and examines a cloud-based wireless communication system for monitoring and controlling a collection of sensors and actuators in order to determine the water needs of plants.

Shrihari M[8] The concept of automating agricultural production has been around since the early 1990s, and one of the primary challenges that both scientists and farmers confront is irrigation. Irrigation is a dynamic system that is heavily reliant on outside influences. This article describes a method that uses a custom-built mathematical model to handle data from wireless sensors on Google Cloud, resulting in a smart system. An IoT-enabled design that can scale up to big farms. According to Holistic Agricultural Studies, around 35 have been damaged by animals and people. This intelligent system uses Tensor flow and deep learning neural networks to recognise animals depending on their threat level, as well as human intruders who are not authorised on the farm, and to alert the farmer immediately. An android application is included with the device, which allows for remote access and surveillance through live video streaming.

G. Sushanth, and S. Sujatha [9] Smart agriculture is a novel concept since IoT sensors can offer information about agricultural regions and then act on it based on user input. The purpose of this study is to develop a smart agricultural system that utilises cutting-edge technologies such as Arduino, Internet of Things, and wireless sensor networks. Through automation, the research tries to take use of emerging technologies such as the Internet of Things (IoT) and smart agriculture. The capacity to monitor environmental factors is a critical component in increasing crop efficiency. The purpose of this study is to develop a system that can monitor temperature, humidity, wetness, and even the movement of animals that might damage crops in agricultural areas using sensors, and then send an SMS notification as well as a notification on the app developed for the same to the farmer's smartphone via Wi-Fi/3G/4G if there is a discrepancy. The system uses a duplex communication link based on a cellular Internet interface, which allows data inspection and irrigation

schedule to be changed using an android app. Because of its energy independence and inexpensive cost, the gadget has the potential to be useful in water-scarce, geographically isolated areas.

Vaishali S, Suraj S, Vignesh G, Dhivya S and Udhayakumar S [10] From the beginning of time, agriculture has been the most important practise in human society. Traditional irrigation methods, such overhead sprinklers and flood irrigation, are inefficient. They waste a lot of water and may even make people sick by causing fungus growth in the soil due to too much moisture. Due to the scarcity of water, an automated irrigation system is essential for water conservation and, as a result, agricultural profitability. Irrigation consumes around 85% of the world's total accessible water resources. This need is projected to increase in the coming years as the population grows. To meet this need, we must employ creative methods that lower the quantity of water utilised in irrigation. Sensors in the automated system monitor the availability of water to the crops, and watering is done as needed through controlled irrigation. Because of its practically limitless storage and processing capabilities, as well as its fast flexibility, cloud computing is an intriguing solution to the massive amount of data generated. The objective is to focus on factors like as temperature and soil moisture. This is a mobile integrated and smart irrigation system based on an Internet of Things-enabled application-controlled monitoring system. The main purpose of this project is to regulate the water supply and monitor the plants using a Smartphone.

Hamza BENYEZZA, Mounir BOUHEDDA, Khaoula DJELLOUT, Amina SAIDI [11] Water management currently global problem to all of us to tackle them in near future we need to plan it smartly. As we are living in modern world filled with lots of useful sensors from which we can designed systems with water saving capabilities. The work in this paper is focusing on increasing effective use of water

using field assist to farmer. Basically it works with soil moisture sensor which gives finding of moisture level in soil and reconnects with Thing Speaks cloud via Wi-Fi module ESP8266 to observation of soil conditions. Proposed system also set with an algorithm such that on soil moisture pattern data it can predict decision on irrigation of crops. system also warns farmer about empty water source if it occurs . benefits of using this system also includes weather prediction through website. The device has the potential to be beneficial in water-scarce, geographically isolated places due to its energy independence and low cost. The fact that the technology is simple to use for farmers adds to its utility. It also saves water by preventing waste.

Shiny Rajendrakumar, Prof. V K Parvati, Prof. Rajashekarappa [12]

Agricultural Irrigation is very important for the production of crops. Many methods have developed to save water in different ways. In traditional irrigation systems we require an operator or farmer to put water on crops but he does not come to know which crop require how much amount of water to get proper amount of yields. Irrigation means planting the crops by water. There are so many traditional irrigation methods, but all these methods consume large amount of water. Automated irrigation is the method which saves the water from up to 97% as compared to traditional methods. By using these modern methods like ICT productivity can be improved without unnecessary wastage of water. Here we are concentrating on IoT ie.

Internet of Things technique in irrigation for the purpose to save water. In this paper author states that Soil constitution is related with the availability of elements of nourishment plant requires as well as the presence in soil of elements and chemical composition that exist at different proportion that are best nourishment to plants and soil organisms and appropriate water to plant is most essential for all of the other nourishment to work at best. The Arduino will on the buzzer to give an alert to the

farmer. So Serial monitor of Arduino HE gives a message as "motion detected" when the buzzer is on and as "motion ended" when the buzzer is off. This innovation is prescribed for efficient automated agricultural watering system frameworks and it might give a profitable apparatus for preserving water arranging and watering system booking which is extendable other comparable horticultural harvests. The drawback of this proposed system is the whole system works on electricity, if in the case of electricity problem the farmer cannot on the motor to irrigate his land. The solution is to have generator, if there is no electricity so that generator gets on to run this framework and irrigate his land.