SPRINT - 2

Date	16 November 2022
Team ID	IBM-EPBL/IBM-Project-10972- 1659249039
Project Name	Smart Waste Management System for Metropolitan cities
Maximum Marks	4 Marks

Python Code

```
import time import sys
import ibmiotf.application
import ibmiotf.device import
random
#Provide your IBM Watson
Device Credentials
organization
= "2melo1" deviceType =
"waste" deviceId = "1234" authMethod =
"token" authToken = "12345678"
# Initialize GPIO
def myCommandCallback(cmd):
print("Commandreceived: %s" % cmd.data['command'])
status=cmd.data['command']
if status=="waste level":
    print ("waste level monitored")
  else:
    print ("weight level monitored")
```

```
#print(cmd)
  try:
  deviceOptions = {"org": organization, "type": deviceType, "id": deviceId, "auth-method":authMethod,
  "auth-token": authToken} deviceCli = ibmiotf.device.Client(deviceOptions)
        #.....
except Exception as e:
        print("Caught exception connecting device: %s" % str(e))
        sys.exit()
# Connect and send a datapoint "hello" with value "world" into the cloud as an event of type "greeting"
10 times deviceCli.connect()
while True:
    #Get Sensor Data from DHT11
    level=random.randint(0,100) weight=random.randint(0,100)
    data = { 'level' : level, 'weight': weight }
    #print data
    def myOnPublishCallback():
      print ("Published Level = %s %%" % level, "Weight = %s %%" % weight, "to IBM Watson")
```

```
success = deviceCli.publishEvent("IoTSensor", "json", data, qos=0,
on_publish=myOnPublishCallback)
  if not success:
    print("Not connected to IOTF")
time.sleep(20)
```

deviceCli.commandCallback = myCommandCallback

Disconnect the device and application from the cloud deviceCli.disconnect()

OUTPUT:

```
File Edit Shell Debug Options Window Help

Fython 3.7.0 (v3.7.0:lbfsoc5093, Jun 27 2018, 04:59:51) [MSC v.1914 64 bit (AMD64)] on win32

Type "copyright", "credits" or "license()" for more information.

>>>

RESTART: C:/Users/welcome/AppData/Local/Programs/Python/Python37/smart waste.py
2022-11-06 23:23:06,437 ibmiotf.device.Client INFO Connected successfully: d:2melol:waste:1234

Published Level = 24 % Weight = 28 % to IBM Watson

Published Level = 72 % Weight = 51 % to IBM Watson

Published Level = 70 % Weight = 59 % to IBM Watson

Published Level = 49 % Weight = 73 % to IBM Watson

Published Level = 49 % Weight = 73 % to IBM Watson

Published Level = 20 % Weight = 73 % to IBM Watson

Published Level = 20 % Weight = 73 % to IBM Watson

Published Level = 00 % Weight = 45 % to IBM Watson

Published Level = 00 % Weight = 45 % to IBM Watson

Published Level = 00 % Weight = 45 % to IBM Watson

Published Level = 00 % Weight = 42 % to IBM Watson

Published Level = 70 % Weight = 68 % to IBM Watson

Published Level = 70 % Weight = 68 % to IBM Watson

Published Level = 70 % Weight = 68 % to IBM Watson

Published Level = 70 % Weight = 20 % to IBM Watson

Published Level = 70 % Weight = 20 % to IBM Watson

Published Level = 70 % Weight = 20 % to IBM Watson

Published Level = 70 % Weight = 20 % to IBM Watson

Published Level = 70 % Weight = 20 % to IBM Watson

Published Level = 70 % Weight = 20 % to IBM Watson

Published Level = 70 % Weight = 20 % to IBM Watson

Published Level = 70 % Weight = 20 % to IBM Watson

Published Level = 70 % Weight = 20 % to IBM Watson

Published Level = 70 % Weight = 20 % to IBM Watson

Published Level = 70 % Weight = 20 % to IBM Watson

Published Level = 70 % Weight = 20 % to IBM Watson
```

NODE RED INPUT AND OUPUT:



