

SENDING DATA FROM RASPBERRY-PI TO IBM WATSON

Team ID	PNT2022TMID21693
Project Name	GAS LEAKAGE MONITORING AND ALERTING SYSTEM FOR INDUSTRIES

Aim:



To send sensor data from the Raspberry Pi to IBM Watson. In our case, the data is from DHT sensors.

Requirements:

- Hardware Requirements
 - RASPBERRY-PI (3B)(WITH ETHERNET CABLE OR WIFI CONNECTED)
 - USB MOUSE
 - USB KEYBOARD
 - DHT-11 Sensor
 - MONITOR
 - RASPBERRY'S POWER SUPPLY
 - VGA TO HDMI CABLE
 - Connecting Wires
- Software Requirements
 - IBM BLUEMIX ACCOUNT

Procedure

- Create an Device in IBM WATSON



IBM Cloud

Search resources and products...

Resource list /

Internet of Things Platform-rc


Active Add tags

Details Actions...

Manage

Plan

Connections



Let's get started with IBM Watson IoT Platform

Securely connect, control, and manage devices. Quickly build IoT applications that analyze data from the physical world.

[Launch](#) [Docs](#)

Ready for the next level?

IBM Watson IoT Platform Journey

✓

Lite

The Lite service plan provides a lightweight development environment to get you started with the connectivity capabilities of Watson IoT Platform.

- Free
- 200 MB data-transfer limit
- 500 application bindings limit

○

Non-Production

The Non-Production service plan is a full-featured, fully-integrated offering that enables you to explore Watson IoT Platform to see how the service can fit into your IoT environment.

- Starts at \$500 per month
- Capacity limit based on device type
- Optional Analytics Service and Blockchain

○

Production


The Production service is a fully managed SaaS offering that enables you to manage and analyze enterprise IoT data.

- Includes IBM Service & Support
- Pricing based on number of devices per device type

internetofthings.ibmcloud.com

IBM Watson IoT Platform

Sign in





Cars



Collect data from



and make value from it



Learn More


Powerful web dashboard











- Install necessary package on the Raspberry pi

```
File Edit Tabs Help
2017-10-23 06:55:22-- https://ftp.nl.debian.org/debian/pool/main/o/openssl/lib
ssl1.0.0-1.0.1t-1+deb8u6_armhf.deb
Resolving ftp.nl.debian.org (ftp.nl.debian.org)... 138.89.149.21, 2001:67c:2564:
1129::22
Connecting to ftp.nl.debian.org (ftp.nl.debian.org)[138.89.149.21]:80... connect
ed
HTTP request sent, awaiting response... 200 OK
Length: 867950 (848K) [application/x-debian-package]
Saving to: 'libssl1.0.0-1.0.1t-1+deb8u6_armhf.deb'

libssl1.0.0-1.0.1t-1 100%[=====] 847.61K 358KB/s in 2.4s

2017-10-23 06:55:25 (358 KB/s) - 'libssl1.0.0-1.0.1t-1+deb8u6_armhf.deb' saved [
867950/867950]

pi@raspberrypi:~$ sudo dpkg -i libssl1.0.0-1.0.1t-1+deb8u6_armhf.deb
Selecting previously unselected package libssl1.0.0:armhf.
(Reading database ... 115606 files and directories currently installed.)
Preparing to unpack libssl1.0.0-1.0.1t-1+deb8u6_armhf.deb ...
Unpacking libssl1.0.0:armhf (1.0.1t-1+deb8u6) ...
Setting up libssl1.0.0:armhf (1.0.1t-1+deb8u6) ...
pi@raspberrypi:~$ curl -LO https://github.com/ibm-messaging/iot-raspberrypi/rel
eases/download/1.0.2.1/iot_1.0-2_armhf.deb
0 % Total % Received % Xferd Average Speed Time Time Time Current
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
100 164 0 164 0 0 157 0 --:--:-- 0:00:01 --:--:-- 157
100 690 0 690 0 0 457 0 --:--:-- 0:00:01 --:--:-- 457
100 119k 100 119k 0 0 2017 0 0:00:03 0:00:03 --:--:-- 43169
pi@raspberrypi:~$ sudo dpkg -i iot_1.0-2_armhf.deb
(Reading database ... 115620 files and directories currently installed.)
Preparing to unpack iot_1.0-2_armhf.deb ...
Unpacking iot (1.0-2) over (1.0-1) ...
Setting up iot (1.0-2) ...
Processing triggers for systemd (232-25+deb9u1) ...
pi@raspberrypi:~$ service iot status
● iot.service - LSB: IoT service
Loaded: loaded (/etc/init.d/iot; generated; vendor preset: enabled)
Active: active (running) since Mon 2017-10-23 06:56:25 UTC; 17s ago
Docs: man:systemd-sys-generator(8)
CGroup: /system.slice/iot.service
└─2582 /opt/iot/iot /dev/null

Oct 23 06:56:24 raspberrypi systemd[1]: Starting LSB: IoT service...
Oct 23 06:56:24 raspberrypi iot[2557]: Starting the iot program
Oct 23 06:56:25 raspberrypi iot[2562]: *** IoT Raspberry Pi Sample has started ***
Oct 23 06:56:25 raspberrypi iot[2562]: Config file not found. Going to Quickstart mode
Oct 23 06:56:25 raspberrypi iot[2562]: Running in Quickstart mode
Oct 23 06:56:25 raspberrypi systemd[1]: Started LSB: IoT service.
```



```
File Edit Tabs Help
pi@raspberrypi:~$ pip install ibmiotf
Collecting ibmiotf
  Downloading ibmiotf-0.3.0.tar.gz (58kB)
    100% |#####| 61kB 510kB/s
Collecting dicttoxml==1.7.4 (from ibmiotf)
  Downloading dicttoxml-1.7.4.tar.gz
Collecting iso8601==0.1.10 (from ibmiotf)
  Downloading iso8601-0.1.12-py2.py3-none-any.whl
Collecting paho-mqtt==1.2 (from ibmiotf)
  Downloading paho-mqtt-1.3.1.tar.gz (80kB)
    100% |#####| 81kB 910kB/s
Collecting pytz==2014.7 (from ibmiotf)
  Using cached pytz-2017.2-py2.py3-none-any.whl
Collecting requests==2.5.0 (from ibmiotf)
  Downloading requests-2.18.4-py2.py3-none-any.whl (88kB)
    100% |#####| 52kB 1.6MB/s
Collecting requests-toolbelt==0.7.0 (from ibmiotf)
  Downloading requests-toolbelt-0.8.0-py2.py3-none-any.whl (54kB)
    100% |#####| 61kB 1.6MB/s
Collecting xmldict==0.10.2 (from ibmiotf)
  Downloading xmldict-0.11.6-py2.py3-none-any.whl
Collecting urllib3<1.23,>=1.21.1 (from requests==2.5.0->ibmiotf)
  Downloading urllib3-1.22-py2.py3-none-any.whl (132kB)
    100% |#####| 132kB 1.4MB/s
Collecting idna<2.7,=>2.5 (from requests==2.5.0->ibmiotf)
  Downloading idna-2.6-py2.py3-none-any.whl (58kB)
    100% |#####| 61kB 2.7MB/s
Collecting charset<3.1.0,=>3.0.2 (from requests==2.5.0->ibmiotf)
  Downloading charset-3.0.4-py2.py3-none-any.whl (133kB)
    100% |#####| 133kB 1.0MB/s
Collecting certifi==2017.4.17 (from requests==2.5.0->ibmiotf)
  Using cached certifi-2017.7.27.1-py2.py3-none-any.whl
Building wheels for collected packages: ibmiotf, dicttoxml, paho-mqtt
Running setup.py bdist_wheel for ibmiotf ... done
Stored in directory: /home/pi/.cache/pip/wheels/7e/7f/45/bbc33ad957e82f7671ba60e316d85a83d9d735a0d12e0c0418
Running setup.py bdist_wheel for dicttoxml ... done
Stored in directory: /home/pi/.cache/pip/wheels/46/02/59/00010b33ec6a7b2a906a13705491b59d4f5468824978a12cce
Running setup.py bdist_wheel for paho-mqtt ... done
Stored in directory: /home/pi/.cache/pip/wheels/20/d8/6d/acdc8f2890e111b7be7de71d0ebef0042fb83be0313dfff0493
Successfully built ibmiotf dicttoxml paho-mqtt
Installing collected packages: dicttoxml, iso8601, paho-mqtt, pytz, urllib3, idna, charset, certifi, requests, requests-toolbelt, xmldict, ibmiotf
Successfully installed certifi-2017.7.27.1 charset-3.0.4 dicttoxml-1.7.4 ibmiotf-0.3.0 idna-2.6 iso8601-0.1.12 paho-mqtt-1.3.1 pytz-2017.2 requests-2.18.4 requests-toolbelt-0.8.0 urllib3-1.22 xmldict-0.11.0
pi@raspberrypi:~$
```

```
File Edit Shell Debug Options Window Help
Python 2.7.13 (default, Jan 19 2017, 14:48:08)
[GCC 5.3.0 20170124] on linux2
Type "copyright", "credits" or "license()" for more information.
>>>
===== RESTART: /home/pi/Downloads/dht11toibmiot.py =====
2017-10-23 07:10:37.768 ibmiotf.device.client INFO Connected successfully: d:gegtl4:mydevice:mydevice
Published Temperature = 28 C Humidity = 50 % to IBM Watson
SensorData Invalid
Published Temperature = 28 C Humidity = 50 % to IBM Watson
SensorData Invalid
Published Temperature = 28 C Humidity = 50 % to IBM Watson
SensorData Invalid
Published Temperature = 28 C Humidity = 50 % to IBM Watson
Published Temperature = 29 C Humidity = 50 % to IBM Watson
Published Temperature = 29 C Humidity = 50 % to IBM Watson
|
```

- Check for the Data to be sent to IBM Bluemix

IBM Watson IoT Platform

Browse Action Device Types Interfaces

Browse Devices

All Devices Diagnose

This table shows a summary of all devices that have been added. It can be filtered, organized, and searched on using different criteria. To get started, you can add devices by using the Add Device button, or by using API.

Search by Device ID

Device Simulator ☐

Device ID	Status	Device Type	Class ID	Date Added	Descriptive Location
1234	Disconnected	GASLEAKAGE	Device	Nov 11, 2022 10:20 AM	

Items per page 50 | 1-1 of 1 item

1 of 1 page

IBM Watson IoT Platform

Browse Action Device Types Interfaces

Browse Devices

All Devices Diagnose

This table shows a summary of all devices that have been added. It can be filtered, organized, and searched on using different criteria. To get started, you can add devices by using the Add Device button, or by using API.

Search by Device ID

Device Simulator ☒

Device ID	Status	Device Type	Class ID	Date Added	Descriptive Location
1234	Disconnected	GASLEAKAGE	Device	Nov 11, 2022 10:20 AM	

Items per page 50 | 1-1 of 1 item

1 Simulation running

Recent Events

The recent events listed show the live stream of data that is coming and going from this device.

Event	Value	Format	Last Received
pro1	{"Hazardous Gas":1,"temp":21,"hum":92}	json	a few seconds ago
pro1	{"Hazardous Gas":62,"temp":82,"hum":87}	json	a few seconds ago
pro1	{"Hazardous Gas":4,"temp":45,"hum":86}	json	a few seconds ago
pro1	{"Hazardous Gas":53,"temp":37,"hum":99}	json	a few seconds ago
pro1	{"Hazardous Gas":28,"temp":43,"hum":99}	json	a few seconds ago

- Create boards and cards for visualization

